

Specificații tehnice (F4.1)

Numărul procedurii de achiziție	ocds-b3wdp1-MD-1562149177538din 11.07.2019
Denumirea procedurii de achiziție:	Tehnică de calcul 2019

Nr. d/o	Cod CPV	Denumirea bunurilor	Model ul articol ului	Țara de origin e	Produc ătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Stan dard e de referi nță
	1	2	3	4	5	6	7	8
LOT I								
1.1	30200000-1	Televizoare smart				43" LED TV, Black (1920x1080 FHD, SMART TV, PCI 700Hz, DVB-T/T2/C/S2) (43" DLED 1920x1080 FHD, PCI 700 Hz, SMART TV (VIDAA U2.5 OS), HEVC (H.265), MPEG4, MPEG2,VC1,MVC, 2 HDMI 2.0, 2 USB, Wi-Fi (802.11 b/g/n 2.4 GHz), DVB-T/T2/C/S2, OSD Language: ENG, RU, RO, Speakers 2x7W, 8 Kg) Wall Mount up to min. 25kg, VESA mm: up 200 x 200, Wall distance: min. 40mm	43" LED TV Hisense 43A5600, Black (1920x1080 FHD, SMART TV, PCI 700Hz, DVB-T/T2/C/S2) (43" DLED 1920x1080 FHD, PCI 700 Hz, SMART TV (VIDAA U2.5 OS), HEVC (H.265), MPEG4, MPEG2,VC1,MVC, 2 HDMI 2.0, 2 USB, Wi-Fi (802.11 b/g/n 2.4 GHz), DVB-T/T2/C/S2, OSD Language: ENG, RU, RO, Speakers 2x7W, 8 Kg) Wall Mount Gembird "WM-37T-01" Black 17"-37", max.25kg, VESA mm: up 200 x 200, Wall distance: 40mm	
1.2	30200000-1	Calculatoare				Computer Brand Name International CPU min. 2x Core, frecventa de baza min. 2.8GHz, min. 2Mb, max. TDP 53W), RAM 4Gb , SSD min. 128Gb, build-in Gbit Ethernet, DOS, negru sau sur, Mouse + Keyboard acelasi producator cu bloc de baza, ISO 9001 certificated producer + Monitor 21.5" TFT+LED backlight, Full HD(16:9) 1920x1080, 0.248mm, 5ms, DC2000000:1 (1000:1), 250cd/m2, 176°/170°, H:30-82kHz, V:56-76Hz, D-Sub, DVI-D, HDMI,2x1.5W, Acelasi Brand ca si bloc de baza+ casti Headset Microphone on the cable, 4pin 3.5mm mini-jack	FUJITSU ESPRIMO P520 E85+ (G3220/4GB/SSD 128GB/Keyboard) CPU min. 2x Core, frecventa de baza min. 2.8GHz, 2Mb, TDP 53W), RAM 4Gb , SSD 128Gb, build-in Gbit Ethernet, DOS, negru sau sur, Mouse + Keyboard acelasi producator cu bloc de baza, ISO 9001 certificated producer + Monitor 21.5" Fujitsu "E22T-7 LED", Black (1920x1080, 5ms, 250cd, LED20M:1, DVI, HDMI, 2x1.5W) Monitor 21.5" TFT+LED backlight, Full HD(16:9) 1920x1080, 0.248mm, 5ms, DC2000000:1 (1000:1), 250cd/m2, 176°/170°, H:30-82kHz, V:56-76Hz, D-Sub, DVI-D, HDMI,2x1.5W, Acelasi Brand ca si bloc de baza+Casti Headset SVEN AP-310M Microphone on the cable, 4pin 3.5mm mini-jack	
1.3	30200000-1	Printere 3*1				MFD, A4, 38ppm, DADF, WiFi Print, Copy and Scan Print speed: Single sided Up to 38 ppm (A4); Up to 63.1 ppm (A5-Landscape) Double sided Up to 30.3 ipm (A4) Printing method:	MFD Canon i-Sensys MF421dw MFD, A4, 38ppm, DADF, WiFi Print, Copy and Scan Print speed: Single sided Up to 38 ppm (A4); Up to 63.1 ppm (A5-Landscape) Double sided Up to 30.3 ipm (A4)	

Nr. d/o	Cod CPV	Denumirea bunurilor	Model ul articol ului	Țara de origin e	Produc ătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Stan dard e de referi nță
	1	2	3	4	5	6	7	8
	LOT I							
						Monochrome laser beam printing Print quality: Up to 1200 x 1200 dpi Print Resolution: 600 x 600 dpi Warm-up Time: Approx. 14 seconds or less from power on First Print Out Time: Approx: 5.5 seconds or less Printer languages: UFR II, PCL 5e, PCL6 Copier Copy Speed: Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm First Copy Output Time (FCOT): ADF (A4): Approx. 6.6 seconds or less Platen (A4): Approx. 6.4 seconds or less Copy resolution: Up to 600 x 600 dpi Copy modes: Text, Text/Photo (Default),Text/Photo (High Quality), Photo Double sided copying: 2-sided to 2-sided (Automatic) Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments Scanner Type: Colour Scan Resolution: Optical Up to 600 x 600 dpi Enhanced Up to 9600 x 9600 dpi Scan speed: Single sided mono 38ipm (300x600dpi) Single sided colour 13ipm (300x600dpi) Double sided mono 70ipm (300x600dpi) Double sided colour 26ipm (300x600dpi) Colour scanning depth: 24 bit/24 bit (input/output) Greyscales: 256 levels Compatibility: TWAIN , WIA, ICA Max. scan width 216mm Scan to E-mail / PC / USB memory key / FTP: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Scan to Cloud: TIFF/JPEG/PDF/PNG iFAX: ITU-T.37 Platen, 2-sided ADF (single pass) Paper input (Standard): 250-sheet cassette 100-	Printing method: Monochrome laser beam printing Print quality: Up to 1200 x 1200 dpi Print Resolution: 600 x 600 dpi Warm-up Time: Approx. 14 seconds or less from power on First Print Out Time: Approx: 5.5 seconds or less Printer languages: UFR II, PCL 5e, PCL6 Copier Copy Speed: Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm First Copy Output Time (FCOT): ADF (A4): Approx. 6.6 seconds or less Platen (A4): Approx. 6.4 seconds or less Copy resolution: Up to 600 x 600 dpi Copy modes: Text, Text/Photo (Default),Text/Photo (High Quality), Photo Double sided copying: 2-sided to 2-sided (Automatic) Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments Scanner Type: Colour Scan Resolution: Optical Up to 600 x 600 dpi Enhanced Up to 9600 x 9600 dpi Scan speed: Single sided mono 38ipm (300x600dpi) Single sided colour 13ipm (300x600dpi) Double sided mono 70ipm (300x600dpi) Double sided colour 26ipm (300x600dpi) Colour scanning depth: 24 bit/24 bit (input/output) Greyscales: 256 levels Compatibility: TWAIN , WIA, ICA Max. scan width 216mm Scan to E-mail / PC / USB memory key / FTP: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Scan to Cloud: TIFF/JPEG/PDF/PNG iFAX: ITU-T.37 Platen, 2-sided ADF (single pass)	

Nr. d/o	Cod CPV	Denumirea bunurilor	Model ul articol ului	Țara de origin e	Produc ătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Stan dard e de referi nță
	1	2	3	4	5	6	7	8
	LOT I							
						sheet multi-purpose tray 50-sheet ADF Paper input (Option): 550-sheet cassette Paper output: 150-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 750 - 4,000 pages per month Duty cycle: Max. 80,000 pages per month Processor Speed: 800MHz x 2 Memory 1GB Control Panel: 12.7 cm LCD Colour Touch Screen Cartridges: Cartridge 052 (3,100 pages) Cartridge 052H (9,200 pages) Printer ships with Cartridge 052 (3,100 pages)	Paper input (Standard): 250-sheet cassette 100-sheet multi-purpose tray 50-sheet ADF Paper input (Option): 550-sheet cassette Paper output: 150-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 750 - 4,000 pages per month Duty cycle: Max. 80,000 pages per month Processor Speed: 800MHz x 2 Memory 1GB Control Panel: 12.7 cm LCD Colour Touch Screen Cartridges: Cartridge 052 (3,100 pages) Cartridge 052H (9,200 pages) Printer ships with Cartridge 052 (3,100 pages)	
1.4	30200000-1	Printere 3*1				MFD A4, 23 ppm, Wi-Fi, Network Print, Copy and Scan Single sided: Up to 23 ppm (A4) Print quality: Up to 1200 x 1200 dpi Print Resolution: 600 x 600 dpi Printer languages UFR II-LT Advanced Space features: Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments Scanner Type: Flatbed, Colour Scan Resolution Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Scan speed Single sided mono: 3 sec/page	MFD Canon i-Sensys MF232w MFD A4, 23 ppm, Wi-Fi, Network Print, Copy and Scan Single sided: Up to 23 ppm (A4) Print quality: Up to 1200 x 1200 dpi Print Resolution: 600 x 600 dpi Printer languages UFR II-LT Advanced Space features: Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments Scanner Type: Flatbed, Colour Scan Resolution Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Scan speed Single sided mono: 3 sec/page (300x300dpi) Single sided colour: 4 sec/page (300x300dpi) Colour scanning depth: 24 bit/24 bit (input/output)	

Nr. d/o	Cod CPV	Denumirea bunurilor	Model ul articol ului	Țara de origin e	Produc ătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Stan dard e de referi nță
	1	2	3	4	5	6	7	8
	LOT I							
						(300x300dpi) Single sided colour: 4 sec/page (300x300dpi) Colour scanning depth: 24 bit/24 bit (input/output) Scan to PC: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Paper input (Standard): 250-sheet cassette 1-sheet multi-purpose tray Paper output: 100-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 500 - 2,000 pages per month Duty cycle: Max. 15,000 pages per month Memory 256MB Control Panel 5 lines B&W LCD Cartridge 737 (2,400 pages) Printer ships with Starter Cartridge (900 pages)	Scan to PC: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Paper input (Standard): 250-sheet cassette 1-sheet multi-purpose tray Paper output: 100-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 500 - 2,000 pages per month Duty cycle: Max. 15,000 pages per month Memory 256MB Control Panel 5 lines B&W LCD Cartridge 737 (2,400 pages) Printer ships with Starter Cartridge (900 pages)	
1.5	30200000-1	Notebook				Notebook 15.6" HD (1366x768) Non-glare, CPU 2x Core, frecventa turbo min. 2.6GHz, Cache 4Mb), 4Gb , HDD min. 500Gb , HDMI, 802.11ac, Bluetooth, 1x USB 3.0, 2x USB 2.0, Card Reader, Webcam, min. 33 WHrs Li-Ion Battery, max 2.0kg, Black or Silver Mouse, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, USB	NB ASUS 15.6" X540MA Black (Celeron N4000 4Gb 500Gb) 15.6" HD (1366x768) Non-glare, Intel Celeron N4000 (2x Core, 1.1GHz - 2.6GHz, 4Mb), 4Gb (Onboard) PC4-19200, 500Gb 5400rpm, Intel UHD Graphics, HDMI, No ODD, 802.11ac, Bluetooth, 1x USB 3.0, 2x USB 2.0, Card Reader, Webcam, Endless OS, 3-cell 33 WHrs Li-Ion Battery, 2.0kg, Chocolate Black Mouse Genius DX-110, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, USB	
	30200000-1	Calculator				Computer Brand Name International CPU min. 6x Core, frecventa de baza min. 3.0GHz, min. 6Mb, max. TDP 65W), RAM 4Gb , HDD min.2 TB+ SSD 128Gb, build-in Gbit Ethernet, DOS, negru sau sur, Mouse +	FUJITSU ESPRIMO P520 E85+ (G3520/8GB/SSD 128GB+HDD 2Tb/Keyboard) CPU 6x Core, frecventa de baza 3GHz, 6Mb, TDP 53W), RAM 8Gb , SSD 128Gb+HDD 2Tb, build-in Gbit Ethernet, DOS, negru sau sur, Mouse + Keyboard acelasi producator cu bloc de baza, ISO 9001	

Nr. d/o	Cod CPV	Denumirea bunurilor	Model ul articol ului	Țara de origin e	Produc ătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Stan dard e de referi nță
	1	2	3	4	5	6	7	8
LOT I								
						Keyboard acelasi producator cu bloc de baza, ISO 9001 certificated producer + Monitor 21.5" TFT+LED backlight, Full HD(16:9) 1920x1080, 0.248mm, 5ms, DC2000000:1 (1000:1), 250cd/m2, 176°/170°, H:30-82kHz, V:56-76Hz, D-Sub, DVI-D, HDMI,2x1.5W, Acelasi Brand ca si bloc de baza	certificated producer + Monitor 21.5" Fujitsu "E22T-7 LED", Black (1920x1080, 5ms, 250cd, LED20M:1, DVI, HDMI, 2x1.5W) Monitor 21.5" TFT+LED backlight, Full HD(16:9) 1920x1080, 0.248mm, 5ms, DC2000000:1 (1000:1), 250cd/m2, 176°/170°, H:30-82kHz, V:56-76Hz, D-Sub, DVI-D, HDMI,2x1.5W, Acelasi Brand ca si bloc de baza	
1.7	30200000-1	Hard memorie				2.0TB (USB3.1) 2.5" , Black, Anti-Shock, One Touch Backup	2.0TB (USB3.1) 2.5" Transcend "StoreJet 25A3", Black, Anti-Shock, One Touch Backup	

*Nota: Termenul de garanție pentru toate bunurile este de 24 luni.

Semnat: _____

Nume: DEMIAN Dumitru

În calitate de: Director

Ofertantul: SRL Infosofteh

Adresa: str. Mihai Viteazul 10/1, of. 5

Data: "11" iulie 2019

