



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	FUJITSU	Logo
Company name *	Fujitsu Technology Solutions	
Contact information *	Dieter Feuerer	
email-address	Buergermeister-Ulrich-Str. 100 86199 Augsburg / Germany e-mail: dieter.feuerer@ts.fujitsu.com	FUĴĬTSU
Internet site *	http://ts.fujitsu.com	
Additional Information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Personal Computer					
Commercial name *	ESPRIMO P958/E85+ (may be followed by suffixes)					
	ESPRIMO P958/E94+ (may be followed by suffixes)					
	ESPRIMO P958/power (may be followed by suffixes)					
Model number *	MI6W					
Issue date *	2018-11-23					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA 370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	ESPRIMO P958/E85+ /E94+ /power; Model number MI6W	Logo	0
Issue date *	2018-11-23		FUJITSU

Produc	t environmental attributes - Legal requirements	Requirer		met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://docs.ts.fujitsu.com/dl.aspx?id=2ab12baa-65e4a-43d4-8ebb-06907e5914a4			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	l 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://globalsp.ts.fujitsu.com/sites/certificates/default.aspx			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			
	Required information is; given in item P15 or added to this document,  available at (add URL):  http://globalsp.ts.fujitsu.com/sites/certificates/default.aspx			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *  Issue date *	ESPRIMO P958/E85+ /E94+ /power; Model number MI6W 2018-11-23	Logo	FUĴITSU
	mental attributes - Market requirements (See General NOTE below) onmental conscious design		Requirement met

Product	environmental attributes - Market requirements (See General NOTE below)			
	- Environmental conscious design	Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling		<u> </u>	
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\square$		
P7.8*	Upgrading can be done using commonly available tools		$\Box$	
P7.9	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Metal Material type: HIPS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	6 🔀		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: without flame retardants			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: mainboard: FR(40) or FR(60)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:FR(40) or without flame retardants			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have bee assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES, at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of recycled material is q.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * ESPRIMO F			P958/E85+ /E94+ /powe	er; Model number M	II6W		Logo	~	)	
Issue dat	te *	2018-11-23	3					FUJI	TSU	
Product	Product environmental attributes - Market requirements (continued) Requirement met									net
Item								Yes	No	n.a.
			nce requirements (con							
P7.21*	Biobase	d plastic mat	erial content is used in the	ne product (See NOT	ΓE B7)	:			$\boxtimes$	
	Of total p total plas or	plastic parts' stic by weigh	of the two alternatives be weight > 25 g, the biobatt) is %.  based plastic material is	sed plastic material		t (calculated as a p	ercentage of			
P7.22*			e from mercury, i.e. less ecify: Number of lamps:		n merc	cury content per lam	ıp: mg			$\boxtimes$
P8	Batteries	S								
P8.1*	Battery of	hemical con	nposition: coin battery Cl	R2032; Lithium Mang	ganese	Dioxide				
P9	Energy	consumptio	n (See NOTE B8)							
P9.1	For the p	roduct the fo	ollowing power levels or	energy consumption	s are r	eported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	1		Reference/Standard for energy modes and test method *			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		the wall	W	W		W				$\boxtimes$
PTEC * Typical E	nergy Con	sumption	W	W		W				
ETEC * Annual Er	nergy Con	sumption	kWh/year	kWh/year	39.9	98 kWh/year E	NERGY STA	AR®		
External F	Power Sup	ply Efficienc	y Level (International Ef	ficiency Marking Pro	tocol)	*:				$\boxtimes$
Display re			gapixels							
Default tir	Default time to enter energy save mode: 20 minutes									
P9.2*	9.2* Information about the energy save function is provided with the product.									
P9.3	9.3 Energy efficiency class (monitors only):			$\boxtimes$						
P10	Emissio	ns								
	Noise er	mission – D	eclared according to ISC	9296 (See NOTE B	39)					
P10.1	Mode		Mode description			Statistical upper lim $L_{WA,c}$ (B)	nit A-weighted	d sound pow	er level,	
	Idle		* Idle mode			* 3.2				

3.4

(only if not covered by ECMA-74)

HDD load

Measured according to: ISO 7779 ECMA-74
Other (only if not

N I /

Operation Other mode

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu						60	
Issue da	te *	2018-11-23				FUJITSU	
Product	ct environmental attributes - Market requirements (continued)  Requirement m						
D. ( )	Electromagnetic emissions						
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):						
P12		nics for computing p	products				
P12.1*			nic requirements of ISO 9241-30	7 for visual displa	y technologies.		
P12.2*	The phys	sical input device mee	ts the requirements of ISO 9995	and ISO 9241-410	О.		
P13		ng and documentati					
P13.1*		packaging material typ	• •	(kg): 1.47			
		packaging material typ		(kg): 0.16 (kg): 0.04			
P13.2*		packaging material typolastic primary packag	ging is free from PVC.	(kg). 0.04			
P13.3*			d fiberboard packaging, specify t	he contained perce	entage of minimum nost		
1 13.5		er recovered fiber conf		ne contained perce	entage of millimum posi		
P13.4*			duct documentation (tick box):				
		c ⊠, Paper ⊠, Oth					
P13.5			n if paper documentation used)				
		l product documentati hlorine-free	on on paper media is chlorine-fre	ee:			
	Elementa	al chlorine-free					
	Processe	ed chlorine-free				$\overline{\Box}$	
P14		ry programs					
P14.1	The prod	luct meets the require	ments of the following voluntary	program(s):			
	ENERGY	/ STAR®	Criteria version: 7.0	Date: 02/2018	Product category: Cor	mputer	
	Eco-labe	l: Blue Angel	Criteria version: RAL-UZ 78	Date: 01/2017	Product category: Cor	•	
		l: TCO Certified	Criteria version: Desktops 5.0	Date: 11/2015	Product category: Cor	•	
	Eco-labe	I: EPEAT®	Criteria version: IEEE 1680.1	Date: 03/2010	Product category: Cor	mputer .	
P15	Addition	al information (See	NOTE B10)				
P7.13 P7.15			e available. See in product relate	d datasheet.			
P7.19							
P9	Energy Consumption is depending on system configuration. The given values are from P958/E94+ standard configuration.						
	For more information see product related datasheet / energy white paper Source: http://www.fujitsu.com/fts/products/computing/pc/desktops/.						
P10	Noise emission is depending on system configuration. The given values are from P958/E94+ standard configuration.						
	For more information see product related datasheet. Source: http://www.fujitsu.com/fts/products/computing/pc/desktops/.						
P13	The given information can be differ depending on the system configuration.						
P14	System configuration(s) matching voluntary program requirements are avilable. If a system configuration is not in line with ENERGY STAR® the comercial name is followed by suffix "n". EPEAT®, Blue Angel and TCO Certified compliance is avilabel for selected configurations.						
			erved. Any liability that the data a	and illustrations are	e complete, actual or co	rrect is excluded.	
	Changes	totalinaa data 100	rain maonity that the data to	madirations are	c complete, detaal of 60		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1