

Beschreibung


Description

Descripción

1 Beschreibung


1 Description

1 Descripción



UF101 / UF102

①	Pedal S1
②	Pedal S2
③	LED-Fenster
④	Betätiger
⑤	Grundplatte
⑥	Anschlusskabel
⑦	Tragebügel (optional)



UF201 / UF202

①	Pedal S1
②	Pedal S2
③	LED window
④	Actuator
⑤	Base plate
⑥	Connecting cable
⑦	Carrying handle (optional)

①	Pedal S1
②	Pedal S2
③	Ventana LED
④	Accionador
⑤	Placa de base
⑥	Cable de conexión
⑦	Asa de transporte (opcional)



Item no: 362680

HS Drill Handpiece, angled, 70mm, 80k

Quantity:

—

1

+

On the offer list 

Technical details

Product group / field of application

Weight

49 g

Maximum speed

80000 rpm

Type

angled

Total length

7 cm

Integrated irrigation channel

yes

Sterile

no



Item no: 362683

HS Drill Handpiece, angled, 125mm, 80k

Quantity:

—

1


+

On the offer list 

Technical details

Product group / field of application

Weight	53 g
Maximum speed	80000 rpm
Type	angled
Total length	12.5 cm
Integrated irrigation channel	no
Sterile	no



Item no: 20362033

High-Speed Micro-Motor, large

Quantity:

–

1

+

On the offer list 

Technical details

Product group / field of application

Diameter 23 mm

Weight 115 g

Maximum speed 80000 rpm

Portfolio high-speed

Mechanical interface high-speed coupling



Item no: 362640

Perforator Handpiece

Quantity:

–

1

+

On the offer list 

Scope of delivery

362642 Perforator Connecting Cable (1)

362641 Perforator Motor, without cable (1)

Technical details

Diameter	37 mm
Weight	453 g
Maximum speed	1250 rpm
Total length	14.0 cm
Sterile	no

Product group / field of application



Item no: 340231

HS Diamond Burr, Ø3.1x70, 50k

Quantity:

—

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	3.1 mm
Total length	7 cm
Coarse-grained	No
Max. rotation	50000 rpm
Condition of drill head	Diamond
Shape drill head	round
Sterile	no



Item no: 340240

HS Diamond Burr, Ø4x70, 50k

Quantity:

—

1

+

On the offer list 

Technical details

Diameter drill head	4.0 mm
Total length	7 cm
Coarse-grained	No
Max. rotation	50000 rpm
Condition of drill head	Diamond
Shape drill head	round
Sterile	no

Product group / field of application



Item no: 340250

HS Diamond Burr, Ø5x70, 50k

Quantity:

–

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	5.0 mm
---------------------	--------

Total length	7 cm
--------------	------

Coarse-grained	No
----------------	----

Max. rotation	50000 rpm
---------------	-----------

Condition of drill head	Diamond
-------------------------	---------

Shape drill head	round
------------------	-------

Sterile	no
---------	----



Item no: 340260

HS Diamond Burr, Ø6x70, 50k

Quantity:

–

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	6.0 mm
---------------------	--------

Total length	7 cm
--------------	------

Coarse-grained	No
----------------	----

Max. rotation	50000 rpm
---------------	-----------

Condition of drill head	Diamond
-------------------------	---------

Shape drill head	round
------------------	-------

Sterile	no
---------	----



Item no: 340223

HS Diamond Burr, Ø2.3x70, 50k

Quantity:

–

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	2.3 mm
---------------------	--------

Total length	7 cm
--------------	------

Coarse-grained	No
----------------	----

Max. rotation	50000 rpm
---------------	-----------

Condition of drill head	Diamond
-------------------------	---------

Shape drill head	round
------------------	-------

Sterile	no
---------	----



Item no: 340327

HS Coarse Diamond Burr, Ø2.7x70, 50k

Quantity:

–

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	2.7 mm
Total length	7 cm
Coarse-grained	Yes
Max. rotation	50000 rpm
Condition of drill head	Diamond
Shape drill head	round
Sterile	no



Item no: 340331

HS Coarse Diamond Burr, Ø3.1x70, 50k

Quantity:

–

1

+

On the offer list 

Technical details

Diameter drill head	3.1 mm
---------------------	--------

Total length	7 cm
--------------	------

Coarse-grained	Yes
----------------	-----

Max. rotation	50000 rpm
---------------	-----------

Condition of drill head	Diamond
-------------------------	---------

Shape drill head	round
------------------	-------

Sterile	no
---------	----

Product group / field of application



Item no: 340340

HS Coarse Diamond Burr, Ø4x70, 50k

Quantity:

—

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head 4.0 mm

Total length 7 cm

Coarse-grained Yes

Max. rotation 50000 rpm

Condition of drill head Diamond

Shape drill head round

Sterile no



Item no: 340350

HS Coarse Diamond Burr, Ø5x70, 50k

Quantity:

—

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	5.0 mm
---------------------	--------

Total length	7 cm
--------------	------

Coarse-grained	Yes
----------------	-----

Max. rotation	50000 rpm
---------------	-----------

Condition of drill head	Diamond
-------------------------	---------

Shape drill head	round
------------------	-------

Sterile	no
---------	----



Item no: 340360

HS Coarse Diamond Burr, Ø6x70, 50k

Quantity:

–

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	6.0 mm
Total length	7 cm
Coarse-grained	Yes
Max. rotation	50000 rpm
Condition of drill head	Diamond
Shape drill head	round
Sterile	no



Item no: 340323

HS Coarse Diamond Burr, Ø2.3x70, 50k

Quantity:

—

1

+

On the offer list 

Technical details

Diameter drill head	2.3 mm
Total length	7 cm
Coarse-grained	Yes
Max. rotation	50000 rpm
Condition of drill head	Diamond
Shape drill head	round
Sterile	no

Product group / field of application



Item no: 340218

HS Diamond Burr, Ø1.8x70, 50k

Quantity:

—

1

+

On the offer list 

Technical details

Product group / field of application

Diameter drill head	1.8 mm
---------------------	--------

Total length	7 cm
--------------	------

Coarse-grained	No
----------------	----


Max. rotation	50000 rpm
---------------	-----------

Condition of drill head	Diamond
-------------------------	---------

Shape drill head	round
------------------	-------

Sterile	no
---------	----

Accessories for Burrs



280030	Rack , for 36 straight shaft burrs with a length of 7 cm, foldable, sterilizable, size 22 x 11.5 x 2 cm
280030 K	Metal Bar , for fixation at Rack 280030, to hold 18 burrs with a length of 7 cm and 16 burrs with a length of 5.7 cm, size 16 x 2.5 x 1 cm
28003	Rack , for 36 straight shaft burrs with a length of 9.5 cm, foldable, sterilizable, size 22 x 14 x 2 cm
280034	Rack , for 36 straight shaft burrs with a length of 12.5 cm, foldable, sterilizable, size 22 x 17 x 2 cm
NEW 280035	Rack , for 54 straight shaft burrs with a length of 5 cm (36 pieces) and 7 cm (18 pieces), foldable, sterilizable, size 22 x 12.5 x 3 cm
NEW 280040	Rack , flat model, to hold 21 straight shaft burrs with a length of up to 6 cm (6 pcs) and 7 cm (15 pcs), folding model, sterilizable, size 17.5 x 9.5 x 1.2 cm
NEW 280043	Rack , flat model, to hold 21 straight shaft burrs with a length of 7 cm (6 pcs) and 9.5 cm (15 pcs), folding model, sterilizable, size 17.5 x 11.5 x 1.2 cm

Please note: The burrs displayed are not included in the rack.

The DRILLCUT-X® II-35 Shaver Handpiece

Detail	Order No.	Description
	40712035	DRILLCUT-X® II-35 , shaver handpiece, for use with UNIDRIVE® S III ENT/NEURO
	40712535	DRILLCUT-X® II-35 N , shaver handpiece, with adaptation possibilities for Optical Shaver Tracker 40800122, for use with UNIDRIVE® S III ENT/NEURO and NAV1® PICO or NAV1® OPTICAL
	40712090	Handle , adjustable, for use with all DRILLCUT-X® II shaver handpieces

Accessories

Detail	Order No.	Description
	280053	Universal Spray , 6x 500 ml bottles, including spray nozzle
	280053C	Spray Nozzle , for the reprocessing of INTRA burr handpieces, for use with Universal Spray 280053B
	031131-10	Tubing Set , sterile, for single use, package of 10, for use with UNIDRIVE® ENT/ECO/NEURO, UNIDRIVE® S III ENT/ECO/NEURO
	20711621	Clip Set, autoclavable , for use with Silicone Tubing Set 20711640, for fastening the silicone tube to Connecting Cable 20711072
	41250RA	Cleaning Adaptor , LUER-Lock, for cleaning DRILLCUT-X®/DRILLCUT-X® II handpieces
	39550A	Wire Tray , provides safe storage of accessories for KARL STORZ paranasal sinus shaver systems during cleaning and sterilization for storage of: – Up to 7 shaver attachments – Connecting cable

Steckdosenleiste-Set

Die optionale Steckdosenleiste (6er) kann einen Steckdosenmangel verhindern.



UG891

Steckdosenleiste-Set, COR Stativwagen, mit POAG-Leiste und Netzkabel, Länge 500 cm, zur Verwendung mit Holmm modul klein UG801 oder Holmm modul hoch UG802

Spezialnetzkabel

Zur Verbindung zwischen Trenntransformator und Geräten.



UG892

Spezialnetzkabel, mit Kaltgerätestecker C14 und Kaltgerätebuchse C13, UL-Zulassung, Länge 150 cm, zur Verwendung mit Trenntransformator UG890, UG895 und UG896

Netzkabel




UG893

Netzkabel, Schuko-Stecker auf Kaltgerätestecker C13, orange, Länge 500 cm

Wire Trays and Containers


for the cleaning, sterilization and storage of telescopes and instruments

Telescopes



- 39501A1 **Wire Tray for Cleaning, Sterilization and Storage** of one rigid endoscope, including holder for light post adaptors, silicone telescope holders and lid, external dimensions (w x d x h): 290 x 60 x 52 mm, for rigid endoscopes up to diameter 5 mm and working length 20 cm
- 39501B1 **Wire Tray for Cleaning, Sterilization and Storage** of one rigid endoscope, including holder for light post adaptors, silicone telescope holders and lid, external dimensions (w x d x h): 430 x 65 x 52 mm, for rigid endoscopes up to diameter 10 mm and working length 34 cm
- 39501A2 **Wire Tray for Cleaning, Sterilization and Storage** of two rigid endoscopes and one light cable, including holder for light post adaptors, silicone telescope holders and lid, external dimensions (w x d x h): 352 x 125 x 54 mm, for rigid endoscopes up to diameter 10 mm and working length 20 cm
- 39501B2 **Wire Tray for Cleaning, Sterilization and Storage** of two rigid endoscopes and one light cable, including holder for light post adaptors, silicone telescope holders and lid, external dimensions (w x d x h): 487 x 125 x 54 mm, for rigid endoscopes up to diameter 10 mm and working length 34 cm

Instruments



- 39752A2 **Sterilization Container**, with MicroStop® microbiological barrier, for sterilization and sterile storage, external dimensions (w x d x h) 600 x 300 x 160 mm, internal dimensions (w x d x h): 548 x 267 x 138 mm
- 39219XX **Instrument Rack for Cleaning, Sterilization and Storage** of up to 14 instruments with diameter 2.5 to 10 mm, incl. variable bars with silicone holders, rack with Tray 39502 V for drawer and Wire Tray 39502X, external dimensions (w x d x h): 480 x 250 x 125 mm

Accessories for Sterilization Container ^{NEW} with MicroStop® System for Sterilization and Sterile Storage



Coding Labels



39763 B2

- 39763 A2 **Coding Label**, inscribed
- 39763 B2 **Coding Label**, blank

Color Tabs



39762 C2

Art. No.	Designation	Color
39762 A2	Color Tab	black
39762 B2	Color Tab	white
39762 C2	Color Tab	red
39762 D2	Color Tab	blue
39762 E2	Color Tab	green
39762 F2	Color Tab	yellow
39762 G2	Color Tab	violet
39762 H2	Color Tab	orange
39762 I2	Color Tab	grey

Optional Accessories



39763 E

- 39763 E **Log Labels**, self-adhesive, package of 1000




39763 PB

- 39763 PA **Seal**, without indicator, package of 1000
- 39763 PB **Seal**, with indicator, package of 1000

Wire Trays for Cleaning, Sterilization and Storage of Instruments ^{NEW}

Modular processing system: Possible set combinations




39502 X

Set 1

39502 X	Wire Tray, stackable, mesh wire
39502 L	Lid
39100 S	Silicone Insert
39100 PS	Fixation Pins, package of 12
39360 AS	Silicone Tie-Downs, package of 12

Can be combined with 39219 XV or 39219 XU
(cannot be used with Lid 39502 L)



39502 Z

Set 2

39502 Z	Wire Tray, stackable, with hole plates
39502 L	Lid
39100 S	Silicone Insert
39100 PS	Fixation Pins, package of 12
39360 AS	Silicone Tie-Downs, package of 12

Can be combined with 39219 XV or 39219 XU
(cannot be used with Lid 39502 L)

Please note: The instruments displayed are not included in the sterilization trays.

4. Craniotome attachment



362646 Craniotome Attachment, short, for use with HS Handpiece **362645**

362647 Craniotome Attachment, medium, for use with HS Handpiece **362645**

362648 Craniotome Attachment, long, for use with HS Handpiece **362645**

362645

High-Speed Handpiece, length **70 mm, straight**, 80.000 rpm, **with integrated irrigation**, for use with KARL STORZ High-Speed Micro-Motor 20362033 and 20363033

Burr length (mm)	Handpiece length - without burr (mm)
70	74



Craniotome Burrs



362640S	High-Speed Craniotome Burr, short, length 10 mm , sterile, for single use, 80,000 rpm, for use with High-Speed Handpiece 362645 and Craniotome Attachment 362646
362640M	High-Speed Craniotome Burr, medium, length 15 mm , sterile, for single use, 80,000 rpm, for use with High-Speed Handpiece 362645 and Craniotome Attachment 362647
362640L	High-Speed Craniotome Burr, long, length 25 mm , sterile, for single use, 80,000 rpm, for use with High-Speed Handpiece 362645 and Craniotome Attachment 362648