



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

EC Certificate - Full Quality Assurance System No. 18 0308 QS/NB

The quality system of manufacturer

SHARMA PHARMACEUTICAL PVT. LTD.

**103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India**

has been certified as meeting the requirements of

Directive 93/42/EEC

on medical devices, Annex II excluding (4)

for the following product category(ies):

Orthopedics Implants and Spinal Implants

The Notified Body No. 1023 declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subjected to periodical surveillance. For placing on the market of Class III devices covered by this certificate, an EC Design-Examination Certificate according to Annex II (Section 4) is required.

Valid from: 2018-09-11

Valid until: 2023-09-10

First Issued: 2018-09-11

Revision: -



Date: 2018-09-11

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

Product(s):

Name: Locked plates
Trade name(s): SHARMA, SPCPL
Model(s): see attached table
Class: IIb
GMDN: 35241

Name: Locked screws
Trade name(s): SHARMA, SPCPL
Model(s): see attached table
Class: IIb
GMDN: 37816

Name: Bone plates & Bone screws
Trade name(s): SHARMA, SPCPL
Model(s): see attached table
Class: IIb
GMDN: 35241, 37816



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

Name: Interlocking nails

Trade name(s): SHARMA, SPCPL

Model(s): see attached table

Class: IIb

GMDN: 37814

Name: Oral Maxillofacial implants

Trade name(s): SHARMA, SPCPL

Model(s): see attached table

Class: IIb

GMDN: 33168

Name: Pins & Wires

Trade name(s): SHARMA, SPCPL

Model(s): see attached table

Class: IIb

GMDN: 32854, 35685



Date: 2018-09-11

Revision: -

Mgr. Jiří Heš

Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

Name: **Arthroscopy implants**
Trade name(s): SHARMA, SPCPL
Model(s): see attached table
Class: IIb
GMDN: 32854

Name: **Spinal implants**
Trade name(s): SHARMA, SPCPL
Model(s): see attached table
Class: IIb
GMDN: 43050

Facility(ies):

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road, Vadodara -
390019, Gujarat, India

SHARMA PHARMACEUTICAL PVT. LTD.
444, GIDC Estate, Waghodia – 391760, Vadodara, Gujarat, India (manufacturing
site)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

Table of models and variants:

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
1. LOCKED PLATES			
DYNAMIC COMPRESSION LOCKED PLATE (DCP) SMALL	3.5 mm & 4.0 mm	03 To 12 Holes	S.S316L, S.S 316LVM, T itanium (Grade 5)
DYNAMIC COMPRESSION LOCKED PLATE (DCP) NARROW	4.5 mm & 5.0 mm	03 To 18 Holes	S.S316L, S.S 316LVM, T itanium (Grade 5)
DYNAMIC COMPRESSION LOCKED PLATE (DCP) BROAD	4.5 mm & 5.0 mm	03 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
LATERAL TIBIA HEAD BUTTRESS LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DISTAL TIBIA ANATOMICAL LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11

Revision: -



Mgr. Jiří Heš

Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
PROXIMAL MEDIAL TIBIA LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	04 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DISTAL MEDIAL TIBIA LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	5+2 To 5+10 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DISTAL TIBIA ANTEROLATERAL LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
T-LOCKED PLATE	mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
T- BUTTRESS LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
L - LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11

Revision: -



Mgr. Jiří Heš

Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
L - BUTTRESS LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
CLOVERLEAF LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	04 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DISTAL FEMUR LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 13 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
PROXIMAL FEMUR LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	04 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
FEMORAL CONDYLAR BUTTRESS LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	04 To 18 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
TROCHANTRIC FEMUR LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	04 To 15 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
PROXIMAL HUMERUS LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
LOW PROFILE PROXIMAL HUMERUS LOCKED PLATE (LPPHP)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DISTAL MEDIAL HUMERUS LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	04 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ANATOMICAL DISTAL HUMERUS LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
LATERAL POSTERIOR DISTAL HUMERUS LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ANATOMICAL PROXIMAL HUMERUS LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CLAVICLE HOOK LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 08 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
CLAVICLE LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
RECONSTRUCTION LOCKED PLATE 3.5 MM (ROUND HOLE/DC HOLE)	3.5 mm	05 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
RECONSTRUCTION LOCKED PLATE 4.5 MM (ROUND HOLE/DC HOLE)	4.5 mm	05 To 16 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
OLECRANON LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
1/3RD TUBULAR LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S316L, S.S 316LVM, T itanium (Grade 5)

Date: 2018-09-11

Revision: -



Mgr. Jiří Heš

Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
SEMI TUBULAR LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, T itanium (Grade 5)
CALCANEUM LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	Small, Medium, Large	S.S 316L, S.S 316LVM, Titanium (Grade 5)
D TYPE CALCANEUM LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	Small, Medium, Large	S.S 316L, S.S 316LVM, Titanium (Grade 5)
P TYPE CALCANEUM LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	Small, Medium, Large	S.S 316L, S.S 316LVM, Titanium (Grade 5)
R TYPE CALCANEUM LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	Small, Medium, Large	S.S316L, S.S 316LVM, Titanium (Grade 5)
DHS LOCKED PLATE (125°, 130°, 135°, 140°) L/B OR S/B	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
D.C.S. LOCKED PLATE 95°	12.5 mm, 5.0 mm, 4.5 mm	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DISTAL RADIUS LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
T - OBLIQUE LOCKED PLATE [LEFT / RIGHT]	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DORSAL DISTAL RADIUS L -LOCKED PLATE (LEFT / RIGHT)	3.0 mm, 2.7 mm, 2.4 mm	2X4 Hole	S.S316L, S.S 316LVM, Titanium (Grade 5)
DORSAL DISTAL RADIUS T -LOCKED PLATE	3.0 mm, 2.7 mm, 2.4 mm	2.4 mm - 3 X 4 Hole	S.S316L, S.S 316LVM, Titanium (Grade 5)
VOLAR EXTRA ARTICULAR STANDARD LOCKED PLATE (LEFT/RIGHT)	3.0 mm, 2.7 mm. 2.4 mm	2.4 mm - 5 X 4 Hole	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
VOLAR JUXTA ARTICULAR STANDARD LOCKED PLATE (LEFT / RIGHT)	3.0 mm. 2.7 mm. 2.4 mm	2.4 mm - 5 X 4 Hole	S.S316L, S.S 316LVM, Titanium (Grade 5)
DORSAL DISTAL RADIUS STRAIGHT LOCKED PLATE	3.0 mm. 2.7 mm. 2.4 mm	Standard	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DORSAL DISTAL RADIUS RIGHT ANGLED L - LOCKED PLATE (LEFT/RIGHT)	3.0 mm. 2.7 mm. 2.4 mm	3X4 Hole	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DORSAL DISTAL RADIUS OBLIQUE L - LOCKED PLATE (LEFT / RIGHT)	3.0 mm. 2.7 mm. 2.4 mm	3X4 Hole	S.S 316L, S.S 316LVM, Titanium (Grade 5)
PROXIMAL HUMERUS MULTIPLE LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
PILON LOCKED PLATE	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
trida Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
LOW PROFILE PROXIMAL LATERAL TIBIA LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	02 To 15 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ANTERO LATERAL DISTAL TIBIA LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 16 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
FIBULA LATERAL DISTAL LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
FIBULA POSTEROLATERAL LOCKED PLATE (LEFT / RIGHT)	6.5 mm, 4.5 mm, 5.0 mm, 4.0 mm, 3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
3D LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S316L, S.S 316LVM, Titanium (Grade 5)
BROAD STRAIGHT LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Paul Voj

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CALCANEUS MESH LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S316L, S.S 316LVM, Titanium (Grade 5)
CALCANEUS STANDARD LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S316L, S.S 316LVM, Titanium (Grade 5)
CURVED LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)
H - LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)
L - LOCKED PLATE (LEFT/RIGHT) (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)
OBLIQUE T - LOCKED PLATE(LEFT/RIGHT) (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
trída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
RECTANGULAR LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S316L, S.S 316LVM, Titanium (Grade 5)
T - LOCKED PLATE (FOOT PLATE)	3.5 mm, 3.0 mm, 2.7 mm, 2.4 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)
PELVIC CURVED LOCKED PLATE	4.0mm, 3.5 mm	04 To 20 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5),
PELVIC STRAIGHT LOCKED PLATE	4.0mm, 3.5 mm	02 To 20 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
PELVIC FLEX LOCKED PLATE	4.0mm, 3.5 mm	02 To 22 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
PELVIC SYMPHYSIS LOCKED PLATE	4.0mm, 3.5 mm	04 Hole, 06 Hole	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
TROCHANTERIC SUPPORT LOCKED PLATE (130°, 135°)	12.5mm, 6.5mm, 5.0mm, 4.5mm	02 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CLAVICLE ANTERIOR LOCKED (LEFT/RIGHT) SUPERIOR DISTAL PLATE	3.5mm, 3.0mm, 2.7 mm,	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
CLAVICLE ANTERIOR LATERAL LOCKED PLATE SUPERIOR MEDIAL	3.5mm, 3.0mm, 2.7 mm,	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
CALC LOCKED PLATE (FOOT PLATE)	STD.	STD.	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
2. LOCKED SCREWS			
CANCELLOUS LOCKED SCREW 7.0 MM (CANNULATED AND SOLID) (32 MM THREAD, HALF THREAD & FULL THREAD)	7.0 mm (Hex Drive / Star Drive)	20mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANCELLOUS LOCKED SCREW 6.5 MM (16 MM THREAD, 32 MM THREAD, FULL THREAD) (CA	6.5 mm (Hex Drive / Star Drive)	20mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANCELLOUS LOCKED SCREW 5.0 MM (SOLID)	5.0 mm (Hex Drive / Star Drive)	20mm To 80mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORTEX LOCKED SCREW 5.0 MM (SOLID)	5.0 mm (Hex Drive / Star Drive)	20mm To 80mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision:



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CANCELLOUS LOCKED SCREW 4.0 MM (SOLID)	4.0 mm (Hex Drive / Star Drive)	10mm To 70mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORTEX LOCKED SCREW 4.0 MM (SOLID)	4.0 mm (Hex Drive / Star Drive)	10mm To 62mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANCELLOUS LOCKED SCREW 3.5 MM (SOLID)	3.5mm (Hex Drive / Star Drive)	12mm To 60mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORTEX LOCKED SCREW 3.5 MM (SOLID)	3.5 mm (Hex Drive / Star Drive)	10mm To 62mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANCELLOUS LOCKED SCREW 3.0 MM (SOLID)	3.0 mm (Hex Drive / Star Drive)	10mm To 42mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORTEX LOCKED SCREW 3.0 MM (SOLID)	3.0 mm (Hex Drive / Star Drive)	12mm To 42mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Paul Voj

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CANCELLOUS LOCKED SCREW 2.7 MM (SOLID)	2.7 mm (Hex Drive / Star Drive)	06mm To 36mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORTEX LOCKED SCREW 2.7 MM (SOLID)	2.7 mm (Hex Drive / Star Drive)	06mm To 36mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANCELLOUS LOCKED SCREW 2.4 MM (SOLID)	2.4 mm (Hex Drive / Star Drive)	0mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORTEX LOCKED SCREW 2.4 MM (SOLID)	2.4 mm (Hex Drive / Star Drive)	0mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
SPACER LOCKED SCREW	6.5 mm. 5.0 mm & 4.0 mm. 3.0 mm	STD.	S.S 316L, S.S 316LVM, Titanium (Grade 5)
MOUNTING BLOCK	3.0 mm to 5.0 mm	STD.	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš

Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
3. BONE PLATES (NON- LOCKING)			
DYNAMIC COMPRESSION PLATE (DCP) SMALL	3.5 mm	To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DYNAMIC COMPRESSION PLATE (DCP) NARROW	4.5 mm	To 16 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DYNAMIC COMPRESSION PLATE (DCP) BROAD	4.5 mm	To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
LOW CONTACT DYNAMIC COMPRESSION PLATE (LC-DCP) SMALL	3.5 mm	04 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
LOW CONTACT DYNAMIC COMPRESSION PLATE (LC-DCP) NARROW	4.5 mm	05 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš

Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
LOW CONTACT DYNAMIC COMPRESSION PLATE (LC-DCP) BROAD	4.5 mm	04 To 18 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DHS PLATE (125°, 130°, 135°, 140°) L/B OR S/B [R/H, D.C/H]	12.5 mm or 4.5 mm	02 To 18 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DCS PLATE 95° [R/H, D.C/H]	12.5 mm or 4.5 mm	02 To 18 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
RECONSTRUCTION PLATE (ROUND HOLE / DC HOLE)	3.5 mm & 4.5 mm	05 To 26 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
Y-PLATE	3.5 mm or 4.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
SPOON PLATE	3.5 mm or 4.5 mm	04 To 07 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -




Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
ANGLED BLADE PLATE (ANY SIZE) D.C. HOLE	4.5 mm	04 To 18 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
COBRA PLATE	4.5 mm	02 To 18 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
CONDYLAR PLATE (95°) WITH BLADE	4.5 mm	04 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
SMALL L-PLATE (LEFT / RIGHT)	3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
1/3RD TUBULAR PLATE	3.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
SEMI TUBULAR PLATE	4.5 mm	03 To 14 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Paul Vaj

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
SMALL T - PLATE	3.5 mm	03 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
OBLIQUE T - PLATE (LEFT / RIGHT)	3.5 mm	03 To 14 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
T - PLATE	4.5 mm	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
T - BUTTRESS PLATE	4.5 mm	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
L - PLATE (LEFT / RIGHT)	4.5 mm	03 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
L - BUTTRESS PLATE (LEFT / RIGHT)	4.5 mm	03 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CLOVERLEAF PLATE	3.5 mm or 4.5 mm	04 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
LATERAL TIBIA HEAD BUTTRESS PLATE (LEFT / RIGHT)	4.5 mm	04 To 16 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
FEMORAL CONDYLAR BUTTRESS PLATE (LEFT / RIGHT)	4.5 mm	04 To 16 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DISTAL ANATOMICAL TIBIA PLATE (LEFT / RIGHT)	4.5 mm	04 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ANATOMICAL PROXIMAL HUMERUS PLATE (LEFT / RIGHT)	4.5 mm	04 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ANATOMICAL PROXIMAL MEDIAL TIBIA PLATE (LEFT / RIGHT)	4.5 mm	04 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
ANATOMICAL DISTAL FEMUR PLATE (LEFT / RIGHT)	4.5 mm	04 To 18 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CALCANEUM PLATE	6.5 mm, 4.5 mm, 3.5 mm	Small, Medium, Large	S.S316L, S.S 316LVM, Titanium (Grade 5)
ACETABULAR SURFACE PLATE	4.5mm, 3.5mm	Small, Medium, Large	S.S 316L, S.S 316LVM, Titanium (Grade 5)
PELVIC CURVED PLATE	4.0mm, 3.5mm	04 To 20 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
PELVIC STRAIGHT PLATE	4.0mm, 3.5mm	02 To 20 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
PELVIC FLEX PLATE	4.0mm, 3.5mm	02 To 22 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
PELVIC SYMPHYSIS PLATE	4.0mm, 3.5mm	04 Hole, 06 Hole	S.S316L, S.S 316LVM, Titanium (Grade 5)
TROCHANTRIC SUPPORT PLATE (130°, 135°)	12.5mm, 6.5mm, 5.0mm, 4.5mm,	02 To 12 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CLAVICLE SUPERIOR ANTERIOR DISTAL PLATE (LEFT / RIGHT)	3.5mm, 3.0mm, 2.7 mm,	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
CLAVICLE SUPERIOR ANTERIOR LATERAL MEDIAL PLATE	3.5mm, 3.0mm, 2.7 mm,	04 To 12 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
DOUBLE 'O' PLATE (FOOT PLATE)	4.5mm	02 Hole (12mm, 16 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
X - CURVED PLATE(FOOT PLATE)	STD.	Small, Medium, Large	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CALCANIUM Y PLATE (FOOT PLATE)	STD.		S.S 316L, S.S 316LVM, Titanium (Grade 5)
4. BONE SCREWS (NON- LOCKING)			
CORTICAL SCREW 2.0 MM	2.0 mm	06mm To 24mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORTICAL SCREW 2.7 MM (NON SELF TAPPING & SELF TAPPING)	2.7 mm	06mm To 24mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORTICAL SCREW 3.5 MM (14 TPI , 20 TPI) (NON SELF TAPPING & SELF TAPPING)	3.5 mm	10mm To 46mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORTICAL SCREW 4.5 MM (NON SELF TAPPING & SELF TAPPING)	4.5 mm	10mm To 76mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11

Revision: -

Mgr. Jiří Heš

Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CANCELLOUS SCREW 4.0 MM [FULL THREAD, HALF THREAD]	4.0 mm	10mm To 50mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANCELLOUS SCREW 5.0 MM [FULL THREAD, HALF THREAD]	5.0 mm	15mm To 60mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CANCELLOUS SCREW 6.5 MM [16 MM THREAD, 32 MM THREAD, FULL THREAD]	6.5 mm	25mm To 110mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CANNULATED CANCELLOUS SCREW 4.0 MM [FULL THREAD, HALF THREAD]	4.0 mm	10mm To 75mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANNULATED CANCELLOUS SCREW 5.0 MM [32 MM THREAD, HALF THREAD, FULL	5.0 mm	20mm To 75mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic


Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CANNULATED CANCELLOUS SCREW 6.5 MM [16 MM THREAD, 32 MM THREAD, FULL THREAD]	6.5 mm	25mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CANNULATED CANCELLOUS SCREW 7.0 MM [32 MM THREAD, FULL THREAD]	7.0 mm	40mm To 125mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANNULATED CANCELLOUS SCREW 8.0 MM [32 MM THREAD, FULL THREAD]	8.0 mm	40mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
WASHER	3.5 mm or 4.5 mm	Std., 04mm To 08mm	S.S 316L, S.S 316LVM, Titanium (Grade 5)
MALLEOLAR SCREW 4.5 MM [HEX HEAD]	3.5 mm or 4.5 mm	25mm To 90mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
tržda Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
DYNAMIC COMPRESSION SCREW (DHS COMPRESSION SCREW) FOR DHS OR DCS	STD.	STD.	S.S 316L, S.S 316LVM, Titanium (Grade 5)
LAG SCREW	12.5 mm	25 mm to 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CANNULATED CANCELLOUS SCREW 3.5 MM [HALF THREAD, FULL THREAD	3.5 mm	20mm To 75mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CANNULATED CANCELLOUS SCREW 4.5 MM [HALF THREAD, FULL THREAD	4.5 mm	20mm To 75mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
SCREWS (FOOT PLATE)	4.0mm, 5.5mm x 63.6mm, 7.0mm	STD.	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
5. INTER-LOCKING NAILS, AND ACCESORIES			
EASY UNIVERSAL FEMUR NAIL [LEFT / RIGHT] (CANNULATED/SOLID)	9.0 mm To 13.0 mm	26cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
RETROGRADE FEMUR NAIL (CANNULATED/SOLID)	9.0 mm To 13.0 mm	26cm To 40cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
UNIVERSAL FEMUR NAIL(CANNULATED/SOLID)	9.0 mm To 13.0 mm	26cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
RECONSTRUCTION NAIL (CANNULATED/SOLID) [LEFT / RIGHT]	9.0 mm To 13.0 mm	26cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
SUPRACONDYLAR NAIL (IMSC NAIL)	9.0 mm To 13.0 mm	15cm To 35cm (Diff: 5.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
SUPRACONDYLAR NAIL (DIMSC NAIL)	9.0 mm To 13.0 mm	15cm To 35cm (Diff: 5.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
PROXIMAL FEMUR NAIL OR SUBTROCHANTERIC AND TROCHANTERIC NAIL (SSTN / STFN)	9.0 mm To 12.0 mm	18cm, 20cm & 24cm	S.S 316L, S.S 316LVM, Titanium (Grade 5)
PROXIMAL FEMUR NAIL OR SUBTROCHANTERIC AND TROCHANTERIC NAIL (SSTN / STFN) [LEFT / RIGHT]	9.0 mm To 12.0 mm	32cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
UNIVERSAL TIBIA NAIL (CANNULATED/SOLID)	8.0 mm To 12.0 mm	26cm To 40cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
EASY UNIVERSAL TIBIA NAIL [LEFT / RIGHT] (CANNULATED/SOLID)	8.0 mm To 12.0 mm	26cm To 40cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
XPERT TIBIA NAIL (CANNULATED/SOLID)	8.0 mm To 12.0 mm	26cm To 40cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
HUMERUS NAIL (CANNULATED/SOLID)	6.0 mm To 9.0 mm	20cm To 30cm	S.S316L, S.S 316LVM, Titanium (Grade 5)
PROXIMAL HUMERUS NAIL	6.0 mm To 9.0 mm	16cm	S.S316L, S.S 316LVM, Titanium (Grade 5)
RADIUS ULNA NAIL	3.0 mm To 4.5 mm (Diff. 0.5 mm)	14cm To 30cm	S.S316L, S.S 316LVM, Titanium (Grade 5)
ELASTIC NAIL (FLEXIBLE NAIL)	1.5 mm To 5.0 mm (Diff. 0.5 mm)	44 cm Standard	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
GAM NAIL	9.0 mm To 12.0 mm	18cm To 24cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
GAM NAIL [LEFT / RIGHT]	9.0 mm To 12.0 mm	26cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
K- NAIL	6.0 To 10.0 mm	26cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
ENDER'S NAIL	1.5 mm To 5.0 mm (Diff. 0.5 mm)	6.0cm To 40.0cm (Diff: 1.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
ANKLE ARTHRODESIS NAIL (LEFT / RIGHT)	8.0mm To 12.0 mm	15cm To 35cm (Diff: 5.0cm)	S.S316L, S.S 316LVM, T itanium (Grade 5)
D-IMSC LOCKED NAIL (UNREAMED AND REAMED)	9.0 mm To 13.0 mm	15cm To 35cm (Diff: 5.0cm)	S.S316L, S.S 316LVM, T itanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.

**103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India**

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
HUMERUS LOCKED NAIL (UNREAMED AND REAMED)	6.0 mm To 9.0 mm	20cm To 30cm	S.S316L, S.S 316LVM, Titanium (Grade 5)
NEW ANTIGRADE FEMUR NAIL (UNREAMED AND REAMED) (LEFT / RIGHT)	9.0 mm To 13.0 mm	26cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
COMPRESSION HUMERUS NAIL (UNREAMED AND REAMED)	6.0 mm To 09.0 mm	15cm To 30cm	S.S316L, S.S 316LVM, Titanium (Grade 5)
NEW GAM NAIL (125°, 130°, 135°)	9.0 mm To 12.0 mm	18cm To 24cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
NEW GAM NAIL (125°, 130°, 135°) (LEFT / RIGHT)	9.0 mm To 12.0 mm	26cm To 44cm (Diff: 2.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
NEW SUPRACONDYLAR NAIL (NEW DIMSC NAIL)	9.0 mm To 13.0 mm	15cm To 35cm (Diff: 5.0cm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
INTERLOCKING NAIL CAP	Std.	0.0mm, 5.0mm, 10.0mm, 15.0mm, 20.0mm	S.S316L, S.S 316LVM, Titanium (Grade 5)
NAIL PLUG SAFETY (GAM NAIL CAP)	Std.	Std.	S.S316L, S.S 316LVM, Titanium (Grade 5)
SAFETY SCREW (INNER GAM NAIL CAP)	Std.	Std.	S.S316L, S.S 316LVM, Titanium (Grade 5)
INTERLOCKING GUIDE WIRE-SIMPLE	1.5 mm. 2.0 mm & 2.5 mm	Std.	S.S316L, S.S 316LVM, Titanium (Grade 5)
INTERLOCKING GUIDE WIRE-OLIVE TIP (BALL TIP)	1.5 mm, 2.0 mm & 2.5 mm	Std.	S.S316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023




Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
6. LOCKING BOLTS			
LOCKING BOLT 1.5 MM	1.5 mm	50 mm	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKING BOLT 3.0 MM	3.0 mm	12mm To 36mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKING BOLT 3.7 MM	3.7 mm	20mm To 40mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium(Grade5)
LOCKING BOLT 4.0 MM	4.0 mm	20mm To 46mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKING BOLT 5.0 MM	5.0 mm	20mm To 76mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
LOCKING BOLT 6.0 MM (CANNULATED & SOLID)	6.0 mm	50mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKED BOLT 6.0 MM (CANNULATED & SOLID)	6.0 mm	50mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKING BOLT 7.0 MM (CANNULATED & SOLID)	7.0 mm	50mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKED BOLT 7.0 MM (CANNULATED & SOLID)	7.0 mm	50mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKING BOLT 8.0 MM (CANNULATED & SOLID)	8.0 mm	50mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
LOCKING BOLT 10.0 MM (CANNULATED AND	10.0 mm	60mm To 120mm (Diff: 2.0mm) &	S.S316L, S.S 316LVM, Titanium

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
SOLID)		(Diff: 5.0mm)	(Grade 5)
LOCKING BOLT 12.0 MM (CANNULATED AND SOLID)	12.0 mm	60mm To 120mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
HELICAL BLADE LOCKING BOLT	6.0mm to 12.0mm (Diff: 0.5mm) & (Diff: 1.0mm)	30mm to 130mm (Diff: 2.0mm) & (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
7. ORAL-MAXI LLO FACIAL IMPLANTS (PLATES)			
MINI BONE PLATE CONTINUOUS HOLES	1.5 mm To 2.5 mm (Diff: 0.5 mm)	2 To 50 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
MINI BONE PLATE WITH BAR	1.5 mm To 2.5 mm (Diff: 0.5 mm)	2 To 6 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
L SHAPE PLATE 90° WITH BAR	1.5 mm To 2.5 mm	Left / Right (2+2H) Left / Right (3 + 2 H)	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
L SHAPE PLATE 90° WITHOUT BAR	2.0 mm	Left / Right (2+2H)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
L SHAPE PLATE 120° OBLIQUE WITH BAR	1.5 mm To 2.5 mm	Left / Right (2+2H) Left / Right (3 + 2 H)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
T SHAPE PLATE WITH BAR	1.5 mm To 2.5 mm	Small (2 + 2 H) Big (3 + 2 H) 3 + 3 Holes (2 + 3 H)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
X SHAPE PLATE	1.5 mm, 2.0 mm & 2.5 mm	1.5 mm To 2.5 mm	S.S316L, S.S 316LVM, Titanium (Grade 5)
Y SHAPE PLATE	1.5 mm, 2.0 mm & 2.5 mm	Small & Big	S.S316L, S.S 316LVM, Titanium (Grade 5)
DOUBLE Y SHAPE PLATE	1.5 mm, 2.0 mm & 2.5 mm	1.5 mm To 2.5 mm	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
Z SHAPE PLATE	5 mm, 2.0 mm & 2.5 mm	Left / Right	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ORBITAL PLATE CONTINUOUS HOLES	1.5 mm, 2.0 mm, & 2.5 mm	4 Holes To 10 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ORBITAL PLATE WITH BAR	mm, 2.0 mm, & 2.5 mm	4 Holes & 6 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CURVED PLATE (LEFT / RIGHT)	2.0 mm	4 Holes & 6 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
ANGULAR PLATE 150° (LEFT / RIGHT)	2.0 mm	4 Holes & 6 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
SPLITFIX PLATE	2.0 mm	4 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
H SHAPE PLATE	1.5 mm & 2.0 mm	6 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
3 DIMENSIONAL BONE PLATE SQUARE SEGMENTS	1.5 mm, 2.0 mm, & 2.5 mm	2x2 Holes, 2 x 3 Holes, 2 x 4 Holes, 4 x 4 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
3 DIMENSIONAL BONE PLATE RECTANGULAR SEGMENTS	1.5 mm, 2.0 mm, & 2.5 mm	2x2 Holes, 2 x 3 Holes, 2 x 4 Holes, 4 x 4 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
RECONSTRUCTION PLATE FOR MANDIBLE STRAIGHT	1.5 mm, 2.0 mm, 2.5 mm	8 Holes To 30 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)
RECONSTRUCTION PLATE FOR MANDIBLE ANGLED	1.5 mm, 2.0 mm, 2.5 mm	Left / Right -16, 20 & 24 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
RECONSTRUCTION PLATE FOR MANDIBLE DOUBLE ANGLED	1.5 mm, 2.0 mm, 2.5 mm	4+16 + 4 Holes 4 + 20 +4 Holes 4 + 24+4 Holes 4 + 28+4 Holes	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CHIN PLATE	1.5 mm, 2.0 mm, 2.5 mm	10 mm Bar	S.S 316L, S.S 316LVM, Titanium (Grade 5)
NOSE PLATE 'H' SHAPE	1.0 mm To 4.5 mm	10 mm Bar	S.S 316L, S.S 316LVM, Titanium (Grade 5)
NOSE PLATE 'Y' SHAPE	1.0 mm To 4.5 mm	02 Hole To 20 Hole (Diff: 1.0 Hole)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
TMJCONDYLE	1.5 mm, 2.0 mm, 2.5 mm	Left / Right	S.S 316L, S.S 316LVM, Titanium (Grade 5)
TMJ CONDYLE WITH RECONSTRUCTION ANGULAR PLATE	1.5 mm, 2.0 mm, 2.5 mm	Left / Right -20 & 24 Holes	S.S 316L, S.S 316LVM, Titanium (Grade 5)
WIRE MESH 0.5 MM THICKNESS	1.5 mm, 2.0 mm, 2.5 mm	1" x 1", 2" x 2", 2" x 3", 2" x 4", 3" x 4", 3" x 6", 3" x 8 ", 3" x 10"	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
ARCH BAR - PACKET	Std.	30 cm Length	S.S316L, S.S 316LVM, Titanium (Grade 5)
MINI SCREWS CROSS SLOT HEAD WITH SELF CUTTING FLUTE	1.5 Mm To 2.5 Mm	4mm To 12mm (Diff: 2.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
MINI SCREWS SINGLE SLOT HEAD REGULAR	1.5 mm, 2.0 mm, 2.5 mm, 2.7 mm	4mm To 16mm (Diff: 2.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
INTERMAXILLARY FIXATION SCREWS (IMF) WITH HOLE	2.0 mm & 2.5 mm	4mm To 12mm (Diff: 2.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
8. ORAL- MAXILLO FACIAL IMPLANTS (SCREWS)			
LAG SCREWS SINGLE SLOT HEAD	2.0 mm & 2.5 mm	4mm To 20mm (Diff: 2.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
EMERGENCY SCREWS SINGLE SLOT HEAD	1.7 mm, 2.3 mm & 2.7 mm	4mm To 14mm (Diff: 2.0mm)	S.S 316L, S.S 316LVM, T itanium (Grade 5)
EMERGENCY SCREWS CROSS SLOT HEAD	1.7 mm, 2.3 mm & 2.7 mm	4mm To 14mm (Diff: 2.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
9. SPINAL IMPLANTS			
CORE™ CERVICAL PLATE	4.0 mm & 4.5 mm	20 mm To 110 mm (Diff: 2.50 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ CERVICAL SCREW 4.0MM	4.0 mm	8.0 mm To 20 mm (Diff: 2.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ CERVICAL SCREW 4.5MM	4.5 mm	10.0 mm To 20 mm (Diff: 2.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ OCCIPITAL PLATE 3.5 MM	3.5 mm	32 mm To 36 mm (Diff: 4.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POSTERIOR OCCIPITAL PLATE WITH ROD)	3.5 mm	STD.	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL SCREW 3.5MM	3.5 mm	8.0 mm To 18.0 mm (Diff: 2.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL MONO AXIAL SCREW 3.5MM	3.5 mm	16.0 mm To 30.0 mm (Diff: 2.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL MONO AXIAL SCREW 4.0MM	4.0 mm	16.0 mm To 50.0 mm (Diff: 2.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL POLY AXIAL SCREW 3.5MM	3.5 mm	10.0 mm To 30.0 mm (Diff: 2.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ OCCIPITAL POLY AXIAL SCREW 4.0MM	4.0 mm	10.0 mm To 50.0 mm (Diff: 2.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL LAMINAR HOOK 3.5MM	3.5 mm	STD	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL LAMINAR HOOK (LEFT) 3.5MM	3.5 mm	16.0 mm and 19.0 mm	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL LAMINAR HOOK (RIGHT) 3.5MM	3.5 mm	16.0 mm and 19.0 mm	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL TRANSVERSE CONNECTOR HOOK 3.5MM	3.5 mm	STD.	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL AUTO PRE STRESS TRANSVERS CONNECTOR 3.5MM	3.5 mm	STD.	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ OCCIPITAL CONNECTING ROD 3.5MM	3.5 mm	70.0 mm To 210.0 mm (Diff: 70.0mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL PREBENDING ROD 3.5MM	3.5 mm	130 mm	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ OCCIPITAL TRANSVERS CONNECTOR ROD 3.5MM	3.5 mm	40.0 mm To 55.0 mm (Diff: 5.0mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 3.5MM	3.5 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 4.0MM	4.0 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 4.5MM	4.5 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ MONO AXIAL PEDICALE SCREW 5.0MM	5.0 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 5.5MM	5.5 mm	25 mm To 55 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 6.0MM	6.0 mm	30 mm To 50 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 6.5MM	6.5 mm	30 mm To 55 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 7.0MM	7.0 mm	30 mm To 60 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO AXIAL PEDICALE SCREW 7.5MM	7.5 mm	30 mm To 60 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ POLY AXIAL PEDICALE SCREW 4.0MM	4.0 mm	20 mm To 45 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY AXIAL PEDICALE SCREW 4.5MM	4.5 mm	20 mm To 45 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY AXIAL PEDICALE SCREW 5.0MM	5.0 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY AXIAL PEDICALE SCREW 5.5MM	5.5 mm	25 mm To 55 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY AXIAL PEDICALE SCREW 6.0MM	6.0 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ POLY AXIAL PEDICALE SCREW 6.5MM	6.5 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY AXIAL PEDICALE SCREW 7.0MM	7.0 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY AXIAL PEDICALE SCREW 7.5MM	7.5 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 4.0 MM	4.0 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 4.5 MM	4.5 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 5.0 MM	5.0 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 5.5 MM	5.5 mm	25 mm To 55 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 6.0 MM	6.0 mm	30 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 6.5 MM	6.5 mm	30 mm To 55 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 7.0 MM	7.0 mm	30 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ MONO SPONDYLOLISTHESIS REDUCTION SCREW 7.5 MM	7.5 mm	30 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 4.0 MM	4.0 mm	20 mm To 45 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: 0

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 4.5 MM	4.5 mm	20 mm To 45 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 5.0 MM	5.0 mm	25 mm To 50 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 5.5 MM	5.5 mm	25 mm To 55 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 6.0 MM	6.0 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 6.5 MM	6.5 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 7.0 MM	7.0 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POLY SPONDYLOLISTHESIS REDUCTION SCREW 7.5 MM	7.5 mm	25 mm To 60 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ LAMINER HOOK 5.5MM	---	6.5 mm, 7.0 mm and 8.0 mm	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ PEDICLE HOOK 5.5 MM	---	6.5 mm, 7.0 mm and 8.0 mm	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ INNER NUT	---	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ TRANSVERS CONNECTING ROD 4.0MM (FLAT)	4.0 mm	40 mm To 80 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ TRANSVERS CONNECTING ROD 3.0MM (ROUND)	3.0 mm	50 mm To 90 mm (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: 0

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ CONNECTING ROD 5.5MM (ROUND)	5.5 mm	50 mm To 500 mm (Diff: 10.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ CONNECTING ROD 5.5MM (HEX HEAD)	5.5 mm	50 mm To 500 mm (Diff: 10.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ TRANSVERS CONNECTOR 5.5 MM	5.5 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ TRANSVERS CONNECTOR HOOK 5.5 MM	5.5 mm	STD	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ AUTO PRE STRESS TRANSVERS CONNECTOR 5.5 MM	5.5 mm	28 mm, 33 mm and 43 mm	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ POSTERIOR LUMBER CAGE	---	20*10x8 To 20x10x14, 22x10*8 To 22x10x14, 26*10*8 To 26x10x14, 32x10x8 To 32x10x14 (Diff: 2.0)	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ WEDGE SHAPED CAGE	----	12.5*15*4 To 12.5x15x10 (Diff: 0.5)	S.S 316L, S.S 316LVM, Titanium (Grade 5)



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
CORE™ CAGE	----	10*60, 10*90, 12x60, 12x90, 14x60, 14x90, 14x120, 16x90, 16x120, 18x90, 18x120, 20x90, 20x120, 22x90, 22x120	S.S 316L, S.S 316LVM, Titanium (Grade 5)
CORE™ LIFC CAGE	----	10*60, 10*90, 12x60, 12x90, 14x60, 14x90, 14x120, 16x90, 16x120, 18x90	S.S 316L, S.S 316LVM, Titanium (Grade 5)
10. ARTHROSCOPY IMPLANT, PINS AND WIRES			
KIRSCHNER WIRE (K- WIRE)	0.6 mm To 4.5 mm (Diff: 0.2 mm) (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
KIRSCHNER WIRE (K- WIRE) DOUBLE ENDED	0.6 mm To 4.5 mm (Diff: 0.2 mm) (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
KIRSCHNER WIRE (K- WIRE) THREADED ENDED	0.6 mm To 4.5 mm (Diff: 0.2 mm) (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
THREADED WIRE	0.6 mm To 4.5 mm (Diff: 0.2 mm) (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
TAPERED THREADED PINS	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
SCHANZ PIN	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
S TPIN	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
DENHAM PIN	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S 316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
MOORE'S PIN WITH TWO NUTS LENGTH	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, T itanium (Grade 5)
TRACTION SCREW	1.5 mm T mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
KNOWLES PIN	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
RUSH NAIL	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
SQUARE NAIL FOR RADIUS OR ULNA	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
STEINMAN PIN	1.5 mm To 6.5 mm (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

PRODUCT NAME	SUITABLE SCREW / HOLE DIA.	HOLE/ LENGTH	MATERIAL
WIRE REELS	0.6 mm To 4.5 mm (Diff: 0.2 mm) (Diff: 0.5 mm)	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
ACL SCREW	6.0 mm To 9.0 mm	10 mm To 70 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
PCLSCREW	6.0 mm To 9.0 mm	10 mm To 70 mm (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)
BUTTON	Std.	Std.	S.S 316L, S.S 316LVM, Titanium (Grade 5)
DISK	Std.	Std.	S.S 316L, S.S 316LVM, Titanium (Grade 5)
OTHER MISC. WIRES	1.5, 2, 2.5, 2.7, 3.5, 4.5, 5, 6.5 mm	50.0 mm To 600.0 mm (Diff: 2.0 mm) (Diff: 5.0 mm)	S.S316L, S.S 316LVM, Titanium (Grade 5)

Date: 2018-09-11
Revision: -



Mgr. Jiří Heš
Representative of the Notified Body No. 1023



Notified Body 1023
INSTITUTE FOR TESTING AND CERTIFICATION, Inc.,
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic

Annex to EC Certificate No. 18 0308 QS/NB

issued for manufacturer:

SHARMA PHARMACEUTICAL PVT. LTD.
103/104, Girikandra Complex, Opp. Bapod Talav, Waghodia Road,
Vadodara - 390019, Gujarat, India

Certificate History:

Revision	Date	Reference Number	Action
	2018-09-11	803602557	Certification



Date: 2018-09-11
Revision: -

Mgr. Jiří Heš
Representative of the Notified Body No. 1023