

HiMedia Laboratories Pvt. Ltd.

Date: 01st January 2021

TO WHOMSOEVER IT MAY CONCERN

We hereby certify that,

Sanmedico SRL
Str. Corobceanu 7A, Apt.9,
MD-2012, CITY CHISINAU
Republic of Moldova,

Tel:-00-373-231 31515 / 00-373-222 60595

Fax:-00-373-22 62 30 32

E-mail: sanmedico.office@gmail.com

have been appointed by us as our **Exclusive Authorized Distributor** for selling our Products in **MOLDOVA**

This certificate is valid upto 31st December 2022.

This Authorization Letter shall stand effective from the date of signing and can be terminated by either party with two months advance notice.

For HIMEDIA LABORATORIES PVT. LTD.,

V.M.WARKE.

DIRECTOR - SALES & MARKETING





· · · expect only quality from us

CIN U85195MH1982PTC028194









Certificate of Compliance

 ϵ

We hereby declare that the technical file of product complied with the requirement of directives (98/79/EC) In-Vitro Diagnostic Devices Directive.

Certificate No.: CE-12574

Manufacturer

Name : M/S. HIMEDIA LABORATORIES PVT. LTD.

Address : 23, VADHANI INDUSTRIAL ESTATE LBS MARG,

MUMBAI- 400086, MAHARASHTRA, INDIA

Products : HI-GEL™ RUN0610, HI-GEL™ RUN1014, ELECTROPHORESIS POWER SUPPLY(4 TERMINAL), ELECTROPHORESIS POWER SUPPLY (2 TERMINAL), HI-GEL™ RUN0608, HI ECO MINI HORIZONTAL ELECTROPHORESIS SYSTEM, WEE VERT® PROTEIN ELECTROPHORESIS SYSTEM, WEE BLOT™ ELECTROPHORESIS SYSTEM, HI-GEL™ RUN 100 WELL, HI-GEL™ CASTER, CELLULOSE ACETATE ELECTROPHORESIS SYSTEM, PRIMA DUO, PRIMA 96, ECO 96, PRIMA TRIO, PRIMA 96PLUS, PRIMA 384, WEE 16®, WEE 32®, WEE 16 GO®, INSTA Q96®, INSTA Q48®M4, INSTA Q48®M2, INSTA Q96® PLUS, INSTA Q96®-6.0, INSTA NX®, INSTA NX® MAG32, INSTA NX® MAG96, HI-UV MAX, HI-WHITE SET, HI-UV INTENSE, HI-UV DUO, TABSPIN®006, TABSPIN®012, HI-REFRI™24, HIPER® TEMP SHAKER, HIPURA® SANITIZER, WEE DRY™

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to Directive (98/79/EC) In-Vitro Diagnostic Devices Directive.

This certificate is issued under the following conditions:

- 1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
- The certificate remains valid until the manufacturing conditions or the quality systems are changed.
- 3. The certificate validity is conditioned by positive results or surveillance audits.

The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at www.ukcertifications.co.uk/verify

Date of Certification 16th March 2021

1st Surveillance Audit Due 15th March 2022

2nd Surveillance Audit Due 15th March 2023

Certificate Expiry (subject to the company maintaining its 15th March 2024

system to the required standard)



Authorised Signatory





THE INTERNATIONAL CERTIFICATION NETWORK

CERTIFICATE

Quality Austria has issued an IQNet recognized certificate that the organization:

HiMedia Laboratories Pvt. Ltd. Plot NO. C40, ROAD - 21Y, WAGLE INDUSTRIAL ESTATE, THANE (WEST) - 400604 MAHARASHTRA, INDIA

for the following scope:

Design, Development & Testing of Microbiology, Animal Cell Culture, Plant Tissue Culture & Molecular Biology products

EAC: 34

has implemented and maintains a

QUALITY MANAGEMENT SYSTEM


which fulfils the requirements of the following standard

ISO 9001:2015

This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document

2022-02-28 Issued on: 2025-02-27 Validity date: Quality Austria certified since: 2022-02-28

Registration Number: AT-27302/0



Mag. Friedrich Khuen-Belasi Authorised Representative

Circle Chren

of Quality Austria



IQNet Partners*:
AENOR Spain AFNOR Certification France APCER Portugal CCC Cyprus CISQ Italy
CQC China CQM China CQS Czech Republic Cro Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA FCAV Brazil FONDONORMA Venezuela ICONTEC Colombia Inspecta Sertifiointi Oy Finland INTECO Costa Rica
IRAM Argentina JQA Japan KFQ Korea MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland
NYCE-SIGE México PCBC Poland Quality Austria Austria RR Russia SII Israel SIQ Slovenia
SIRIM QAS International Malaysia SQS Switzerland SRAC Romania TEST St Petersburg Russia TSE Turkey YUQS Serbia





THE INTERNATIONAL CERTIFICATION NETWORK

CERTIFICATE

Quality Austria has issued an IQNet recognized certificate that the organization:

HiMedia Laboratories Pvt. Ltd. Plot NO. C40, ROAD - 21Y, WAGLE INDUSTRIAL ESTATE, THANE (WEST) - 400604 MAHARASHTRA, INDIA

for the following scope:

Design, Development & Testing of Biosciences Products for application in Microbiology, Animal Cell Culture & Molecular Biology products

EAC: 34

has implemented and maintains a

QUALITY MANAGEMENT SYSTEM


which fulfils the requirements of the following standard

ISO 13485:2016

This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document

2022-02-28 Issued on: Validity date: 2025-02-27 Quality Austria certified since: 2022-02-28

Registration Number: AT-00391/0



Mag. Friedrich Khuen-Belasi Authorised Representative of Quality Austria

Circle Chren



IQNet Partners*:
AENOR Spain AFNOR Certification France APCER Portugal CCC Cyprus CISQ Italy
CQC China CQM China CQS Czech Republic Cro Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA FCAV Brazil FONDONORMA Venezuela ICONTEC Colombia Inspecta Sertifiointi Oy Finland INTECO Costa Rica
IRAM Argentina JQA Japan KFQ Korea MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland
NYCE-SIGE México PCBC Poland Quality Austria Austria RR Russia SII Israel SIQ Slovenia
SIRIM QAS International Malaysia SQS Switzerland SRAC Romania TEST St Petersburg Russia TSE Turkey YUQS Serbia

^{*} The list of IQNet partners is valid at the time of issue of this certificate. Updated information is available under www.iqnet-certification.com





GRM076 Phenolphthalein, Hi-CertTM/ACS

Product NumberPackingGRM076: 100GGRM076: 1KGGRM076: 25G

Product Information

Product Code : GRM076

Product Name : Phenolphthalein, Hi-CertTM/ACS

Synonym : 3,3-Bis(4-hydroxyphenyl)-1(3H)-isobenzofuranone

Technical Specification

Appearance : White to light yellow powder

Solubility : 10 ppm in 0.1M sodium hydroxide yields clear solution

Visual pH Transition : pH 8.00 (colourless) - pH 10.00 (red)
FTIR : Matches with the standard pattern
Absorption maxima 1 : 369 - 379 nm (10 PPM in 0.1M NaOH)
Absorption maxima 2 : 547 - 557 nm (10 ppm in 0.1M NaOH)

GHS Safety Information

Hazard Statement(s) : H341-H350-H361
Precautionary Statement(s) : P201-P281-P308+P313

Signal Word : Danger

Hazard Pictogram(s)

Risk and Safety Information

Hazard Symbol(s)

R-Phrase(s) : 40 S-Phrase(s) : 36/37 WGK : 3

RTECS : SM8380000

Storage Temperature(°C) : Store below 30°C

>

Xn





Transport Information

Marine Pollutant : No

ADR/RID : Not Dangerous Goods
IMDG : Not Dangerous Goods
IATA : Not Dangerous Goods



Product Information

Revision: 00 Date of Revision: 19.12.2018

Bromocresol green, Hi-CertTM/ACS

GRM118

(pH indicator) Product Identifier

CAS No. : 76-60-8 EC No. : 200-972-8 Molecular Formula : $C_{21}H_{14}Br_4O_5S$

Molecular Weight : 698.01 HS Code : 2934 99 00 Storage : Below 30°C Shelf life : 4 years

Technical Specification

Appearance : White to yellow to brown crystals or powder or solid

Solubility : 20 ppm in methanol yields clear solution Visual pH Transition : pH 3.80 (yellow) to pH 5.40 (blue)

Loss on drying (at 110° C, 1 hr) : <= 3.00%

Absorption maximum : 422 - 426 nm (20 ppm in methanol)

Safety Information

UN No. : Not dangerous goods

Class : Packing Group : -

RTECS : Not available

WGK : 3



Product Information

GRM520 Diphenylamine, Hi-ARTM/ACS

Product Number Packing

GRM520 : 250G GRM520 : 500G

Product Information

Product Code : GRM520

Product Name : Diphenylamine, Hi-ARTM/ACS

Technical Specification

Appearance : White to yellow to brownish crystals or powder or flakes or chunks

Solubility : 33.3 mg soluble in 1 mL of alcohol FTIR (Kbr disc) : Matches with the standard pattern

Melting range : 50 - 55°C Assay (GC) : min. 98.00%

GHS Safety Information

Hazard Statement(s) : H301+H311+H331-H373-H410

Precautionary Statement(s) : P261-P273-P280-P301+P310-P311-P501

Signal Word : Danger

Hazard Pictogram(s)







Risk and Safety Information

R-Phrase(s) : 23/24/25-33-50/53 S-Phrase(s) : 28-36/37-45-60-61

WGK : 3

RTECS : JJ7800000 Flash Point(°F) : 307.4°F Flash Point(°C) : 153°C

Storage Temperature(°C) : Store below 30°C

Hazard Symbol(s)





Transport Information



Product Information

UN No. : 3077
Class : 9
Packaging Group : 3
Marine Pollutant : Yes

ADR/RID : 3077 9/PG 3 IMDG : 3077 9/PG 3 IATA : 3077 9/PG 3



Product Information

GRM914 Bromophenol blue, Practical grade

Product Number Packing

GRM914 : 25G GRM914 : 5G

Product Information

Product Code : GRM914

Product Name : Bromophenol blue, Practical grade

Molecular Formula : $C_{19}H_{10}Br_4O_5S$

 Molecular Weight
 : 669.96

 CAS No.
 : 115-39-9

 EC No.
 : 204-086-2

 HS Code
 : 2934 99 90

 Shelf Life
 : 4 years

Technical Specification

Appearance : Beige to brown or purple crystals or powder Solubility : 20 ppm in ethanol yields clear solution

Visual pH Transition : pH 3.00 (yellow) - pH 4.60 (blue)

Absorption maxima 1 : 432 - 442 nm (20ppm in pH 3.10 buffer solution) Absorption maxima 2 : 586 - 596 nm (20ppm in pH 4.60 buffer solution)

Loss on drying (at 105° C, 2hr) : <= 5.00%

Risk and Safety Information

WGK : 3

RTECS : SJ7453000 Storage Temperature(°C) : Store below 30°C

Transport Information

Marine Pollutant : No

ADR/RID : Not Dangerous Goods IMDG : Not Dangerous Goods IATA : Not Dangerous Goods



Product Information

Revision: 02 Date of Revision: 03.08.2019

Silver sulphate, Hi-LRTM

GRM10417

Product Identifier

 CAS No.
 : 10294-26-5

 EC No.
 : 233-653-7

 Molecular Formula
 : Ag₂SO₄

 Molecular Weight
 : 311.80

 HS Code
 : 2843 29 00

 Storage
 : Below 30°C

 Shelf life
 : 4 years

Technical Specification

Appearance : Colourless or white to off-white crystals or powder or solid;

may darken on exposure to light

Solubility : 33.3 mg soluble in 1 mL of boiling nitric acid

NH₄SCN Titration)

Safety Information

Hazard Pictogram(s) :



Signal Word : Danger Hazard Statement(s) : H318- H410

Precautionary Statement(s) : P273- P280- P305+P351+P338- P501

UN No. : 307
Class : 9
Packing Group : III
WGK : 3



Technical Data

LA006

LA006 Spatula - 200

Product Number Packing

LA006 : 50 NO LA006 : 100 NO



Product Code : LA006
Product Name : Spatula - 200

Technical Specification

Description : Spatula made up of stainless steel material, individually packed, having flat surface

on one side and small scoop on the other side.

Size : Length =200 mm

Use : Useful for weighing of dry powders.

Transport Information

ADR/RID : Not Dangerous Goods
IMDG : Not Dangerous Goods
IATA : Not Dangerous Goods

Disclaimer:

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

HiMedia Laboratories Pvt. Ltd. A-516,Swastik Disha Business Park,Via Vadhani Ind. Est., LBS Marg, Mumbai-400086, India. Customer care No.: 022-6147 1919 Email: techhelp@himedialabs.com Website: www.himedialabs.com



Material Safety Data Sheet

PAGE 1 OF 2

Name of the Product : Gridded Cellulose Nitrate Membrane, Sterile

Diameter: 47 mm Pore Size: 0.45 micron

Code No. : **SF97D**

Section 1 : Chemical Identification

Code No. : SF97D

Name of the Product : Gridded Cellulose Nitrate Membrane, Sterile

Diameter: 47 mm Pore Size: 0.45 micron

Produced by : HiMedia Laboratories Pvt. Ltd.

Address : 23, Vadhani Indl. Estate, LBS Marg, Mumbai 400 086, India.

Tel. No. : 2500 0970, 2500 1607 Fax No. 022 2500 2468

Section 2 : Gridded Cellulose Nitrate Membrane, Sterile

Section 3 : Hazards Identification

Hazard: Not classified as hazardous.

Section 4 : First - Aid Measures

No specific measures necessary.

Section 5 : Fire Fighting Measures

Not combustible.

Section 6 : Accidental Release Measures

No specific measures necessary.

Section 7 : Handling and Storage

Handling - Refer to Section 8Storage - Store below 30°C

Section 8 : Exposure Controls/Personal Protection

Not applicable

Section 9 : Physical and Chemical Properties

Appearance : Gridded Cellulose Nitrate Membrane

Section 10 : Stability and Reactivity

Stability: Product is stable if stored as per the conditions specified under storage of Section No. 7.

Section 11 : Toxicological Information

Non toxic.

Section 12 : Ecological Information

Data not available



Material Safety Data Sheet

PAGE 2 OF 2

Section 13 : Disposal Considerations

No special disposal method required except that it be in accordance with current and local authority regu-

lation.

Section 14 : Transport Information

UN No.: Not applicable.

Section 15 : Regulatory Information

Risk Phrases : Not applicable Safety Phrases: Not applicable

Section 16 : Other Information

The information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. The information is offered solely for user's obligation to investigate and determine the suitability of the

information for their particular purpose.



Product Information

Revision: 03 Date of Revision: 21.12.2021

D-(+)-Glucose anhydrous

TC130

Cell Culture Tested

Product Identifier

CAS No. : 50-99-7 EC No. : 200-075-1 Molecular Formula : $C_6H_{12}O_6$ Molecular Weight : 180.16

Synonym : Dextrose anhydrous

HS Code : 1702 30 39 Storage : Below 30°C Shelf life : 4 years

Technical Specification

Appearance : Colourless to white or almost white crystals or powder or

granules

Solubility : Clear solution at 100 mg in 1 mL of water Specific rotation : $+52.5^{\circ}$ to $+53.3^{\circ}$ (c = 10% in water at 25°C)

 Melting range
 : 150 - 152°C

 Water (K.F.)
 : <= 1.00%</td>

 Assay (HPLC)
 : min.99.00%

 Cell Culture Test
 : Passes

Safety Information

UN No. : Not dangerous goods

Class : Packing Group : -

RTECS : LZ6600000

WGK : 1