

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

Numărul procedurii de achiziție: [ocds-b3wdp1-MD-1645614905247](#) din 23 februarie 2022

Obiectul achiziției: Servicii pentru organizare evenimente (MBW 2022)

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Lotul 1						
Servicii pentru organizare evenimente (MBW 2022)				Conform caietului de sarcini		
Camere video - 6 buc	NX100	Japonia	Sony		1.0-type Exmor R™ CMOS Sensor NXCAM camcorder with maximum 48x zoom lens and 3 independent manual lens rings recording XAVC S, AVCHD and DV – 6 buc	
Operatori – 7 pers		Moldova			7 persoane	
director de imagine		Moldova			1 persoana	
producator		Moldova			1 persoana	
regie video		Moldova			1 persoana	
Servicii streaming		Moldova			1 persoana	

Mediaserver – 1 buc	Vers 7	Olanda	Resolume Arena		Resolume Arena software is the world's most used VJ software with Touring DJ's and big festivals. Arena comes with full video mapping capability and can be controlled or triggered via external controllers. DMX controlled pixels can be mapped in the same mapping as the video screens and there is no limit on the outgoing Artnet Universes. - buc	
Macara video - buc	10m	Germania	Libec		Macara 10m pentru filmari - buc.	
program pentru conexiunea între locații	Zoom Busines	Sua	Zoom		Aplicația permite efectuarea de apeluri video de grup, folosirea chat-ului, împărtășirea ecranului. Poate fi folosită pentru comunicarea la conferințe, videoconferințe etc.	
internet fix separat	Orange	Moldova			Upload 100mbs download 100mbs	
tv 50inci 4k - 6 buc	50RU7400	Russia	Samsung		50 inci rezolutie 4k	
mixer	HR1300	India	Data Video		Video Standard HD Video Format 1080i 50/59.94/60Hz 720p 50/59.94/60Hz Input Routable / Crosspoint All 6, repeatable Video Input4 x HD-SDI2 x HDMI - 6 buc.	
sistema de comutare – 1 set					Cabluri semnal, cabluri putere - set	

Designer, grafician		Moldova			1 pers
constructie din aluminiu pentru lumini	M290/3m, 2m M390/3m, 2m	Cehia	Milos		Grila din aluminiu pe platforma 12m latime h 8m – 1 buc, grila pentru montarea luminilor fata lung 12 m – 1 buc
constructie din layher pentru: -fundal si ecran pentru proiectii	Layher Allround	Germania	Layher sistems		Turnuri din Layher cu dimensiunea de 2m x 2m h 8m – 7 buc.
podium pentru spikeri dimensiunea 180 m2 (20m x 6m) h 0,6 - 1 buc	AludeckHD	Polonia	Alustage		Dimensiunea 20m x 6m h 0.6m - 1 buc
scari lungimea 16m - set	AludeckHD	Polonia	Alustage		16m x 0,5m h 0.2m - 1 buc, 16m x 0.5m h 0.4m – 1 buc
podium pentru presa 15m x 2m total 30m2 cu scari – 1 buc	AludeckHD	Polonia	Alustage		Podium cu dimensiunea 15m x 2m h 0.6m – 1 buc cu scari – 2 buc
Sistem de sunet. Boxe - 9 buc	Kara,	Franta	L-Acoustics		The dawn of a new KARA 2-way active, dual 8" Max SPL 142 DB Bandwidth 55Hz-20KHz Transducers LF: 2x 8" HF 1 x 3" Variable Curvature Line source - 9 buc
Boxe frecventa joasa – 4 buc	SB18	Franta	L-Acoustics		SB18 Hight-power subwoofer 18", Omni Cardio subwoofer Max SPL 138 dB, low frequency limit 32Hz Transducers LF: 1x 18" Directivity standart or cardioid configurations – 4 buc
Boxe, monitoare – 4 buc	X15HIQ	Franta	L-Acoustics		The X15 HiQ is the ultimate stage monitor: impressively powerful, yet melting into the stage with an ultra-sleek profile. Its active design and

					low-latency preset guarantee the best experience on stage. Its 40° x 60° beam-width focuses on the artist only, offering an excellent acoustic isolation from other performers. Able to take on even the most energetic of artists, the X15 HiQ is built to take abuse yet remain strong and flexible - its built-in risers allowing it to be angled at 35° or 55° onstage. – 4 buc	
Microfoane - 8 buc	ULXD4/beta58	Mexic	Shure		Supercardioid 120 dB dynamic range Audio signal: 24 bit / 48 kHz AES-256 encryption for tap-proof transmission 22 compatible channels in an 8 MHz TV band Switchable transmission power 1/10 mW 9.5" metal receiver Detachable BNC antennas Ethernet port for system monitoring and configuration Frequency transmission via infrared interface Output: XLR/jack Frequency band: H51 (534 - 598 MHz) – 8 buc	
Microfoane condensator – 2 buc.	GM6523	Mexic	Shure		Microfoanele cu decolteu oferă o gamă excelentă de	

					frecvență și rezistență RF în mai multe lungimi, pentru o poziționare optimă și reproducerea sunetului. – 2 buc	
mixer	SD12	Anglia	Digiko		Mixer Digital, 96 canale cu 2 stage rack – 1 buc	
Regizor sunet		Moldova			1 pers.	
Set cabluri semnal si putere -set		Moldova			Cabluri de semnal si putere pentru conectarea tuturor surselor – 1 set	
Echipa sunetisti		Moldova			2 persoane	
Sistem de iluminat – 24 buc	Wash 12x40W	China	GZY		Zoom Wash Bee- eyes LED moving head light Single LED power: 40W,can be controlled individually Color temperature: 5600K Color: RGBW automatic correction 16.7 million pixels Electronic dimmer:0~100% linear Strobe:0-20HZ Strobe,pulse strobe,Asynchronous stroboscopic effect. DMX Channel: 11/17/18/58 Channel Electronic Zooming:8~60° Software Upgrade: Firmware update via DMX link Pan/Tilt: 540°/ 270° Pan/Tilt Data In/Out socket: 3-pin & 5-pin XLR sockets - 24 buc	
Sistem de iluminat – 24 buc	350W 17R Beam Spot Wash	China	GZY		3IN1 moving head light Light Source:YODN 350W 17R or	

					<p>OSRAM Siruis HRI 350W,8000K,1500Hrs Optics:exclusive YILONG Optical Lens Color System:14colors+open,dual positions rainbow effect Gobo:16 fixed gobos+open,high speed and shaking effect Strobe:0-13f/s,having online strobe Prism&prism rotating:3prismt,8prism,trapezoid prism Focus:linear-electrical focus Dimmer/atomized:0 -100% linear adjustment and atomize Pan scan:540°(16bit) Tilt scan: 270°(16bit) Channel:16CHs/14CHs(TWO Modes option) LCD Display,DMX 3pin or 5pin signal Input - 24 buc</p>	
Consolă – 1 buc	NX4	China	Obsidian Elation		<p>NX Wing is the complementary USB control surface to Obsidian Control Systems ONYX platform. Based on the NX 2 console the NX Wing utilizes the same rugged design and components with an identical footprint and layout. Through its USB connection the NX Wing provides a responsive, professional hardware surface to operate ONYX on any PC system without compromises. Any user of ONYX will feel instantly familiar with the NX Wing and no setup or additional installation is required. Simply plug it into a</p>	

					user-provided PC with ONYX and get started instantly. – 1 buc	
Inginer lumini		Moldova			1 pers.	
Echipa ingineri lumini si ecrane		Moldova			2 pers	
Set cabluri semnal si putere - set		Moldova			Cabluri de semnal si putere pentru conectarea tuturor surselor – 1 set	
ecran Led suprafata totala 120m2 - 1 buc in forma de semicerc	P5.9	China	YESLed		pich 5,9mm 500mm x 500mm cab 120 m2, dimensiunea 20m x 6m – 1 buc, in forma de semicerc	
Video regizor ecran led		Moldova			1 pers.	
Consola – 1 buc	Mk2 APC 40	China	Akai		The new APC40 mkII incorporates five years of user feedback into its design. Almost every aspect of the original APC40 has been deliberated, reworked, and improved to provide extended controller functionality, countless musical capabilities, and a smarter workflow. In addition to its sleek look, veteran APC40 users will immediately notice the enhancements that include an RGB clip-launching grid, reinforced fader design, revised knob lay out, and much more. – 1 buc	
Mediaserver – 1 buc	Vers 7	Olanda	Resolume Arena		Resolume Arena software is the world's most used VJ software with Touring DJ's	

					and big festivals. Arena comes with full video mapping capability and can be controlled or triggered via external controllers. DMX controlled pixels can be mapped in the same mapping as the video screens and there is no limit on the outgoing Artnet Universes. – 1 buc	
tv 50inci 4k - 2 buc	50RU7400	Russia	Samsung		50 inci rezolutie 4k – 2 buc	
Lapptop – 2 buc	Macbook Pro	China	Aple		Model 2019 2 buc	
Branding scena Fundaluri cu branding147.2 mp		Moldova			Branding scena Fundaluri cu branding, carcasa din lemn cu baner printat: 20m x 2m – 1 buc, total 40m2 6,7m x 8m - 2 buc total 107,2m2 total branding 147,2 m2	
acoperire podium cu mocheta 180 m 2		Turcia	Global URB		Mocheta culoare sura inchis sau neagra suprafata totala 180m2	
Fusta scenei Fundaluri cu branding suprafata totală minim - 65 m2.		Moldova			Fusta scenei carcasa din lemn cu baner printat la podiumul pentru presa 19m x 1.8, suprafata totală 34m2. Si carcasa din lemn cu mocheta suprafata totala 31m2	
Branding masute speakeri - 14 buc	semipermanent	China	Oracal		Branding masute speakeri Aplicare oracal pe placute. - 14 buc.	
Căluți A4 - 55 buc		Moldova			Căluți A4 280 g, imprimare digitala - 55 buc.	
Fețe de mese Chirie - 30 buc		Moldova			Fețe de mese Chirie - 30 buc , curătoare.	

Fusta tehnicieni		Moldova			Fusta tehnicieni Carcasă din lemn cu banner printat, dimensiuni 10 m2. Montare, demontare.
Sala Mica					
Ecran LED suprafața totală - 11,25m2 2,8 pitch dimensiunea 4,5m x 2,5m – 1 buc.	P2.88	China	YESLed		pitch 2.88mm 500mm x 500mm cab 11.25 m2, dimensiunea 4.5m x 2.5m – 1 buc,
Video regizor ecran led		Moldova			1 pers.
Consola – 1 buc.	Mk2 APC 40	China	Akai		The new APC40 mkII incorporates five years of user feedback into its design. Almost every aspect of the original APC40 has been deliberated, reworked, and improved to provide extended controller functionality, countless musical capabilities, and a smarter workflow. In addition to its sleek look, veteran APC40 users will immediately notice the enhancements that include an RGB clip-launching grid, reinforced fader design, revised knob lay out, and much more. – 1 buc
Mediaserver – 1 buc.	Vers 7	Olanda	Resolume Arena		Resolume Arena software is the world's most used VJ software with Touring DJ's and big festivals. Arena comes with full video mapping capability and can be

					controlled or triggered via external controllers. DMX controlled pixels can be mapped in the same mapping as the video screens and there is no limit on the outgoing Artnet Universes. – 1 buc.	
Branding ecran LED Fundaluri cu branding, suprafața totală 30 m2. 3,8m x 8,1m		Moldova			Carcasa din lemn cu baner printat suprafața totală 30m2 dimensiunea 3.8m x 8.1m – 1 buc.	
sistem de sunet, boxe – 2 buc.	ART 725	Italia	RCF		ART 725 is a passive two-way system with an accurate acoustic design for club installations and live music. Thanks to the high quality compression driver with a 3" voice coil and the 15" woofer, the ART 725 delivers clear high frequencies, punchy bass and full and precise mid frequencies. The new aluminium rear panel is equipped with Speakon in/out connectors. – 2 buc	
Microfoane – 3 buc	ULXD4/beta58	Mexic	Shure		Supercardioid 120 dB dynamic range Audio signal: 24 bit / 48 kHz AES-256 encryption for tap-proof transmission 22 compatible channels in an 8 MHz TV band	

					<p>Switchable transmission power 1/10 mW 9.5" metal receiver Detachable BNC antennas Ethernet port for system monitoring and configuration Frequency transmission via infrared interface Output: XLR/jack Frequency band: H51 (534 - 598 MHz) – 3 buc</p>	
Microfoane condensator – 2 buc.	GM6523	Mexic	Shure		<p>Microfoanele cu decolteu oferă o gamă excelentă de frecvență și rezistență RF în mai multe lungimi, pentru o poziționare optimă și reproducerea sunetului. – 2 buc</p>	
Mixer – 1 buc.	WZ3	china	Allen Heat		<p>16 mic/line inputs with balanced XLR/TRS jack, and direct output.100mm Faders – throughout 4-band EQ – comprehensive equalisation with 2 sweepable mids 6 auxiliary sends – 2 pre, 2 switched, 2 post fade (may be reconfigured) 2 stereo returns – on TRS jack Dedicated mono output fader with innovative mode for control of aux fed subs Independent A-B output to feed any number of applications, including a 2-</p>	

					track recorder, monitor foldback or speaker fills – 1 buc.	
Regizor sunet		Moldova			1 pers.	
Set cabluri semnal si putere – set.		Moldova			Cabluri de semnal si putere pentru conectarea tuturor surselor – 1 set	
lumini - 6 buc	Wash 12x40W	China	GZY		Zoom Wash Bee- eyes LED moving head light Single LED power: 40W,can be controlled individually Color temperature: 5600K Color: RGBW automatic correction 16.7 million pixels Electronic dimmer:0~100% linear Strobe:0-20HZ Strobe,pulse strobe,Asynchronous stroboscopic effect. DMX Channel: 11/17/18/58 Channel Electronic Zooming:8~60° Software Upgrade: Firmware update via DMX link Pan/Tilt: 540°/ 270° Pan/Tilt Data In/Out socket: 3-pin & 5-pin XLR sockets - 6 buc	
Totemuri – 2 buc	M290/3m	Cehia	Milos		Grila din aluminiu pe platforma h3m – 2 buc	
Regie lumini		Moldova			Regie lumini - 1 pers	
Mixer – 1 buc	Martin lightjockey	Dania	Martin		Soft pentru Comanda lumini – 1 buc	

Set cabluri semnal si putere – 1 set		Moldova			Cabluri de semnal si putere pentru conectarea tuturor surselor – 1 set
Hol etajul 1					
Branding spațiu host, Fundaluri cu branding, suprafața totală minim 30 m2. dimensiunea 10m x 3m – 1 buc.		Moldova			Carcasa din lemn cu baner printat suprafata totala 30m2 dimensiunea 10m x 3m – 1 buc.
Boxe pentru sunet	X15HIQ	Franta	L-Acoustics		The X15 HiQ is the ultimate stage monitor: impressively powerful, yet melting into the stage with an ultra-sleek profile. Its active design and low-latency preset guarantee the best experience on stage. Its 40° x 60° beam-width focuses on the artist only, offering an excellent acoustic isolation from other
Microfoane – 2 buc	ULXD4/beta58	Mexic	Shure		Supercardioid 120 dB dynamic range Audio signal: 24 bit / 48 kHz AES-256 encryption for tap-proof transmission 22 compatible channels in an 8 MHz TV band Switchable transmission power 1/10 mW 9.5" metal receiver Detachable BNC antennas Ethernet port for system monitoring and configuration Frequency transmission via infrared interface

					Output: XLR/jack Frequency band: H51 (534 - 598 MHz) – 2 buc	
Mixer – 1 buc.	WZ3	china	Allen Heat		16 mic/line inputs with balanced XLR/TRS jack, and direct output.100mm Faders – throughout 4-band EQ – comprehensive equalisation with 2 sweepable mids 6 auxiliary sends – 2 pre, 2 switched, 2 post fade (may be reconfigured) 2 stereo returns – on TRS jack Dedicated mono output fader with innovative mode for control of aux fed subs Independent A-B output to feed any number of applications, including a 2-track recorder, monitor foldback or speaker fills – 1 buc.	
Regizor sunet		Moldova			1 pers.	
Set cabluri semnal si putere – set.		Moldova			Cabluri de semnal si putere pentru conectarea tuturor surselor – 1 set	
Branding construcții triunghiulare (strada) Fundaluri cu branding, - 4 buc		Moldova			Banere cu print 2,7m x 1,55m - 4 buc	
brandwall. Fundaluri cu branding, suprafața totală minim 45 m2. – 1 buc		moldova			Carcasa din lemn cu baner printat 12m x 3.75m – 1 buc	
lumini pentru brandwall	Wash 12x40W	China	GZY		Zoom Wash Bee- eyes LED moving head light Single LED power: 40W,can be controlled individually	

					Color temperature: 5600K Color: RGBW automatic correction 16.7 million pixels Electronic dimmer:0~100% linear Strobe:0-20HZ Strobe,pulse strobe,Asynchronous stroboscopic effect. DMX Channel: 11/17/18/58 Channel Electronic Zooming:8~60° Software Upgrade: Firmware update via DMX link Pan/Tilt: 540°/ 270° Pan/Tilt Data In/Out socket: 3-pin & 5-pin XLR sockets	
totemuri	M290/3m	Cehia	Milos		Grila din aluminiu pe platforma h3m	
Indicatoare 6 indicatoare spre vestiar/wc		Moldova			Foi A 2 printate si laminale lipite cu dublu adeziv -6 buc	
Hall etajul 2						
Press corner (2 buc) Carcasă din lemn cu banner imprimat, dimensiuni 5 x 3 m (2 buc.).		Moldova			Press corner (2 buc) Carcasă din lemn cu banner imprimat, dimensiuni 5 x 3 m - 2 buc.	
Acoperire podea cu mocheta 5 x 3 m. - 2 buc	Global URB	Turcia			30m2 montare, demontare culoare sur inchis pentru - 2 buc.	
podea pentru mocheta din DSP – 2 buc.		Moldova			Podea din DSP 30 m2 5m x 3 m – 2 buc.	
lumini pentru presswall, Wash - 4 buc.	Wash 12x40W	China	GZY		Zoom Wash Bee- eyes LED moving head light Single LED power: 40W,can be controlled individually	

					<p>Color temperature: 5600K Color: RGBW automatic correction 16.7 million pixels Electronic dimmer:0~100% linear Strobe:0-20HZ Strobe,pulse strobe,Asynchronous stroboscopic effect. DMX Channel: 11/17/18/58 Channel Electronic Zooming:8~60° Software Upgrade: Firmware update via DMX link Pan/Tilt: 540°/ 270° Pan/Tilt Data In/Out socket: 3-pin & 5-pin XLR sockets - 4 buc.</p>	
totemuri pentru lumini - 2 buc.	M290/3m	Cehia	Milos		Grila din aluminiu pe platforma h3m – 2 buc	
Brandwall Fundaluri cu branding, suprafata totală minim 45 m2.		Moldova			Carcasa din lemn cu baner printat 11,25m x 4m – 1 buc	
lumini pentru brandwall, Wash - 4 buc.	Wash 12x40W	China	GZY		<p>Zoom Wash Bee- eyes LED moving head light Single LED power: 40W,can be controlled individually Color temperature: 5600K Color: RGBW automatic correction 16.7 million pixels Electronic dimmer:0~100% linear Strobe:0-20HZ Strobe,pulse strobe,Asynchronous stroboscopic effect.</p>	

					DMX Channel: 11/17/18/58 Channel Electronic Zooming:8~60° Software Upgrade: Firmware update via DMX link Pan/Tilt: 540°/ 270° Pan/Tilt Data In/Out socket: 3-pin & 5-pin XLR sockets - 4 buc.	
totemuri pentru lumini - 2 buc.	M290/3m	Cehia	Milos		Grila din aluminiu pe platforma h3m – 2 buc	
Boxe pentru sunet	X15HIQ	Franta	L-Acoustics		The X15 HiQ is the ultimate stage monitor: impressively powerful, yet melting into the stage with an ultra-sleek profile. Its active design and low-latency preset guarantee the best experience on stage. Its 40° x 60° beam-width focuses on the artist only, offering an excellent acoustic isolation from other	
Microfoane – 2 buc	ULXD4/beta58	Mexic	Shure		Supercardioid 120 dB dynamic range Audio signal: 24 bit / 48 kHz AES-256 encryption for tap-proof transmission 22 compatible channels in an 8 MHz TV band Switchable transmission power 1/10 mW 9.5" metal receiver Detachable BNC antennas Ethernet port for system monitoring and configuration	

					Frequency transmission via infrared interface Output: XLR/jack Frequency band: H51 (534 - 598 MHz) – 2 buc	
Mixer – 1 buc.	GL2400	china	Allen Heat		24 mic/line inputs with balanced XLR/TRS jack, and direct output.100mm Faders – throughout 4-band EQ – comprehensive equalisation with 2 sweepable mids 6 auxiliary sends – 2 pre, 2 switched, 2 post fade (may be reconfigured) 2 stereo returns – on TRS jack - 1 buc	
Regizor sunet		Moldova			1 pers.	
Set cabluri semnal si putere – set.		Moldova			Cabluri de semnal si putere pentru conectarea tuturor surselor – 1 set	
Servicii suplimentare						
Servicii foto 1 fotograf, 5 ore, 2 zile		Moldova			Servicii foto 1 fotograf, 5 ore, 2 zile – 1 pers.	
Servicii video 1 operator, 5 ore, montare video post event 2 zile		Moldova			Servicii video 1 operator, 5 ore, montare video post event 2 zile – 1 pers.	
Servicii de design Design si proiectarea fișierelor grafice pentru tipar		Moldova			Servicii de design Design si proiectarea fișierelor grafice pentru tipar – 1 pers.	
Servicii hostess 10 pers* 4 ore* 2 zile		Moldova			Servicii hostess 10 pers* 4 ore* 2 zile – 10 pers.	
SMM manager		Moldova			SMM manager – 1 pers.	
Web content manager		Moldova			Web content manager – 1 pers.	

logist 1 pers.		Moldova			logist - 1 pers.	
Servicii grafice video Concept video în format 3D-al sălilor		Moldova			Servicii grafice video Concept video în format 3D-al sălilor	
transport si hamali		Moldova			transport si hamali	
project manager, asistent		Moldova			project manager, asistent	
Total lot 1						
Lotul 2						
TOTAL						

Semnat: _____ Numele, Prenumele: Sergheev Dmitrii În calitate de: Director
Ofertantul: Concert Bis SRL Adresa: Soseaua Hincesti 59/1 mun Chisinau Republica Moldova