



Certificate of Compliance

We hereby declare that the technical file of product class 1 complied with the requirement of the Medical Council Directives 93/42/EEC of June 1993.

Manufacturer

Name : HOSPITAL EQUIPMENT MFG. CO.
Address : MFG. CO.: D-313, SECTOR-63, NOIDA, U.P.-201301, INDIA
Product : As Per Annexures

Complies with the requirements applicable to it

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to the directive Medical Council Directive 93/42/EC of June 1993.

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.
4. After fulfilling the relevant EU legislation, the manufacturer shall affix to each device, of the referenced models.
5. The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production

Date of Registration	30 December 2022
1 st Surveillance Due	29 December 2023
2 nd Surveillance Due	29 December 2024
Recertification Due (subject to the company maintaining system to the required standard)	29 December 2025

Certificate No.: 202301222

Validity of this certificate can be verified at www.qvcert.co.uk



James
Authorised Signatory

Quality Veritas Certification Limited


Validity of this certificate is subject to annual surveillance audits done successfully
This Certificate Of Registration Remains The Property of Quality Veritas Certification Limited and Shall be Returned Immediately Upon Request

Email:- info@qvcert.co.uk Website:- www.qvcert.co.uk

Suit 48, 88-90 Hatton Garden, London, EC1N 8PN, UK



DECLARATION OF CONFORMITY

Name and Description of Products	Medical Devices Class I External Fixator for Forearm & Metacarpals, Tubular External Fixator, Ilizarov External Fixator, Instruments for Secure Locking Implants, Instruments for Mini, Small and Large Fragment Implants, Instruments for Cannulated Screws, Instruments for Herbert Cannulated Screws, Instruments for Spine Implants, Instruments for Laminectomy, Instruments for DHS/DCS, Instruments for Dynamic Hip Compression Implants, Instruments for Condylar Plates, Instruments for Angled Blade Plates, Instruments for Jewett Nails, Instruments for Kuntscher Clowerleaf Nails, Instruments for Ender Nails, Instruments for Tense Nails, Instruments for Rush Nails, Instruments for Bone Staples, Instruments for Wires & Pins, Instruments for Maxillo Facial Implants, General Orthopedic Instruments
Application of Council Directive	Medical Device Directive 93/42/EEC
Conformity Declared to Standarts	ISO 13485:2016, ISO 16061:2008, ISO 7153-1:2001, ASTM F899 - 12b, ISO/FDIS 7153-1, ISO 7151:1988, ISO 7740:1985, ISO 7741:1986, ISO 13402:1995, ISO 3318:1965, IEC 60601-2-52:2009, ISO/DTR 60601-4-1, IEC 80601-2-35:2009, ASTM A751-14a, ASTM A555 / A555M-16, ASTM A313 / A313M-13, ISO 14630:2012, ISO 15223:2012, ISO 14971:2007
Classification of Products	Class I [Rule 6 – All surgical invasive devices intended for transient use (reusable surgical instruments)]
Conformity Assessment Procedure	Annex VII MDD 93/42/EEC
 Manufacturer	Hospital Equipment MFG Co. Address: D-313, Sector-63, Noida, UP - 201301, India

The undersigned declares that the above named product conforms to the above Directives and Standards as applicable on the devices.

Date: 20.03.2023

Name: Himanshu Sachdeva
Position: Managing Partner

List of products with product code is attached in Annexures I & II


Himanshu Sachdeva
Managing Partner
Hospital Equipment Mfg. Co. India

**Annex I****List of Product with product code****Class I****External Fixators**

Product Name	Product Code	Diameter (mm)	Length (mm)	Wide (mm)	No. of Holes
Ilizarov External Fixator, Full Ring S.S.	551.008	80			
	551.010	100			
	551.012	120			
	551.014	140			
	551.016	160			
	551.018	180			
	551.020	200			
	551.022	220			
	551.024	240			
Ilizarov External Fixator, 5/8 Ring S.S.	552.010	100			
	552.012	120			
	552.014	140			
	552.016	160			
	552.018	180			
	552.020	200			
	552.022	220			
	552.024	240			
	552.026	260			
Ilizarov External Fixator, 1/2 Ring S.S.	553.008	80			
	553.010	100			
	553.012	120			
	553.014	140			
	553.016	160			
	553.018	180			
	553.020	200			
	553.022	220			
	553.024	240			
Omega Ring S.S.	554.012	120			
	554.014	140			
	554.016	160			
	554.018	180			
	554.020	200			
Italian Femoral Arch 90°, S.S.	557.090.10	100			
	557.090.12	120			
	557.090.14	140			
	557.090.16	160			
	557.090.18	180			
	557.090.20	200			
	557.090.22	220			
	557.090.24	240			
Italian Femoral Arch 120°, S.S.	557.120.10	100			
	557.120.12	120			
	557.120.14	140			

	557.120.16	160			
	557.120.18	180			
	557.120.20	200			
	557.120.22	220			
	557.120.24	240			
	557.120.26	260			
Tubular Rod Ø 11 mm	558.100		100		
	558.150		150		
	558.200		200		
	558.250		250		
	558.300		300		
	558.350		350		
	558.400		400		
	558.450		450		
	558.500		500		
Connecting Rod Ø 4.0 mm, S.S.	559.410		100		
	559.415		150		
	559.420		200		
	559.425		250		
	559.430		300		
Connecting Rod Ø 5.0 mm, S.S.	559.510		100		
	559.515		150		
	559.520		200		
	559.525		250		
	559.530		300		
Connecting Rod Ø 8.0 mm, S.S.	559.810		100		
	559.815		150		
	559.820		200		
	559.825		250		
	559.830		300		
Small Single Pin Clamp	560.001	4.0x2.0mm			
Small Connecting Clamp	560.002	4.0x4.0mm			
Radius Fixator with spanner & T-Wrench	560.005				
Wrist Fixator, Small	560.008				
Wrist Fixator, Large	560.009				
Radius Fixator	560.011				
Dynamic External Fixator	560.012				
Rail External Fixator	560.014				
T-type Fixator, Small	560.017				
Limb Fixator	560.018				
Elbow Fixator	560.020				
Multiaxis I Clamp 3 pin for 8mm Double Rod Fixation	560.022				
Multiaxis I Clamp 5 pin for 8mm Double Rod Fixation	560.025				
Multiaxis Mono Straight Clamp Fixation 5 pin	560.028				
Multiaxis L Clamp 5 pin for 8mm Fracture fixation S.S.	560.029S				
Multiaxis L Clamp 5 pin for 8mm Fracture fixation AL.	560.029A				
Multiaxis Z Clamp Big for 8mm double Rod fixation	560.033				
External Fixator -Tube to Tube 8 x 8mm S.S.	560.034S				
External Fixator -Tube to Tube 8 x 8mmAL.	560.034A				
Straight-Post-8.0mm	560.035				
30° Angled Post-8.0mm	560.036				
Bushing 20mm	561.002				
Bushing 30mm	561.003				
Bushing 40mm	561.004				
Bushing 50mm	561.005				

Bushing 60mm	561.006				
Connecting Clamp	561.010				
Cannulated Angled Wrench 10mm	561.014				
Double Adjustable Clamp, Straight	561.019				
Double Adjustable Clamp, Curved	561.020				
Open Single Pin Clamp	561.023				
Single Pin Clamp	561.024				
Double Pin Clamp	561.025				
Self-Holding Clamp	561.026				
Transvers Clamp	561.027				
Tube to Tube Clamp	561.028				
Wire Tensioner Dynamometer	561.030				
Hinge Joint	561.034				
Hinge Male	561.035				
Hinge Female	561.036				
Hinge 90°	561.037				
Multi Pin Fixator Clamp	561.038				
Reprefix device	561.040				
Pin Post Coupling for 3.0mm, 4.0mm & 5.0mm Pins	561.041				
Pin Rod Coupling for 3.0mm, 4.0mm, 5.0mm Pins & 8.0mm Rod	561.042				
Rod Rod Coupling	561.043				
Schanz Pin Introducer	561.044				
Triple Trocar Set with Handle	561.050				
Triple Trocar Set with Handle, Extra Long	561.051				
Connection Bolt	562.004				
Single Pin Fixation Bolt	562.007				
Wire Fixation Bolt, Slotted	562.013				
Wire Fixation Bolt, Cannulated	562.018				
Oblique Support without Thread	562.021				
Oblique Support with Thread	562.022				
Wire Buckle	562.026				
Nut 10mm	562.029				
Nylon Insert Nut	562.034				
Spacing Washer	562.036				
Flat Sided Washer	562.038				
Slotted Washer	562.040				
Conical Washer Couple	562.042				
Washer Hanger	562.045				
Compression Distraction Device, Small	563.001				
Compression Distraction Device, Standard	563.002				
Carbon Italian Arch 90°	564.090.17	120 x 170			
	564.090.19	140 x 190			
	564.090.21	160 x 210			
	564.090.23	180 x 230			
	564.090.25	200 x 250			
Carbon Italian Arch 120°	564.120.17	120 x 170			
	564.120.19	140 x 190			
	564.120.21	160 x 210			
	564.120.23	180 x 230			
	564.120.25	200 x 250			
Short Connection Plate	567.002				2
	567.003				3
	567.004				4
	567.005				5

	567.006				6
	567.007				7
	567.008				8
	567.009				9
	567.010				10
Curved Plate	568.003				3
	568.004				4
	568.005				5
	568.006				6
Twisted Plate	569.002				2
	569.003				3
	569.004				4
Post Male	570.002				2
	570.003				3
	570.004				4
Post Female	571.002				2
	571.003				3
	571.004				4
Threaded Socket	572.020		20		
	572.030		30		
	572.040		40		
	572.060		60		
Connection Plate with threaded end	573.005				5
	573.007				7
	573.009				9
	573.011				11
Wrenchocubes	574.001				1
	574.002				2
	574.003				3
	574.004				4
Carbon Half Rings, Paediatric	575.080.112	80 x 112			
	575.090.122	90 x 122			
	575.100.132	100 x 132			
	575.120.152	120 x 152			
Carbon 5/8 Rings, Paediatric	576.080.112	80 x 112			
	576.090.122	90 x 122			
	576.100.132	100 x 132			
	576.120.152	120 x 152			
Carbon 3/4 Rings, Paediatric	577.080.112	80 x 112			
	577.090.122	90 x 122			
	577.100.132	100 x 132			
	577.120.152	120 x 152			
Threaded Rod	579.075		75		
	579.100		100		
	579.125		125		
	579.150		150		
	579.200		200		
	579.250		250		
	579.300		300		
	579.350		350		
	579.400		400		
	579.450		450		
Threaded Rod, Slotted	580.075		75		
	580.100		100		
	580.125		125		
	580.150		150		

Corticotome	584.005			5	
	584.007			7	
	584.010			10	
	584.015			15	
Telescopic Rod S.S.	585.010		100		
	585.015		150		
	585.020		200		
	585.025		250		
	585.030		300		
Telescopic Rod, Graduated S.S.	586.010		100		
	586.015		150		
	586.020		200		
S.S. Rod	586.010		100		
	586.015		150		
	586.020		200		
Carbon Rod Ø 4.0 mm	590.04.080	4.0	80		
	590.04.100	4.0	100		
	590.04.125	4.0	125		
	590.04.150	4.0	150		
	590.04.160	4.0	160		
	590.04.175	4.0	175		
	590.04.200	4.0	200		
	590.04.250	4.0	250		
	590.04.300	4.0	300		
	590.04.350	4.0	350		
	590.63.050	6.3	50		
	590.63.100	6.3	100		
	590.63.150	6.3	150		
	590.63.200	6.3	200		
	590.63.250	6.3	250		
	590.080.100	8.0	100		
	590.080.150	8.0	150		
	590.080.200	8.0	200		
	590.080.250	8.0	250		
	590.080.300	8.0	300		
	590.080.350	8.0	350		
	590.080.400	8.0	400		
	590.95.050	9.5	50		
	590.95.100	9.5	100		
	590.95.150	9.5	150		
	590.95.200	9.5	200		
	590.95.250	9.5	250		
	590.95.300	9.5	300		
	590.95.350	9.5	350		
	590.95.400	9.5	400		
	590.11.100	11.0	100		
	590.11.150	11.0	150		
	590.11.200	11.0	200		
590.11.250	11.0	250			
590.11.300	11.0	300			
590.11.350	11.0	350			
590.11.400	11.0	400			
590.11.450	11.0	450			
590.11.500	11.0	500			
590.16.125	16.0	125			

	590.16.150	16.0	150		
	590.16.175	16.0	175		
	590.18.075	1/8 inch	75		
	590.18.100	1/8 inch	100		
	590.18.150	1/8 inch	150		
	590.31.100	3/16 inch	100		
	590.31.150	3/16 inch	150		
	590.31.200	3/16 inch	200		
	590.31.250	3/16 inch	250		
	590.51.100	5/16 inch	100		
	590.51.150	5/16 inch	150		
	590.51.200	5/16 inch	200		
	590.51.250	5/16 inch	250		
Carbon Full Rings, Adult	592.080.120	80 x 120			
	592.100.140	100 x 140			
	592.110.150	110 x 150			
	592.120.160	120 x 160			
	592.130.170	130 x 170			
	592.140.180	140 x 180			
	592.150.190	150 x 190			
	592.160.200	160 x 200			
	592.180.220	180 x 220			
	592.200.240	200 x 240			
	592.220.260	220 x 260			
	592.240.280	240 x 280			
Carbon 3/4 Rings, Adult	593.080.120	80 x 120			
	593.100.140	100 x 140			
	593.110.150	110 x 150			
	593.120.160	120 x 160			
	593.130.170	130 x 170			
	593.140.180	140 x 180			
	593.150.190	150 x 190			
	593.160.200	160 x 200			
	593.180.220	180 x 220			
	593.200.240	200 x 240			
	593.220.260	220 x 260			
Carbon 5/8 Rings, Adult	594.080.120	80 x 120			
	594.100.140	100 x 140			
	594.110.150	110 x 150			
	594.120.160	120 x 160			
	594.130.170	130 x 170			
	594.140.180	140 x 180			
	594.150.190	150 x 190			
	594.160.200	160 x 200			
	594.180.220	180 x 220			
	594.200.240	200 x 240			
	594.220.260	220 x 260			
	594.240.280	240 x 280			
Carbon Half Rings, Adult	595.080.120	80 x 120			
	595.100.140	100 x 140			
	595.110.150	110 x 150			
	595.120.160	120 x 160			
	595.130.170	130 x 170			
	595.140.180	140 x 180			
	595.150.190	150 x 190			


	595.160.200	160 x 200			
	595.180.220	180 x 220			
	595.200.240	200 x 240			
	595.220.260	220 x 260			
	595.240.280	240 x 280			
	595.260.280	260 x 280			
Carbon 3/8 Rings, Adult	596.080.120	80 x 120			
	596.100.140	100 x 140			
	596.110.150	110 x 150			
	596.120.160	120 x 160			
	596.130.170	130 x 170			
	596.140.180	140 x 180			
	596.150.190	150 x 190			
	596.160.200	160 x 200			
	596.180.220	180 x 220			
	596.200.240	200 x 240			
	596.220.260	220 x 260			
	596.240.280	240 x 280			
Carbon 1/4 Rings, Adult	597.080.120	80 x 120			
	597.100.140	100 x 140			
	597.110.150	110 x 150			
	597.120.160	120 x 160			
	597.130.170	130 x 170			
	597.140.180	140 x 180			
	597.150.190	150 x 190			
	597.160.200	160 x 200			
	597.180.220	180 x 220			
	597.200.240	200 x 240			
	597.220.260	220 x 260			
	597.240.280	240 x 280			
597.260.280	260 x 280				
Carbon Connecting Plate, Long	598		Long		
Carbon Foot Rings	599.001		Short		
	599.002		Long		
Spanner 8mm	655.008				
T-Wrench 8mm	658.008				

Date: 20.03.2023

Name: Himanshu Sachdeva

Position: Managing Partner


Himanshu Sachdeva
 Managing Partner
 Hospital Equipment Mfg. Co. India

	Annex II	Class I
	List of Product with product code	

Instruments

Product name	Product Code	Qty
Instruments Set for Secure Locking Screws & Plates	IS-01-01	25
Drill bit quick coupling 03.2mm x 125mm	601.125.32	
Drill bit quick coupling 04.5mm x 130mm	601.130.45	
Tap with T handle 4.5mm	605.50	
Tap with T handle 6.5mm	606.65	
Counter sink with T Handle	608	
Drill Bit, Quick Coupling End with Stopper 1.8 x 150mm (0 x L)	612.150.18	
Drill Bit, Quick Coupling End with Stopper 2.0 x 150mm (0 x L)	612.150.20	
Drill Bit, Quick Coupling End with Stopper 2.8 x 225mm (0 x L)	612.225.28	
Drill Bit, Quick Coupling End with Stopper 4.3 x 225mm (0 x L)	612.225.43	
Hexagonal Screw Driver, 2.0mm Tip	614.020	
Hexagonal Screw Driver, 2.5mm Tip	614.025	
Hexagonal Screw Driver, 3.5mm Tip	614.035	
Torque Screw Driver	617	
Restricted Torque Screw Driver, 2.5mm Tip	617.025	
Restricted Torque Screw Driver, 3.5mm Tip	617.035	
Hexagonal screw driver shaft with quick coupling	619.035	
Quick coupling with T Handle	621.001	
Drill & Tap Sleeve 03.2mm x 4.5mm	647.002	
Drill & Tap Sleeve 03.2mm x 6.5mm	647.003	
Drill sleeve	647.004	
Neutral & load drill guide drill bit 3.2mm - for 4.5 mm screw	648.032	
Insert drill sleeve 3.2mm x 4.5mm	649.002	
Pointed drill guide	650.001	
Depth gauge large	656.003	
Guide Wire with Front Threaded Tip 1.8 x 230mm (0 x L)	660.23.18	
Guide Wire with Front Threaded Tip 2.0 x 230mm (0 x L)	660.23.20	
Large plate bender pair	661.030	
Sharp hook	729.001	
Threaded Drill Sleeve 2.0mm for 02.4mm Bone Locking Screw	801.024	
Threaded Drill Sleeve 2.0mm for 02.7mm Bone Locking Screw	801.027	
Threaded Drill Sleeve 2.8mm for 03.5mm Bone Locking Screw	801.035	
Threaded Drill Sleeve 3.5mm for 04.5mm Bone Locking Screw	801.045	
Threaded Drill Sleeve 4.3mm for 05.0mm Bone Locking Screw	801.050	
Threaded Drill Sleeve 4.5 mm for 6.5mm Bone Locking Screw	801.065	
Protecting sleeve	816.010	
INSTRUMENTS FOR SPINE	IS-03-01	29
Drill Bit, Plain Shank, S.S 4.0 x 195mm (0 x L)	602.195.40	
Drill Bit, Plain Shank, S.S 5.0 x 195mm (0 x L)	602.195.50	
Drill Bit, Plain Shank, S.S 6.0 x 195mm (0 x L)	602.195.60	
Bone Tap for Mono & Poly Axial Screw 0 4.5mm	611.045	
Bone Tap for Mono & Poly Axial Screw 0 5.5mm	611.055	
Bone Tap for Mono & Poly Axial Screw 0 6.5mm	611.065	
Hexagonal Screw Driver, 3.5mm Tip, Extra Large	614.040	
Hit Cutter 45cm (18")	665.002	

Awl with Stopper	811.020	
Introducer for Mono-Axial Screw	841.001	
Introducer for Poly-Axial Screw	841.002	
Screw Driver - Introducer for Offset Screw	841.005	
Rod Pusher Straight	841.009	
Rod Pusher Curved	841.010	
Capner Gouge	841.015	
Hook Pusher	841.018	
Introducer for Hooks	841.020	
Pedicle Elevator	841.022	
Pedicle Probe	841.023	
Pedicle Sound	841.025	
Laminar Elevator Wide	841.028	
Laminar Elevator Narrow	841.030	
Rod Holder with Ratchet Lock	841.033	
In-Situ Iron Bender (Pair)	841.035	
Outer Sleeve for Poly-Axial Screw Inserter with 'T Handle	841.040	
Rod Stabiliser	841.044	
Compressor	841.047	
Parallel Compressor	841.049	
Rod Clamp, Long	841.055	
INSTRUMENTS SET FOR LAMINECTOMY	IS-03-02	16
Cobb's Elevator	704.033	
Durer Elevator	704.053	
Spinal Rounger	737.001	
Bone Scoop with Fibre Handle	740.021	
Love Nerve Retractor, 45° Angle	741.090	
Love Nerve Retractor, Right Angle	741.091	
Love Nerve Retractor, Straight	741.092	
McDonald's Retractor	741.107	
Self Retaining Retractor with Hinge	741.147	
Disc Forceps, Straight	746.001	
Disc Forceps, Upward	746.002	
Disc Forceps, Downward	746.003	
Punch Forceps, Up-cutting, 3.0mm	747.002	
Punch Forceps, Down-cutting, 4.0mm	748.003	
Punch Forceps, 45° Angle, Up-cutting 2.0mm	749.002	
Punch Forceps, 45° Angle, Down-cutting 3.0mm	750.003	
INSTRUMENTS FOR SPINE, PREMIUM	IS-03-03C	26
Rod Pusher Forceps	757.01C	
Rod-Holder	757.02C	
Feeler, Straight 757.004C Feeler, Curved	757.03C	
Nut Holder	757.05C	
Taps Length 235mm	757.06C	
Rod Bender L & R	757.07C	
Rod Pusher	757.08C	
Polyaxial Screw Driver	757.09C	
Monoaxial Screw Driver	757.10C	
Trail Rod	757.11C	
Counter Torque	757.12C	
Counter Torque Reduction Screw Break Off	757.13C	
Quick Coupling T-Handle	757.14C	
Quick Coupling Handle, Straight	757.15C	
Pin Inserter	757.16C	
Nut Screw Driver	757.17C	

Torque Limited Screw Driver	757.18C	
Pedicle Awl	757.19C	
Distractor	757.20C	
Rod Gripper	757.21C	
Persuader	757.22C	
Compressor	757.23C	
Reduction Screw Break-Off Forceps	757.24C	
Rod Bender	757.25C	
Probe Straight	757.26C	
Probe Curved	757.27C	
CONDYLAR PLATE INSTRUMENT SET	IS-04-02	7
Spanner 11mm	655.011	
Slotted Hammer	726.001	
Chisel Guide	861.001	
Condylar Plate Guide	861.005	
Impactor	861.010	
Insertor - Extractor	861.015	
Seating Chisel	861.020	
INSTRUMENTS FOR DYNAMIC HIP COMPRESSION PLATE	IS-04-03	30
Hexagonal Screw Driver, 3.5mm tip	614.035	
Hexagonal Screw Driver 3.5mm tip, Extra Large (for DHS Variable Angle Plate)	614.040	
Direct Measuring Device	657.001	
Guide Wire with Front Threaded Tip 2.5 x 230mm (0 x L)	660.23.25	
Stylet 02.5mm x 280mm Length	662.28.25	
Centering Sleeve for DHS Tap	862.001	
DHS Tap	862.002	
Centering Sleeve for DHS Wrench	862.003	
Coupling Screw for Inserting DHS Screw (for 0 2.5mm Wire Guide)	862.005	
DCS Angle Guide	862.008	
DCS Triple Reamer	862.010	
DHS Angle Guide - 130°	862.015	
DHS Angle Guide - 135°	862.016	
DHS Angle Guide - 140°	862.017	
DHS Angle Guide - 150°	862.018	
DHS Impactor	862.020	
DHS Triple Reamer for Short Barrel	862.024	
DHS Triple Reamer	862.025	
Guide Shaft for Coupling Screw	862.030	
Long Coupling Screw for DHS Screw Removal	862.034	
'T' Handle with Quick Coupling	862.035	
Variable Angle Guide	862.045	
Wrench for DHS Screws	862.048	
INSTRUMENTS FOR JEWETT NAIL S.S.	IS-04-05	7
Direct Measuring Device	657.001	
Guide Wire with Front Threaded Tip 2.5 x 230mm (0 x L)	660.23.25	
Bone Hammer 500g	725.050	
Variable Angle Guide	862.045	
Jewett Nail Extractor - Impactor	871.001	
Starter for Jewett Nail	871.002	
Driver Handle for Jewett Nail	871.003	
INTRUMNET SET FOR DHS/DCS	IS-04-06C	29
Drill Bit 03.2 X 150mm	270.01.001C	
Drill Bit 04.5 X 150mm	270.01.002C	
Double Drill Sleeve 04.5/3.2mm	270.01.003C	
Double Drill Sleeve 06.5/4.5mm	270.01.004C	

DCP Drill Guide Neutral And Loaded 0 4.5 X 3.3mm	270.01.005C	
Small Impactor	270.01.006C	
Tap Cortical 4.5mm	270.01.007C	
Tap Cancellous 6.5mm	270.01.008C	
DHS/DCS Lag Screw Measuring Device	270.01.009C	
Tap For DHS/DCS Lag Screw	270.01.010C	
Threaded Guide Wire 0 2.5 X 250mm, Trocar Point	270.01.011C	
Depth Gauge 0-100	270.01.012C	
DHS/DCS Centering Sleeve, Short	270.01.013C	
DHS/DCS Wrench	270.01.014C	
DHS/DCS Coupling Screw, Cannulated	270.01.015C	
DHS/DCS Centering Sleeve, Long	270.01.016C	
DHS/DCS Wrench	270.01.017C	
DHS/DCS Coupling Screw, Solid	270.01.018C	
Large Hexagonal Screw Driver SW 3.5mm	270.01.019C	
Screw Holding Sleeve	270.01.020C	
DHS/DCS T-Handle, With Quick Coupling	270.01.022C	
DHS/DCS Impactor	270.01.023C	
DHS Angle Guide 135°	270.01.024C	
DHS Triple Reamer	270.01.025C	
DCS Triple Reamer	270.01.026C	
DCS Drill Guide 95°	270.01.027C	
Empty Tray Incase Implants Are Also Required	270.01.028C	
INSTRUMENTS SET FOR DYNAMIC HIP COMPRESSION PAEDIATRIC PLATE	IS-04-07	9
DHS Impactor	277.01.001	
DHS Triple Reamer	277.01.002	
Coupling Screw for Guide Shaft	277.01.003	
Screw Driver 3.5mm	277.01.004	
T-Handle Quick Coupling	277.01.005	
DHS Angle Guide	277.01.006	
DHS Centering Sleeve For DHS Tap	277.01.007	
DHS Centering Sleeve For T-Wrench	277.01.008	
Measuring Device	277.01.009	
INSTRUMENTS FOR KUNTSCHER CLOVERLEAF NAIL	IS-05-01	18
Diamond Pointed Bone Awl	811.001	
Guide Wire for Kuntscher Nail 02.5mm for 6 & 7mm Nail	876.025	
Guide Wire for Kuntscher Nail 03.0mm for 8 & 9mm Nail	876.030	
Guide Wire for Kuntscher Nail 04.0mm for 10 & 11mm Nail	876.040	
Guide Wire for Kuntscher Nail 04.5mm for 12 & 13mm Nail	876.045	
K. Nail Reamer 0 6mm	877.006	
K. Nail Reamer 0 7mm	877.007	
K. Nail Reamer 0 8mm	877.008	
K. Nail Reamer 0 9mm	877.009	
K. Nail Reamer 0 10mm	877.010	
K. Nail Reamer 0 11mm	877.011	
K. Nail Reamer 0 12mm	877.012	
K. Nail Reamer 0 13mm	877.013	
K. Nail Reamer 0 14mm	877.014	
K. Nail Driver	880.001	
K. Nail Extractor with 2 Hooks	880.005	
K. Nail Impactor / Setting Devices	880.010	
K. Nail Measuring Gauge	880.015	
INSTRUMENTS FOR ENDER NAIL	IS-05-02	3
Ender Nail Bender (Pair)	882.001	
Ender Nail Extractor	882.002	
Ender Nail Impactor / Driver	882.003	

INSTRUMENTS FOR TENSE NAIL	IS-05-03	21
Drill Bit, Quick Coupling End 2.5mm	601.125.25	
Drill Bit, Quick Coupling End 2.7mm	601.125.27	
Drill Bit, Quick Coupling End 3.2mm	601.200.32	
Drill Bit, Quick Coupling End 4.5mm	601.200.45	
Quick Coupling T-Handle	621.001	
3.2mm Drill Sleeve 4.5mm Tap Sleeve	647.002	
Cutter	665.002	
Bone Hammer 500gm	725.050	
Bone Holding Forceps, Heygrove, Medium	739.146	
Bone AWL With Eye	811.003	
Pin Wrench	815.025	
Inserter For Tense Nail	879.001	
Impactor For Tense Nail, Bevelled	879.002	
F-Tool For Reduction Small	879.010	
Hammer Guide For Tense Nail	879.012	
Slide Hammer	879.015	
Impactor For Tense Nail, Straight 2.0mm	879.020	
Impactor For Tense Nail, Straight 2.5mm	879.025	
Impactor For Tense Nail, Straight 3.0mm	879.030	
Impactor For Tense Nail, Straight 3.5mm	879.035	
Impactor For Tense Nail, Straight 4.0mm	879.040	
INSTRUMENTS FOR RUSH NAIL	IS-05-05	9
Reamer for Rush Nail Ø 2.0mm	887.020	
Reamer for Rush Nail Ø 2.5mm	887.025	
Reamer for Rush Nail Ø 3.0mm	887.030	
Reamer for Rush Nail Ø 3.5mm	887.035	
Reamer for Rush Nail Ø 4.0mm	887.040	
Reamer for Rush Nail Ø 5.0mm	887.050	
Reamer for Rush Nail Ø 6.0mm	887.060	
EXTRACTOR FOR RUSH NAIL	888.001	
Impactor for Rush Nail	888.002	
Instrument SET FOR 'U' shape BONE STAPLE	IS-05-06	3
'U' Staple Driver	889.001	
'U' Staple Extractor	889.002	
'U' Staple Inserter / Impactor	889.003	
INSTRUMENT SET FOR COVENTRY BONE STAPLE	IS-05-07	3
Coventry Staple Extractor	890.001	
Coventry Staple Impactor	890.002	
Coventry Staple Inserter	890.003	
INSTRUMENT SET FOR PINS & WIRES	IS-05-08	23
'T' Handle with S.S. Chuck & Key	654.001	
Cutter, 18" (45cm)	665.001	
Bone Awl with Eye	811.003	
Holding Forceps for Cerclage Wire	878.001	
Tightener for Cerclage Wire	878.004	
K-Wire Introducer	878.007	
K-Wire Bender	878.009	
K-Wire Tractor, Small	878.011	
K-Wire Tractor, Medium,	878.012	
K-Wire Tractor, Large	878.013	
Plier cum Wire Bender cum Wire Cutter 11"	878.024	
Plier, Flat Nose	878.026	
Steinman Pin Holder, Small,	878.041	
Steinman Pin Holder, Medium	878.042	

Steinman Pin Holder, Large	878.043	
Steinman Pin Holder, Extra Large	878.044	
Triple Drill Guide 2.0mm	878.050	
Wire Passer, Small	878.055	
Wire Passer, Medium	878.056	
Wire Passer, Large	878.057	
Wire Tightener / Twister	878.060	
Wire Tightener with 2 pegs	878.062	
Wire Twister, Circular	878.065	
Instruments Set for Mini Fragment Implants	IS-06-01	
Mini Hexagonal Screw Driver with Sleeve (1.5mm Tip)	616.015	
Tap Sleeve, 2.0mm	645.020	
Mini Drill Sleeve, 1.5mm	646.015	
Mini Neutral & Loaded Drill Guide	648.015	
Hollow Mill for 1.5mm & 2.0mm Screws	651.001	
Mini Screw Holding Forceps (for 01.5mm & 02.0mm Screw)	653.001	
Mini Depth Gauge	656.001	
Mini Plate Benders (Pair)	661.001	
Mini Hand Drill	671.001	
Periosteal Elevator, Straight	705.006	
Mini Self Retaining Retractor for Fingers, 100mm	741.144.10	
Mini Self Retaining Retractor with Hinge for Metacarpals	741.147.15	
Retractors, Hohmann 6mm	742.006	
Retractors, Hohmann 8mm	742.008	
Retractors, Hohmann 10mm	742.010	
Mini Chisel, All S.S. 4mm	751.004	
Mini Chisel, All S.S. 6mm	751.006	
Mini Chisel, All S.S. 8mm	751.008	
Mini Chisel, All S.S. 10mm	751.010	
Mini Chisel, All S.S. 12mm	751.012	
Mini Osteotome, All S.S. 4mm	753.004	
Mini Osteotome, All S.S. 6mm	753.006	
Mini Osteotome, All S.S. 8mm	753.008	
Mini Osteotome, All S.S. 10mm	753.010	
Mini Osteotome, All S.S. 12mm	753.012	
Mini Gouge, All S.S. 4mm	755.004	
Mini Gouge, All S.S. 6mm	755.006	
Mini Gouge, All S.S. 8mm	755.008	
Mini Gouge, All S.S. 10mm	755.010	
Mini Gouge, All S.S. 12mm	755.012	
Plate & Bone Holding Forceps, Guarded Point	899.001	
Plate Holding Forceps	899.005	
Mini Self Retaining Retractor for Metacarpals	899.016	
Reduction Forceps, Pointed	899.019	
Reduction Forceps (Serrated)	899.022	
Instruments Set for Small Fragment Implants	IS-07-02	41
Instruments Set for Small Fragment Implants	IS-07-04	27
Drill Bit, Quick Coupling End, S.S. 2.0 x 100 (0 x L)	601.100.20	
Drill Bit, Quick Coupling End, S.S. 2.5 x 125 (0 x L)	601.125.25	
Drill Bit, Quick Coupling End, S.S. 3.2 x 125 (0 x L)	601.125.32	
Drill Bit, Quick Coupling End, S.S. 3.5 x 125 (0 x L)	601.125.35	
Drill Bit, Plain Shank S.S. (For Jacob Chuck) 2.0 x 100 (0 x L)	602.100.20	
Drill Bit, Plain Shank S.S. (For Jacob Chuck) 2.5 x 125 (0 x L)	602.125.25	
Drill Bit, Plain Shank S.S. (For Jacob Chuck) 3.2 x 125 (0 x L)	602.125.32	
Drill Bit, Plain Shank S.S. (For Jacob Chuck) 3.5 x 125 (0 x L)	602.125.35	

Bone Taps With Quick Coupling End 2.7mm	603.027	
Bone Taps With Quick Coupling End 3.5mm	603.035	
Bone Taps With Quick Coupling End 3.5mm	604.035	
Bone Taps With Quick Coupling End 4.0mm	604.040	
Bone Taps With 'T' Handle 2.7 (For Cortex Screw)	605.027	
Bone Taps With 'T' Handle 3.5 (For Cortex Screw)	605.035	
Bone Taps With 'T' Handle 3.5mm (For Cancellous Screw)	606.035	
Bone Taps With 'T' Handle 4.0mm (For Cancellous Screw)	606.040	
Counter Sink with 'T' Handle, Head 6mm for 3.5 and 4mm Screw	608.006	
Counter Sink, Quick Coupling, Head 6.0mm for 3.5 and 4.0mm Screw	609.006	
Hexagonal Screw Driver, Small, 2.5mm Tip	614.025	
Hexagonal Screw Driver with Sleeve with 2.5mm Tip	616.025	
Quick Coupling Fibre Handle with Rotation	618.002	
Screw Driver Shaft with Quick Coupling End 2.5mm Tip	619.025	
Lane Screw Driver, Standard	620.010	
Quick Coupling with 'T' Handle	621.001	
Quick Coupling Adaptor with Jacob End	622.001	
Drill Sleeve, 2.5mm	646.025	
Drill & Tap Sleeve Combined, 2.5mm / 3.5mm	647.001	
Small Neutral & Loaded Drill Guide	648.025	
Insert Drill Sleeve, 2.5mm / 3.5mm	649.001	
Hollow Mill, Medium (For removal of 3.5mm Screw)	651.002	
Depth Gauge Small	656.002	
Small Plate Bender (Pair)	661.002	
Plate Bender, for 2.7mm & 3.5mm Reconstruction Plates	661.004	
Small Plate Bender for 2.7mm & 3.5mm Reconstruction Plates	661.010	
Plate Bending Press	661.100	
Periosteal Elevator, Straight, 12cm s.s.	705.012	
Sharp Hook	729.001	
Self Centering Bone Holding Forceps	739.192	
Hohmann Retractor 8 x 150mm (W x L)	742.008	
Hohmann Retractor 15 x 150mm (W x L)	742.015	
Reduction Forceps, Pointed	905.019	
Reduction Forceps, Serrated	905.022	
Basic Instruments Set for Large Fragment Implants	IS-08-03	17
Instruments Set for Large Fragment Implants	IS-08-04C	28
Drill Bit 03.2 X 150mm	385.01.001C	
Drill Bit 04.5 X 150mm	385.01.002C	
Countersink 08.0mm	385.01.003C	
Tap Cortex 4.5mm	385.01.004C	
Tap Cancellous 6.5mm	385.01.005C	
Screw Forceps	385.01.006C	
DCP Drill Guide Neutral And Load	385.01.007C	
Double Drill Sleeve 03.2/6.5mm	385.01.008C	
Universal Drill Guide 04.5/6.5mm	385.01.009C	
Template 11 X 120mm	385.01.010C	
Template 12X 155mm	385.01.011C	
Template 12 X 212mm	385.01.012C	
Depth Gauge 0-100	385.01.013C	
Extraction Screw For Hexagonal 3.5mm, Conical	385.01.014C	
Hollow Reamer 8mm	385.01.015C	
Screw Driver Hexagonal 3.5mm with sleeve	385.01.016C	
Reduction Forceps With Points, Broad Ratchet 210mm	385.01.017C	
Reduction Forceps With Serrated Jaw, Ratchet 210mm	385.01.018C	
Self-Centering Bone Holding Forceps 260mm	385.01.019C	

Periosteal Elevator 8mm, Round	385.01.020C	
Periosteal Elevator 16mm, Flat	385.01.021C	
Hohmann retractor, 44mm width	385.01.022C	
Bending iron Left & Right	385.01.023C	
Drill Bit, Quick Coupling, 03.2mm x 125mm	601.125.32	
Drill Bit, Quick Coupling, 04.5mm x 125mm	601.125.45	
Bone Tap with Quick Coupling for 04.5mm Cortical Screws	603.045	
Bone Tap with Quick Coupling for 06.5mm Cancellous Screws	604.065	
Counter Sink with 'T' Handle, 8.0mm Head for 4.5 & 6.5mm Screws	608.008	
Hexagonal Screw Driver, 3.5mm Tip	614.035	
Screw Driver Shaft with Quick Coupling End, 3.5mm Tip	619.035	
Quick Coupling 'T' Handle	621.001	
Drill & Tap Sleeve Combined 03.2mm/4.5mm	647.002	
Drill & Tap Sleeve Combined 03.2mm/6.5mm	647.003	
Neutral & Loaded Drill Guide, Large 3.2mm	648.032	
Insert Drill Sleeve 3.2mm/4.5mm	649.002	
Pointed Drill Guide	650.001	
Depth Gauge, Large for 04.5mm & 6.5mm Screws	656.003	
Large Plate Bender, Pair	661.030	
Sharp Hook	729.001	
Instruments Set for Ø 4.0mm Cannulated Screws	IS-09-01	22
Cannulated Hexagonal Screw Driver 2.5mm Tip 1 piece	615.025	
Drill & Tap Sleeve Combined 2.5 / 3.5mm	647.001	
Direct Measuring Device	657.001	
Guide Wire with Front Threaded Tip 1.25 x 150mm (0 x L)	660.13.15	
Stylet 01.25mm x 220mm Length	662.22.13	
Cannulated Counter Sink, Quick Coupling 06.0mm / 1.75mm x 150mm	937.15.06	
Cannulated Drill Bit, Quick Coupling, 02.7mm / 1.35mm x 160mm	938.16.27	
Cannulated Drill Bit, Quick Coupling, 03.5mm / 1.35mm x 160mm	938.16.35	
Cannulated Tap, Quick Coupling 04.0mm / 1.35mm x 150mm	939.15.40	
Holding Clip	940.010	
Quick Coupling Tap Handle, Cannulated	940.020	
Drill Guide with Stop with 2 Inserts (2.7mm & 3.5mm)	940.030	
Drill & Guide Wire Sleeve 02.7mm x 01.25mm	941.27.13	
Instruments Set for Ø 4.5mm Cortical Cannulated Screws	IS-09-02	22
Hexagonal Screw Driver, Cannulated, 3.5mm Tip	615.035	
Direct Measuring Device	657.001	
Guide Wire with Front Threaded Tip 1.6 x 150mm (0 x L)	660.15.16	
Stylet 1.6 x 225mm (0 x L)	662.23.16	
Cannulated Counter Sink, Quick Coupling (Head 8mm x 160mm)	937.15.08	
Cannulated Drill Bit, Quick Coupling, 03.2mm x L170mm	938.17.32	
Cannulated Drill Bit, Quick Coupling, 04.5mm x L170mm	938.17.45	
Cannulated Tap, Quick Coupling, 04.5mm x L180mm	939.18.45	
Holding Clip	940.010	
Quick Coupling Tap Handle Cannulated	940.020	
Drill Guide with Stop with 2 Inserts (2.7mm & 3.5mm)	940.030	
Drill & Guide Wire Sleeve 03.2mm x 01.60mm	941.32.16	
Double Drill Sleeve 03.2mm x 04.5mm	942.32.45	
Instruments Set for Ø6.5mm/7.0mm/7.3mm Cancellous Cannulated Screws	IS-09-04	8
Hexagonal Screw Driver, Cannulated, 3.5mm Tip	615.035	
Direct Measuring Device	657.001	
Guide Wire with Front Threaded Tip, 2.0 x 230mm (0 x L)	660.23.20	
Stylet, 02.0mm x 280mm Length	662.28.20	
Cannulated Drill Bit, Plain Shank, 04.5mm / 2.25mm x 230mm	936.23.45	
Protection Sleeve for 04.5mm Cannulated Drill Bit	940.040	

Parallel Wire Guide	940.050	
Cannulated Tap with 'T' Handle	943	
Ø4.0mm CANNULATED SCREW INSTRUMENT SET, PREMIUM	IS-09-05C	12
Hexagonal Screw Driver With Screw Holding Sleeve 2.5mm	091.04.01C	
Cannulated Hexagonal Screw Driver 2.5mm/1.2mm	091.04.02C	
Cannulated Countersink Dia. 6.0mm	091.04.03C	
Cannulated Drill Bit Dia. 2.7mm X 150mm With Unlimited Block	091.04.04C	
Cannulated Screw Measuring Device	091.04.05C	
Cannulated Tap, With T Handle, Cannulated Screw 4.0mm	091.04.06C	
Stylet 1.2mm	091.04.07C	
Protection Sleeve 8.0mm/2.7mm With 2.7mm/1.2mm Drill Sleeve	091.04.08C	
Screw Forceps 4.0mm Cannulated Screws	091.04.09C	
Threaded Guide Wire 1.2mm	091.04.10C	
Guide Wire 1.2mm	091.04.11C	
Wrench For Limited Block	091.04.12C	
Ø7.0mm Cancellous Cannulated Screws Instrument Set, Premium	IS-09-06C	15
Wrench For Adjustable Parallel Wire Guide	091.07.001C	
Multiple Wire Guide	091.07.002C	
Adjustable Parallel Wire Guide 2.5mm	091.07.003C	
Limited Block & Cannulated Drill Bit Dia. 5.0mm/2.5mm	091.07.004C	
Drill Sleeve 10mm/5mm & Wire Sleeve 5mm/2.5mm	091.07.005C	
Protection Sleeve 12mm/10mm & Wire Sleeve 10mm/2.5mm	091.07.006C	
Wrench For Limited Block	091.07.007C	
Screw Forceps For Cannulated Screws	091.07.008C	
Hexagonal Screw Driver With Screw Holding Sleeve	091.07.009C	
Cannulated Screw Driver Hexagonal 4.0mm/2.5mm	091.07.010C	
Cannulated Countersink Dia. 9.0mm	091.07.011C	
Stylet 2.5mm	091.07.012C	
Cannulated Tap With T Handle for 7.3mm Screw	091.07.013C	
Threaded Guide Wire Dia. 2.5 x 250mm	091.07.014C	
Cannulated Screw Measuring Device	091.07.015C	
Instrument Set for Herbert Cannulated Screws	IS-09-07	4
Herbert JIG	082.001	
Cannulated drill bit for Herbert screw	082.003	
Herbert Cannulated Tap	082.005	
Cannulated Screw Driver Hexagonal 2.0mm	091.07.010B	
Instruments for Maxillo Facial Implants		
MINI DEPTH GAUGE	656.001	
Apexo Elevator WITH FIBRE HANDLE (set of 2)	704.003	
BLAIR CLEFT PALATE ELEVATOR, RIGHT ANGLED	704.015	
BRISTOW ELEVATOR	704.025	
Cottle Graduated Elevator	704.035	
FINE COUPLAND ELEVATOR	704.038	
CRONIN CLEFT PALATE ELEVATOR	704.040	
CRYER X BAR ELEVATOR PAIR WITH T HANDLE (set of 2)	704.042	
HAJECK SEPTUM ELEVATOR	704.060	
HOWARTH ELEVATOR, DOUBLE ENDED	704.062	
KEYS FINE ELEVATOR SET (set of 3)	704.065	
LACLOSE ELEVATOR	704.070	
MALAR ELEVATOR, BLUNT	704.080	
MOLT ELEVATOR	704.085	
PERIOSTEAL ELEVATOR	704.090	
ROOT TIP Elevator	704.093	
ROWE ZYGOMATIC ELEVATOR	704.095	
SEPTUM ELEVATOR, DOUBLE ENDED	704.100	

SEPTUM ELEVATOR WITH BALL TIPS	704.103	
WARD PERIOSTEAL ELEVATOR, FAN SHAPED	704.110	
WARWICK JAMES (WARD) ELEVATOR (LEFT - RIGHT - Straight)	704.113	
SHARP HOOK	729.001	
FINE DOUBLE SKIN HOOK	729.003	
PALATE DOWN BENT SINGLE HOOK	729.005	
POSWILLO MALAR HOOK	729.008	
HARRISON TENDON HOOK	729.010	
STACEY ZYGOMATIC Bone Hook	729.013	
FERGUSSON BONE HOLDING FORCEPS	729.170	
BONE HOLDING FORCEPS POINTED	739.150	
BONE HOLDING REDUCTION Clamps Serrated WITH RACHET	739.200	
BONE MANDIBLE HOLDING Forceps	739.210	
CHIN SEGMENT FORCEPS	739.400	
HYTON WILLAMS FOREPS FORWARD	739.430	
HYTON WILLIAM FORCEPS	739.440	
MANDIBULAR BONE GRAFT HOLDER	739.470	
MAXILLARY FRACTURE Reduction Forceps	739.480	
NASAL SEPTUM FORCEPS ASCH	739.520	
RIB CUTTER DOUBLE	739.600	
RIB SHEAR DOYENS	739.610	
ROWE'S MAXILLA Dissimpaction Clamps (pair)	739.620	
SMITH - SUPERIOR RAMUS SEPARATOR	739.670	
TMJ SPREADING FORCEPS	739.690	
Read (EXNER) Curette	740.001	
LUCAS CURETTE DOUBLE ENDED	740.003	
VOLKMANN BONE SCOOP, DOUBLE ENDED	740.024	
BONE SCOOP, ANGLED, DOUBLE ENDED	740.027	
AUFRICHT NASAL RETRACTOR	741.008	
AUFRICHT NASAL RETRACTOR	741.010	
AUSTIN TISSUE RETRACTOR, FORKED	741.014	
AUFRICHT NASAL RETRACTOR	741.015	
AUSTIN TISSUE RETRACTOR, REGULAR	741.018	
BROWN LINGUAL FLAP RETRACTOR	741.025	
CANNY RYALL RETRACTOR, ARMY PATTERN, 2 HOOKS	741.030	
CANNY RYALL RETRACTOR, ARMY PATTERN, LOOP	741.032	
CHIN RETRACTOR – Fenestrated	741.035	
CHIN RETRACTOR, FORKED	741.036	
CONDYLE RETRACTOR DOUBLE ENDED	741.038	
CONDYLE RETRACTOR DOUBLE ENDED, HOOK TYPE	741.039	
CONDYLE RETRACTOR, SINGLE END	741.040	
CRILE MALLEABLE RETRACTOR	741.043	
CRILE MALLEABLE COPPER RETRACTOR	741.044	
CZERNY RETRACTOR	741.045	
DAVIS RETRACTOR, DOUBLE ENDED	741.050	
DESMARRES RETRACTOR	741.052	
ENDOSCOPIC SCALP RETRACTOR WITH FIBRE Handle	741.055	
FARABEUF RETRACTOR, DOUBLE HOOK	741.062	
INTRAORAL SIGMOID RETRACTOR	741.070	
KILNER ALAÆ RETRACTOR	741.071	
KILNER NASAL RETRACTOR	741.072	
KILNER RETRACTOR 'C' SHAPE	741.074	
KILNER SKIN RETRACTOR, FINE	741.075	
KOSCHER THYROID RETRACTOR	741.078	
LATERAL VERTICAL RETRACTOR	741.085	

RAMUS LIP & NOSTRIL RETRACTOR	741.087	
MALINIAC NASAL RETRACTOR	741.100	
MANDIBULAR RIM	741.102	
MARTINEZ KILNER NASAL RETRACTOR	741.105	
MC INDOE RETRACTOR	741.112	
MINNESOTA RETRACTOR	741.115	
PIRIFORM RIM RETRACTOR	741.120	
PLASTIC CHEEK RETRACTOR	741.123	
Ragnell Retractor, Double Ended	741.130	
RAMUS RETRACTOR, Forked	741.132	
RAYNE MANDIBULAR RETRACTOR	741.135	
ROWE ORBITAL FLOOR RETRACTOR	741.137	
SELF RETAINING RETRACTOR, MASTOID	741.145	
SIGMOID NOTCH	741.149	
SOFT TISSUE RETRACTOR (REVERSE LANGENBECK)	741.150	
MANDIBULAR AWL (set of 5)	811.040	
SINUS FINE INSTRUMENTS (set of 5)	812	
SCREW DRIVER, ORDINARY	813	
Self Holding Screw Driver with aluminium handle for single slot	814	
BONE RETRACTOR, HOHMANN, 6mm	898.006	
BONE RETRACTOR, HOHMANN, 8mm	898.008	
Skin Grafting Measuring Scale	951.003	
Castroviejo Caliper 20mm	951.020	
Castroviejo Caliper 40mm	951.040	
Doyen Mouth Gag	951.070	
Ferguson Mouth Gag	951.071	
Heister Jaw Opener	951.075	
ACL / PCL INSTRUMENTS SET	IS-14-01	33
Dilator 8, 9, 10mm	989	
Flower Tip Reamer 6, 7, 8, 9, 10mm	990	
Endoscopic Drill 4.5, 6, 7, 8, 9, 10mm	991	
Graft Board	992.002	
Tendon Stripper Open Close-6,7mm	992.003	
Sizing Tube Set	992.004	
Femoral Off Set Aimer 5,7mm	992.006	
Depth Gauge	992.007	
Beath Pin (Sharp Tip)	992.008	
Beath Pin (Trocar Tip)	992.009	
Screw Driver	992.010	
AWL Micro Fracture	992.011	
Rasp (Up And Down)	992.012	
PCL Protector	992.013	
Tunnel Plug	992.014	
Guide Wire	992.015	
Curette	992.016	
Staple Impactor & Passer	992.017	
ACL PCL Tibial JIG	993.007	
BROKEN SCREW REMOVAL INSTRUMENTS SET	IS-13-01	17
Counter Sink Shaft 5mm, for 2.7mm screws	609.005	
Counter Sink Shaft 6mm, for 3.5 & 4.0mm screws	609.006	
Counter Sink Shaft 8mm, for 4.5 & 6.5mm screws	609.008	
Quick Coupling Handle	618	
Screw Driver Shaft, Square With 2.5mm & 3.5mm Tip (set of 2)	619.01	
Screw Driver Shaft Hexagonal With 2.0mm Tip	619.020	
Screw Driver Shaft Hexagonal With 2.5mm Tip	619.025	



Himanshu Sachdeva
 Managing Partner
 Hospital Equipment Mfg. Co. India

Screw Driver Shaft Hexagonal With 3.5mm Tip	619.035	
Conical Extraction Screw With 3.5mm & 4.5mm (set of 2)	628	
Broken Screw Removal T Handle	633	
Hollow Reamer Set	633.04	
Gouge For Broken Screw	713	
Sharp Hook	729.001	
Screw Removals Forces	803	
Plier For Screw Removals	804	
Extraction Bolt With 2.0mm, 2.5mm & 3.5mm Tip (set of 3)	815.078	

General Instruments

Product Name	Product Code	Size	Length
Ø1.1mm Drill Bit, Quick coupling end, S.S.	601.060.11	Ø 1.1 mm	60 mm
Ø1.5mm Drill Bit, Quick coupling end, S.S.	601.060.15	Ø 1.5 mm	60 mm
Ø2.0mm Drill Bit, Quick coupling end, S.S.	601.100.20	Ø 2.0 mm	100 mm
Ø2.5mm Drill Bit, Quick coupling end, S.S.	601.125.25	Ø 2.5 mm	125 mm
	601.150.25	Ø 2.5 mm	150 mm
Ø2.7mm Drill Bit, Quick coupling end, S.S.	601.125.27	Ø 2.7 mm	125 mm
	601.150.27	Ø 2.7 mm	150 mm
	601.200.27	Ø 2.7 mm	200 mm
Ø2.8mm Drill Bit, Quick coupling end, S.S.	601.165.28	Ø 2.8 mm	165 mm
	601.180.28	Ø 2.8 mm	180 mm
Ø3.0mm Drill Bit, Quick coupling end, S.S.	601.125.30	Ø 3.0 mm	125 mm
Ø3.2mm Drill Bit, Quick coupling end, S.S.	601.125.32	Ø 3.2 mm	125 mm
	601.150.32	Ø 3.2 mm	150 mm
	601.200.32	Ø 3.2 mm	200 mm
	601.250.32	Ø 3.2 mm	250 mm
Ø3.5mm Drill Bit, Quick coupling end, S.S.	601.125.35	Ø 3.5 mm	125 mm
	601.150.35	Ø 3.5 mm	150 mm
	601.200.35	Ø 3.5 mm	200 mm
Ø4.0mm Drill Bit, Quick coupling end, S.S.	601.200.40	Ø 4.0 mm	200 mm
	601.250.40	Ø 4.0 mm	250 mm
Ø4.3mm Drill Bit, Quick coupling end, S.S.	601.221.43	Ø 4.3 mm	220 mm
Ø4.5mm Drill Bit, Quick coupling end, S.S.	601.200.45	Ø 4.5 mm	200 mm
	601.250.45	Ø 4.5 mm	250 mm
Ø5.0mm Drill Bit, Quick coupling end, S.S.	601.250.50	Ø 5.0 mm	250 mm
Ø1.8mm Drill Bit, Plain Shank, S.S.	602.100.18	Ø 1.8 mm	100 mm
	602.125.18	Ø 1.8 mm	125 mm
Ø2.0mm Drill Bit, Plain Shank, S.S.	602.100.20	Ø 2.0 mm	100 mm
Ø2.5mm Drill Bit, Plain Shank, S.S.	602.125.25	Ø 2.5 mm	125 mm
	602.200.25	Ø 2.5 mm	200 mm
	602.250.25	Ø 2.5 mm	250 mm
	602.300.25	Ø 2.5 mm	300 mm
	602.300.25	Ø 2.5 mm	300 mm
Ø2.7mm Drill Bit, Plain Shank, S.S.	602.125.27	Ø 2.7 mm	125 mm
	602.200.27	Ø 2.7 mm	200 mm
	602.250.27	Ø 2.7 mm	250 mm
	602.300.27	Ø 2.7 mm	300 mm
Ø2.8mm Drill Bit, Plain Shank, S.S.	602.125.28	Ø 2.8 mm	125 mm
	602.200.28	Ø 2.8 mm	200 mm
	602.250.28	Ø 2.8 mm	250 mm
	602.300.28	Ø 2.8 mm	300 mm
Ø3.0mm Drill Bit, Plain Shank, S.S.	602.125.30	Ø 3.0 mm	125 mm
	602.200.30	Ø 3.0 mm	200 mm

Ø3.2mm Drill Bit, Plain Shank, S.S.	602.125.32	Ø 3.2 mm	125 mm
	602.200.32	Ø 3.2 mm	200 mm
Ø3.5mm Drill Bit, Plain Shank, S.S.	602.125.35	Ø 3.5 mm	125 mm
	602.200.35	Ø 3.5 mm	200 mm
	602.250.35	Ø 3.5 mm	250 mm
Ø4.0mm Drill Bit, Plain Shank, S.S.	602.125.40	Ø 4.0 mm	125 mm
	602.200.40	Ø 4.0 mm	200 mm
	602.250.40	Ø 4.0 mm	250 mm
	602.300.40	Ø 4.0 mm	300 mm
Ø4.5mm Drill Bit, Plain Shank, S.S.	602.125.45	Ø 4.5 mm	125 mm
	602.200.45	Ø 4.5 mm	200 mm
	602.250.45	Ø 4.5 mm	250 mm
	602.300.45	Ø 4.5 mm	300 mm
Ø5.0mm Drill Bit, Plain Shank, S.S.	602.200.50	Ø 5.0 mm	200 mm
	602.250.50	Ø 5.0 mm	250 mm
Ø6.0mm Drill Bit, Plain Shank, S.S.	602.200.60	Ø 6.0 mm	200 mm
	602.250.60	Ø 6.0 mm	250 mm
Bone Taps with quick coupling end (for cortical screws)	603.027	for 2.7mm Screws	
	603.035	for 3.5mm Screws	
	603.045	for 4.5mm Screws	
	603.050	for 4.5mm Screws	extra large
Bone Taps with quick coupling end (for Cancellous screws)	604.035	for 3.5mm Screws	
	604.040	for 4.0mm Screws	
	604.065	for 6.5mm Screws	
Bone Tap with T-Handle (for Cortical screws)	605.015	for 1.5 mm Screws	-
	605.020	for 2.0 mm Screws	-
	605.027	for 2.7 mm Screws	-
	605.035	for 3.5 mm Screws	-
	605.045	for 4.5 mm Screws	-
	605.050	for 4.5 mm Screws	extra large
Bone Tap with T-Handle (for Cancellous Screws)	606.035	for 3.5 mm Screws	
	606.040	for 4.0 mm Screws	
	606.065	for 6.5mm Screws	
Cannulated Reamer with T-handle	607.007	Ø 7.0 mm	-
	607.008	Ø 8.0 mm	-
	607.009	Ø 9.0 mm	-
	607.010	Ø 10.0 mm	-
	607.011	Ø 11.0 mm	-
	607.012	Ø 12.0 mm	-
	607.013	Ø 13.0 mm	-
	607.014	Ø 14.0 mm	
Counter Sink with T-handle	608.006	6.0mm for 3.5 & 4.0mm screws	
	608.008	8.0mm for 4.5 & 6.5mm screws	
Counter Sink with quick coupling end	609.005	5.0mm for 2.7mm screws	
	609.006	6.0mm for 3.5 & 4.0mm screws	
	609.008	8.0mm for 4.5 & 6.5mm screws	
Drill Bit with adjustable stopper	610.028	Ø 2.8 mm	
	610.032	Ø 3.2 mm	
Drill Bit, quick coupling end, with stopper	612.150.20	Ø 2.0 mm	150 mm
	612.225.28	Ø 2.8 mm	225 mm
	612.225.43	Ø 4.3 mm	225 mm

Hexagonal Screw Driver	614.015	S=1.5 mm	-
	614.025	S=2.5 mm	-
	614.035	S=3.5 mm	-
	614.040	S=3.5 mm	extra large
	614.045	S=4.5 mm	-
Hexagonal Screw Driver, Cannulated	615.025	S=2.5 mm	-
	615.035	S=3.5 mm	-
	615.045	S=4.5 mm	-
Hexagonal Screw Driver with sleeve	616.015	S=1.5 mm	-
	616.025	S=2.5 mm	-
	616.035	S=3.5 mm	-
Restricted Torque Screw Drivers	617.025	S=2.5 mm	
	617.035	S=3.5 mm	
Quick Coupling fibre Handle without Rotation	618.001		
Quick Coupling fibre Handle with Rotation	618.002		
Screw Driver shaft with quick coupling end	619.020	S=2.0 mm	
	619.025	S=2.5 mm	
	619.035	S=3.5 mm	
Lane Screw Driver	620.005	Mini	
	620.010	Standard	
Quick Coupling with T-handle	621.001		
Quick Coupling Adaptor with Jacob end	622.001		
Cross Slotted Screw Driver	623		
Screw Driver Shaft	624.015	S=1.5 mm	
	624.025	S=2.5 mm	
	624.035	S=3.5 mm	
Cannulated Drill Bit with plain shank	626.001	Ø 2.7 mm	
	626.002	Ø 3.2 mm	
	626.003	Ø 3.5 mm	
	626.004	Ø 4.5 mm	
Ø2.5mm Drill Bit Cannulated, Plain Shank, S.S.	626.125.25	Ø 2.5 mm	125 mm
	626.200.25	Ø 2.5 mm	200 mm
	626.250.25	Ø 2.5 mm	250 mm
	626.300.25	Ø 2.5 mm	300 mm
Ø2.8mm Drill Bit Cannulated, Plain Shank, S.S.	626.125.28	Ø 2.8 mm	125 mm
	626.200.28	Ø 2.8 mm	200 mm
	626.250.28	Ø 2.8 mm	250 mm
	626.300.28	Ø 2.8 mm	300 mm
Ø3.2mm Drill Bit Cannulated, Plain Shank, S.S.	626.125.32	Ø 3.2 mm	125 mm
	626.200.32	Ø 3.2 mm	200 mm
	626.250.32	Ø 3.2 mm	250 mm
	626.300.32	Ø 3.2 mm	300 mm
Ø3.5mm Drill Bit Cannulated, Plain Shank, S.S.	626.125.35	Ø 3.5 mm	125 mm
	626.200.35	Ø 3.5 mm	200 mm
	626.250.35	Ø 3.5 mm	250 mm
	626.300.35	Ø 3.5 mm	300 mm
Ø4.5mm Drill Bit Cannulated, Plain Shank, S.S.	626.125.45	Ø 4.5 mm	125 mm
	626.200.45	Ø 4.5 mm	200 mm
	626.250.45	Ø 4.5 mm	250 mm
	626.300.45	Ø 4.5 mm	300 mm
Ø5.0mm Drill Bit Cannulated, Plain Shank, S.S.	626.200.50	Ø 5.0 mm	200 mm
	626.250.50	Ø 5.0 mm	250 mm
	626.300.50	Ø 5.0 mm	300 mm
Ø6.0mm Drill Bit Cannulated, Plain Shank, S.S.	626.200.60	Ø 6.0 mm	200 mm
	626.250.60	Ø 6.0 mm	250 mm
	626.300.60	Ø 6.0 mm	300 mm

Screw Removal 03.5mm Across/Flat x 125mm	627.001		
Screw Removal 04.5mm Across/Flat x 125mm	627.002		
Cannulated Screw Driver Shank 02.5mm Across/Flat x 150mm	627.003		
Cannulated Screw Driver Shank 03.5mm Across/Flat x 125mm	627.004		
Cannulated Screw Driver Shank 03.5mm Across/Flat x 200mm	627.005		
Cannulated Screw Driver Shank 04.7mm Across/Flat x 225mm	627.006		
Hexagonal Screw Driver Shank 01.5mm Across/Flat x 125mm	627.007		
Hexagonal Screw Driver Shank 02.5mm Across/Flat x 125mm	627.008		
Hexagonal Screw Driver Shank 03.0mm Across/Flat x 125mm	627.009		
Hexagonal Screw Driver Shank 03.5mm Across/Flat x 225mm	627.010		
Hexagonal Screw Driver Shank 04.0mm Across/Flat x 125mm	627.011		
Hexagonal Screw Driver Shank 04.7mm Across/Flat x 225mm	627.012		
Hexagonal Screw Driver Shank 05.0mm Across/Flat x 125mm	627.013		
Hollow Mill Shank 05.5 x 07.5mm (I.D. x O.D.) x 125mm	627.014		
Hollow Mill Shank 06.5 x 08.5mm (I.D. x O.D.) x 125mm	627.015		
Hollow Mill Shank 08.5 x 010.5mm (I.D. x O.D.) x 125mm	627.016		
Philips Screw Driver Shank 4.0mm Across/Flat x 125mm	627.017		
Philips Screw Driver Shank 6.0mm Across/Flat x 125mm	627.018		
Flat Screw Driver 4.0mm Across/Flat x 125mm	627.019		
Flat Screw Driver 6.0mm Across/Flat x 125mm	627.020		
Trocar Shank 06.9mm x 125mm	627.021		
Cannulated Reamer for ACL Screws	629.006	Ø 6.0 mm	
	629.007	Ø 7.0 mm	
	629.008	Ø 8.0 mm	
	629.009	Ø 9.0 mm	
	629.010	Ø 10.0 mm	
	629.011	Ø 11.0 mm	
Flexible Reaming Shaft with fixed Reamer S.S.	630.080	Ø 8.0 mm	
	630.085	Ø 8.5 mm	
	630.090	Ø 9.0 mm	
	630.095	Ø 9.5 mm	
	630.100	Ø 10.0 mm	
	630.105	Ø 10.5 mm	
	630.110	Ø 11.0 mm	
	630.115	Ø 11.5 mm	
	630.120	Ø 12.0 mm	
	630.125	Ø 12.5 mm	
	630.130	Ø 13.0 mm	
	630.135	Ø 13.5 mm	
	630.140	Ø 14.0 mm	
	630.145	Ø 14.5 mm	
630.150	Ø 15.0 mm		
Flexible Reaming Shaft only S.S.	631.001	for 8.5-10mm medullary bit	
	631.002	for 11-13mm medullary bit	
Medullary Reamers S.S.	632.085	Ø 8.5 mm	
	632.090	Ø 9.0 mm	
	632.095	Ø 9.5 mm	
	632.100	Ø 10.0 mm	
	632.105	Ø 10.5 mm	
	632.110	Ø 11.0 mm	
632.115	Ø 11.5 mm		

	632.120	Ø 12.0 mm	
	632.125	Ø 12.5 mm	
	632.130	Ø 13.0 mm	
	632.135	Ø 13.5 mm	
	632.140	Ø 14.0 mm	
	632.145	Ø 14.5 mm	
	632.150	Ø 15.0 mm	
Sterilization Tubes	641.150		150 mm
	641.225		225 mm
	641.300		300 mm
	641.400		400 mm
	641.500		500 mm
Screw Holding Forceps for Mini Screws 01.5mm & 02.0mm	653.001		
Screw Holding Forceps for Small & Large Screws	653.002		
'T' Handle with Chuck & Key Set	654.001		
Chuck & Key only for 654.001	654.002		
Spanners	655.008	8 mm	
	655.011	11 mm	
	655.014	14 mm	
	655.017	17 mm	
	655.021	21 mm	
Box Spanner	655.030		
Depth Gauge	656.001	Mini	
	656.002	Small	
	656.003	Large	
Direct Measuring Device	657.001		
Scale cum Screw / Wire Measurer	657.005		
'T' Wrench	658.008	8 mm	
	658.010	10 mm	
	658.011	11 mm	
T-WRENCH WITH HINGE	659.010	10 mm	
Plate Bender	661.001	Mini	
	661.002	Small	
	661.003	Large	
Plate Bender for 4.5mm Reconstruction Plates	661.035		
Plate Bending Pliers, Roll type	661.040		
Mash Bender	661.050		
Plate Bending Forceps	661.052		
Rod Cutter, modified	661.075		
Plate Bending Press	661.100		
Cutter	665.001		35cm (14")
Cutter	665.002		45cm (18")
BONE FILE FLAT WITH FIBRE HANDLE	701		
BONE FILE ROUND WITH FIBRE HANDLE	702		
CHISELS S.S. WITH FIBRE HANDLE	703.005	5 mm	
	703.010	10 mm	
	703.015	15 mm	
	703.020	20 mm	
	703.025	25 mm	
	703.030	30 mm	
PERIOSTEAL ELEVATORS, STRAIGHT S.S.	705.004	4 mm	
	705.006	6 mm	
	705.008	8 mm	
	705.010	10 mm	
	705.012	12 mm	
	705.014	14 mm	
	705.016	16 mm	

PERIOSTEAL ELEVATORS, CURVED S.S.	706.004	4 mm	
	706.006	6 mm	
	706.008	8 mm	
	706.010	10 mm	
	706.012	12 mm	
	706.014	14 mm	
	706.016	16 mm	
PERIOSTEAL ELEVATORS S.S. with fibre handle, Straight	707.004	4 mm	
	707.006	6 mm	
	707.008	8 mm	
	707.010	10 mm	
	707.012	12 mm	
	707.014	14 mm	
	707.016	16 mm	
PERIOSTEAL ELEVATORS S.S. with fibre handle, Curved	708.004	4 mm	
	708.006	6 mm	
	708.008	8 mm	
	708.010	10 mm	
	708.012	12 mm	
	708.014	14 mm	
	708.016	16 mm	
OSTEOTOMES S.S. WITH FIBRE HANDLE, STRAIGHT	709.005	5 mm	
	709.010	10 mm	
	709.015	15 mm	
	709.020	20 mm	
	709.025	25 mm	
	709.030	30 mm	
OSTEOTOMES S.S. WITH FIBRE HANDLE, CURVED	710.005	5 mm	
	710.010	10 mm	
	710.015	15 mm	
	710.020	20 mm	
	710.025	25 mm	
	710.030	30 mm	
GOUGE S.S. WITH FIBRE HANDLE, STRAIGHT	711.005	5 mm	
	711.010	10 mm	
	711.015	15 mm	
	711.020	20 mm	
	711.025	25 mm	
	711.030	30 mm	
GOUGE S.S. WITH FIBRE HANDLE, CURVED	712.005	5 mm	
	712.010	10 mm	
	712.015	15 mm	
	712.020	20 mm	
	712.025	25 mm	
	712.030	30 mm	
GOUGE FOR BROKEN SCREW	713.005	5 mm	
	713.010	10 mm	
	713.015	15 mm	
	713.020	20 mm	
	713.025	25 mm	
	713.030	30 mm	
Amputation Saw S.S.	715.001		
Plaster Saw Bergman	716.001		
PLASTER SAW, HEAVY HANDLE S.S.	716.003		
FINGER SAW	717.001		

PLASTER SPREADER S.S	718.001		
PLASTER SHEAR, Bohler's S.S.	719.001		
Bandage CUTTING Scissors	721.001		14 cm
Bandage CUTTING Scissors	721.002		19 cm
GIGLI SAW SET (saw length 40cm)	722.001		
GIGLI SAW SET (saw length 50cm)	722.002		
HAMMER, NYLON HEAD	724.010		
HAMMER, S.S.	725.020	200 gms	
	725.035	350 gms	
	725.050	500 gms	
	725.070	700 gms	
BONE CUTTERS, DOUBLE ACTION S.S. STRAIGHT	730.190		190 mm
	730.225		225 mm
	730.270		270 mm
BONE CUTTERS, DOUBLE ACTION S.S. CURVED	731.190		190 mm
	731.225		225 mm
	731.270		270 mm
BONE CUTTERS, DOUBLE ACTION S.S. TUDER EDWARD	732.010		
BONE NIBBLERS, DOUBLE ACTION S.S. STRAIGHT	733.190		190 mm
	733.225		225 mm
	733.270		270 mm
BONE NIBBLERS, DOUBLE ACTION S.S. CURVED	734.190		190 mm
	734.225		225 mm
	734.270		270 mm
BONE NIBBLERS, DOUBLE ACTION S.S. ANGULAR	735.190		190 mm
	735.225		225 mm
	735.270		270 mm
BONE HOLDING FORCEPS, SELF CENTERING	736.150		150 mm
	736.190		190 mm
	736.240		240 mm
	736.260		260 mm
	736.280		280 mm
SPINAL ROUNGER	737.001		
BACKHAUS TOWEL CLIPS	739.110		
BONE & PLATE HOLDING FORCEPS WITH NUT, LARGE	739.121		
Lowmann Bone Clamp for Fingers	739.131		
Lowmann Bone Clamp for Forearm	739.132		
Lowmann Bone Clamp for Humerus	739.133		
Lowmann Bone Clamp for Tibia	739.134		
Lowmann Bone Clamp for Femur	739.135		
BONE HOLDING FORCEPS, HEYGROVE'S	739.145		Small
	739.146		Medium
	739.147		Large
BONE HOLDING FORCEPS WITH RACHET, LANE'S	739.161		200 mm
	739.162		250 mm
	739.163		300 mm
BONE HOLDING FORCEPS, OPEN, LANES	739.181		200 mm
	739.182		250 mm
	739.183		300 mm
PATELLA BONE HOLDING FCPS 4-PRONG	739.550		
MODIFIED PATELLA BONE HOLDING FORCEPS, 4-PRONG	739.490		
BONE SCOOP WITH FIBRE HANDLE	740.021		
FARABEUFR RETRACTOR	741.060		


Himanshu Sachdeva
 Managing Partner
 Hospital Equipment Mfg. Co. India

SELF RETAINING RETRACTOR WITH HINGE	741.147.15		150 mm	
	741.147.20		200 mm	
	741.147.25		250 mm	
	741.147.30		300 mm	
Gelpi Retractor	741.064			
HOHMANN RETRACTOR	742.006	6 mm x 150 mm		
	742.008	8 mm x 150 mm		
	742.010	10 mm x 150 mm		
	742.012	12 mm x 150 mm		
	742.015	15 mm x 150 mm		
	742.018	18 mm x 240 mm		
	742.020	20 mm x 240 mm		
	742.022	22 mm x 240 mm		
	742.024	24 mm x 240 mm		
	742.025	25 mm x 240 mm		
	742.028	28 mm x 240 mm		
		742.030	30 mm x 240 mm	
		742.035	35 mm x 240 mm	
		742.040	40 mm x 260 mm	
	742.043	43 mm x 260 mm		
	742.070	70 mm x 280 mm		
CHISELS, ALL S.S.	751.004	4 mm		
	751.006	6 mm		
	751.008	8 mm		
	751.010	10 mm		
	751.012	12 mm		
	751.015	15 mm		
	751.020	20 mm		
	751.025	25 mm		
	751.030	30 mm		
OSTEOTOME, ALL S.S STRAIGHT	753.004	4 mm		
	753.006	6 mm		
	753.008	8 mm		
	753.010	10 mm		
	753.012	12 mm		
	753.015	15 mm		
	753.020	20 mm		
	753.025	25 mm		
	753.030	30 mm		
OSTEOTOME, ALL S.S. CURVED	754.004	4 mm		
	754.006	6 mm		
	754.008	8 mm		
	754.010	10 mm		
	754.012	12 mm		
	754.015	15 mm		
	754.020	20 mm		
	754.025	25 mm		
	754.030	30 mm		
GOUGE, ALL S.S. STRAIGHT	755.004	4 mm		
	755.006	6 mm		
	755.008	8 mm		
	755.010	10 mm		
	755.012	12 mm		
	755.015	15 mm		
	755.020	20 mm		
	755.025	25 mm		
	755.030	30 mm		

GOUGE, ALL S.S, CURVED	756.004	4 mm	
	756.006	6 mm	
	756.008	8 mm	
	756.010	10 mm	
	756.012	12 mm	
	756.015	15 mm	
	756.020	20 mm	
	756.025	25 mm	
	756.030	30 mm	
SKIN GRAFT BLADES	50-120		
Skin Graft Blade Handle S.S.	50-175-01		
Skin Graft Blade Aluminium Handle	50-175-02		
PNEUMATIC TOURNIQUET WITH HAND PUMP & CUFF	75-179P		

Date: 20.03.2023

Name: Himanshu Sachdeva
Position: Managing Partner



Himanshu Sachdeva
Managing Partner
Hospital Equipment Mfg. Co. India



CERTIFICATE

Quality Austria - Trainings, Zertifizierungs und Begutachtungs GmbH awards this **qualityaustria** certificate to the following organisation:

This **qualityaustria** certificate confirms the application and further development of an effective

**Hospital Equipment
Manufacturing Co.**

D-313, Sector-63, Noida UP-201301, INDIA
Sites: A-19 & 20, Sector-7, Noida, Uttar Pradesh, India

QUALITY MANAGEMENT SYSTEM

complying with the requirements of standard

ISO 13485:2016

Medical devices - Quality management systems -
Requirements for regulatory purposes

Quality Austria - Trainings, Zertifizierungs und Begutachtungs GmbH is accredited according to the Austrian Accreditation Act by the BMWF/W (Federal Ministry of Science, Research and Economy).

Quality Austria is accredited as an organisation for environmental verification by the BMLFUW (Federal Ministry of Agriculture, Forestry, Environment and Water Management).

Quality Austria is authorized by the VQA (Association of the Automotive Industry).

For accreditation registration details please refer to the applicable decisions or recognition documents.

Quality Austria is the Austrian member of IQNet (International Certification Network).



Design, Manufacture and Sale of Medical, Laboratory, Scientific & Orthopaedic Implants and Instruments.

The validity of the **qualityaustria** certificate will be maintained by annual surveillance audits and one renewal audit after three years.

Registration No.: 00360/0

Date of initial issue: 22 February 2021


Valid until: 21 February 2024



Vienna, 22 February 2021

Quality Austria - Trainings, Zertifizierungs und Begutachtungs GmbH,
AT-1010 Vienna, Zelinkagasse 10/3


Konrad Scheiber
General Manager


Dr. Mag. Anni Koubek
Specialist representative

Doc. Nr. FQ_24_028

ae436c17-2189-48d1-
b5c6-2ec277a8d6c5

The current validity of the certificate is documented exclusively on the Internet under
<http://www.qualityaustria.com/en/cert> EAC: 19.2



