



Certificate

No. Q5 105847 0005 Rev. 03

Holder of Certificate: **Sterimedix Ltd**
Thornhill Road
North Moons Moat
Redditch, Worcestershire B98 9ND
UNITED KINGDOM

Certification Mark:



Scope of Certificate: Design, manufacture & contract manufacture of sterile & non-sterile cannulae, needles, cystotomes, tubing sets, handpieces, reservoirs, handles & scleral markers/fixation plates for use in ophthalmic procedures. Design, manufacture & contract manufacture of sterile & non-sterile intradermal cannula & needles for use in reconstructive surgery. Design, manufacture of sterile vitreoretinal trocar sets.

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). All applicable requirements of the testing and certification regulation of TÜV SÜD Group have to be complied with. For details and certificate validity see: www.tuvsud.com/ps-cert?q=cert:Q5 105847 0005 Rev. 03

Report No.: 713204057

Valid from: 2021-08-07

Valid until: 2024-02-05

Date, 2021-08-06



Christoph Dicks

Head of Certification/Notified Body

Digitally signed by Pereteatco Alina
Date: 2021.10.07 23:54:03 EEST



Certificate

No. Q5 105847 0005 Rev. 03

Applied Standard(s):

EN ISO 13485:2016
Medical devices - Quality management systems -
Requirements for regulatory purposes
(ISO 13485:2016)
DIN EN ISO 13485:2016

Facility(ies):

Sterimedix Ltd
Thornhill Road, North Moons Moat, Redditch, Worcestershire B98
9ND, UNITED KINGDOM

see scope of certificate

./.



Benannt durch/Designated by
Zentralstelle der Länder
für Gesundheitsschutz
bei Arzneimitteln und
Medizinprodukten
www.zlg.de
ZLG-BS-244.10.08



Product Service

EC Certificate

Full Quality Assurance System

Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
(Devices in Class IIa, IIb or III)

No. G1 105847 0001 Rev. 01

Manufacturer:

Sterimedix Ltd

Thornhill Road
North Moons Moat
Redditch, Worcestershire B98 9ND
UNITED KINGDOM

Product Category(ies): Sterile and non-sterile devices for use in ophthalmic procedures:

Anaesthetic Needles and Cannulae, Anterior Chamber Maintenance Cannulae, Capsule Polishing Cannulae, Cystotomes, Hydrodissection Cannulae, Infusion Cannulae, Irrigation/Aspiration Cannulae and Hand Pieces, Lachrymal Cannulae, Lens Removal Cannulae, Refractive Cannulae, Vitreoretinal Cannulae, Vitreoretinal Handpieces, Surgical Corneal Cannulae, Viscocanalostomy Cannulae.

Sterile and non-sterile Intradermal Cannulae and Needles for use in reconstructive Surgery

Sterile Trocar Sets for Vitreoretinal Surgery

Sterile dacryocystorhinostomy (DCR) sets to establish patency between the lachrymal sac and nasal mucosa

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subject to periodical surveillance. For marketing of class III devices an additional Annex II (4) certificate is mandatory. See also notes overleaf.

Report No.:

713170902

Digitally signed by Pereteatco Alina

Date: 2021.10.07 23:54:42 EEST



Valid from:

2020-02-07

Valid until:

2024-05-26

Date,

2020-02-07

Christoph Dicks

Head of Certification/Notified Body

Page 1 of 2

TÜV SÜD Product Service GmbH is Notified Body with identification no. 0123

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TUV®

ZERTIFIKAT • CERTIFICATE • CERTIFICADO • CERTIFICAT • СЕРТИФИКАТ • 認證證書



Benannt durch/Designated by
Zentralstelle der Länder
für Gesundheitsschutz
bei Arzneimitteln und
Medizinprodukten
www.zlg.de
ZLG-BS-244.10.08



Product Service

EC Certificate

Full Quality Assurance System

Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
(Devices in Class IIa, IIb or III)

No. G1 105847 0001 Rev. 01

Facility(ies):

Sterimedix Ltd
Thornhill Road, North Moons Moat, Redditch,
Worcestershire B98 9ND, UNITED KINGDOM

J.

EC Certificate

Production Quality Assurance System
Directive 93/42/EEC on Medical Devices, Annex V
(Devices in class I with measuring function)

No. G2M 105847 0003 Rev. 01

Manufacturer:

Sterimedix Ltd

Thornhill Road
North Moons Moat
Redditch, Worcestershire B98 9ND
UNITED KINGDOM

Facility(ies):

Sterimedix Ltd
Thornhill Road, North Moons Moat, Redditch, Worcestershire B98 9ND,
UNITED KINGDOM

Product Category(ies):

Non-sterile single use scleral markers and fixation plates

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for the manufacture in accordance with MDD Annex V. This quality assurance system covers those aspects of manufacture concerned with the metrological requirements of the respective devices / device categories and conforms to the requirements of this Directive. It is subject to periodical surveillance. See also notes overleaf.

Report No.:

713171899

Valid from:

2020-02-07

Valid until:

2024-05-26

Date,

2020-02-07

C.D.H

Christoph Dicks
Head of Certification/Notified Body

Digitally signed by Pereteatco Alina
Date: 2021.10.08 09:48:08 EEST
Reason: MoldSign Signature
Location: Moldova





single-use ophthalmic surgical products

to meet the demands
of modern ophthalmic
surgical techniques.

Digitally signed by Pereteatco Alina
Date: 2021.10.08 09:49:15 EEST
Reason: MoldSign Signature
Location: Moldova



The only single-use cannula supplier
with European-based manufacturing

www.sterimedix.com



Single-use. Products to meet the demands of modern ophthalmic surgical techniques.



Delivering **innovation** in ophthalmic surgery

Sterimedix is a manufacturer of single use surgical cannula products based in the UK. With over 25 year's experience of manufacturing single-use devices, primarily for ophthalmology, the Company has a rare depth of expertise in new product development. If you have a new product idea, please don't hesitate to contact us in complete confidence.

The requirements of eye surgery place a great responsibility on the manufacturer to maintain the highest standards of quality. The regulatory environment in which the Company operates demands the best manufacturing and control standards.

This catalogue contains details of the entire Sterimedix range, including unique new products designed to work with the latest techniques, in addition to a tried and trusted portfolio of single use products for all ophthalmic procedures.



QUALITY ASSURANCE. Sterimedix Limited is committed to producing products of the highest quality. The company's quality systems and practices are regularly audited and have ISO 13485, ISO 9001 and CE accreditations together with United States FDA registration, and the appropriate approvals in all other markets where Sterimedix is active.

Continuous developments in response to our customers' requirements; continued growth from excellent product quality and customer service.



Sterimedix. Dedicated to supporting our distributors and their customers

Our quest is to continually improve both our service and products, supplying single use ophthalmic instruments at competitive prices, presented in user friendly packaging, and meeting our customers' delivery requirements.

Sterimedix products are packed sterile in a single blister in space saving boxes designed to minimise waste. Our products may also be supplied non-sterile in unique formats compatible with the requirements of kit packers.




Single use. Products

Page	4	Refractive Cannulas	15	Simcoe Irrigating / Aspirating Cannulas
	4	Scleral Markers	15	Irrigating Microsurgical Handle
	5	Anaesthesia Needles & Cannulas	16	Bimanual Irrigating / Aspirating Handpieces
	6	Anterior Chamber Cannulas & Maintainers	17	Bimanual I/A Systems & Bimanual Cannulas
	6	Transzonular Injection Cannula	18	Lachrymal Cannulas and DCR Sets
	7	Washout Cannula	19	Vitreoretinal Extension Tube & Self Retaining Infusion Cannulas
	7	Viscoelastic Cannulas	20	Trocar Sets
	8	Cystotomes	21	Vitreoretinal Cannulas
	10	Hydrodissection Cannulas	22	Vitreoretinal Soft Tips & Brushes
	11	Viscoexpression Cannulas	22	Backflush & Heavy Liquid Infusion Handles. Combination Sets
	11	Cortical Cleaving Cannulas	23	Backflush Handles & Combination Sets
	12	Nucleus Removal Cannulas	23	Charles Flute Handles & Combination Sets
	12	Cortex Removal Cannulas	24	Product Index
	13	Capsule Polishing Cannulas	27	Product Key & Information for Kit Packers
	14	Irrigating / Aspirating Cannulas and Handpieces		

Refractive Cannulas / Scleral Markers

Refractive Cannulas

Products designed for irrigating the cornea and stroma during laser refractive procedures.

Code	Gauge and size	Description	Tip
M2804	 25G x 7/8" 0.5 x 22mm	Irrigating Lasik Cannula. Formed 7mm from tip. Six 0.15mm ports at 2, 4 and 6mm from tip	
M2817	 27G x 7/8" 0.4 x 22mm	Irrigating Lasik Cannula. Formed 9mm from tip. Four 0.15mm ports at 2 and 4mm from tip	
M2822	 25G x 7/8" 0.5 x 22mm	Irrigating Lasik Cannula. Formed 7mm from tip. Six 0.15mm ports at 2, 4 and 6mm from closed tip	
M2824	 26g x 7/8" 0.45 x 22mm	Irrigating Lasik Cannula. Formed 9.5mm from spatulated tip (Slade)	
M2801	 25G x 7/8" 0.5 x 22mm	Irrigating Lasik Cannula. Flattened tip. Angled with two 0.25mm ports (Lin)	
M2802	 25G x 1 1/8" 0.5 x 29mm	Irrigating Lasik Cannula. Formed with two 0.2mm side ports (Buratto)	
M3914	 23G x 7/8" 0.64 x 22mm	Irrigating Lasik Cannula. Formed 10.5mm from flattened tip.	



Scleral Markers (Sterile and Non Sterile)

Code	Gauge and size	Description	Tip
M7500	3.5mm/4.0mm Scleral Marker. 80mm long	The scleral marker is designed to determine the injection or incision point through the pars plana, when located against the limbus.	
M7510	3.5mm Scleral Fixation Plate. 75mm long	The scleral fixation plate allows fixation of the globe and accurate injection through the pars plana when located against the limbus, using the 3.5mm slot.	

Anaesthetic Needles and Cannulas














Anaesthetic Cannulas

For injecting anaesthetic between Tenon's capsule and the sclera.

Code	Gauge and size	Description	Tip
			
M0278	19G x 1" 1.1 x 25mm	Sub Tenon Cannula. Curved with flattened tip	
M0279	20G x 1" 0.9 x 25mm	Sub Tenon Cannula. Curved with flattened tip	

Anaesthetic Needles

For injecting anaesthetic around the globe.



Code	Gauge and size		Description	Tip
				
M0275	 25G x 1½"	0.5 x 38mm	Retrobulbar. Tri-facet	
M0637	 25G x 1½"	0.5 x 38mm	Retrobulbar (Atkinson)	
M0638	 23G x 1½"	0.64 x 38mm	Retrobulbar (Atkinson)	
				
M0641A	 27G x 1¼"	0.4 x 32mm	Peribulbar (Atkinson)	
M0642	 25G x 1¼"	0.5 x 32mm	Peribulbar (Atkinson)	
M0643	 23G x 1¼"	0.64 x 32mm	Peribulbar (Atkinson)	
M0641	 27G x 7⁄8"	0.4 x 22mm	Peribulbar (Atkinson)	
M0642A	 25G x 7⁄8"	0.5 x 22mm	Peribulbar (Atkinson)	



Anterior Chamber Maintenance Cannulas













Anterior Chamber Maintainers

Self-retaining cannulas designed for the continual infusion of fluid to maintain the AC during cataract surgery or anterior vitrectomy.

Code	Gauge and size	Description	Tip
			
M2658	23G x 9/64"	0.64 x 3.5mm Anterior Chamber Maintainer. 150mm silicone tubing. Annular Rings allow cannula to be self retaining (Lewicky)	
M2657	20G x 9/64"	0.9 x 3.5mm Anterior Chamber Maintainer. 150mm silicone tubing. Annular Rings allow cannula to be self retaining (Lewicky)	




Anterior Chamber Maintenance Cannulas

For maintaining and forming the anterior chamber during surgery by injecting or removing viscoelastic materials, BSS or air.

Code	Gauge and size	Description	Tip
			
M2639	 25G x 1"	0.5 x 25mm Anterior Chamber Cannula. Angled 35°, 7.5mm from tip (Rycroft)	
M2270	 30G x 7/8"	0.3 x 22mm Anterior Chamber Cannula. Angled 35°, 4mm from tip (Rycroft)	
M2270A	 30G x 7/8"	0.3 x 22mm Anterior Chamber Cannula. Angled 35°, 8mm from tip (Rycroft)	
M2273	 30G x 7/8"	0.3 x 22mm Anterior Chamber Cannula. Angled 35°, 5.5mm from tip (Rycroft)	
M2273A	 27G x 7/8"	0.4 x 22mm Anterior Chamber Cannula. Angled 35°, 4.5mm from tip (Rycroft)	
M2279	 27G x 7/8"	0.4 x 22mm Anterior Chamber Cannula. Angled 45°, 11mm from tip (Rycroft)	
M2275	 25G x 7/8"	0.5 x 22mm Anterior Chamber Cannula. Angled 35°, 5mm from tip (Rycroft)	
M2273G	 23G x 7/8"	0.64 x 22mm Anterior Chamber Cannula. Angled 35°, 5.5mm from tip (Rycroft)	
M2642	 21G x 7/8"	0.81 x 22mm Anterior Chamber Cannula. Angled 35°, 7.5mm from tip (Rycroft)	
M2273B	 20G x 7/8"	0.9 x 22mm Anterior Chamber Cannula. Angled 45°, 7.5mm from tip (Rycroft)	





Transzonular Injection Cannula

For the intraoperative injection of steroid-antibiotic combinations.

Code	Gauge and size	Description	Tip
			
M2280	 27G x 7/8"	0.4 x 22mm Transzonular Injection Cannula. Angled 33°, 2mm from tip.	















Wash Out Cannulas / Viscoelastic Cannulas

Wash Out Cannulas

Code	Gauge and size	Description	Tip
 M9280	 19G x 1" 1.1 x 25mm	Washout Cannula. Angled 32°, 8mm from tip (Bishop Harmon). Tip flattened in the horizontal plane	
M9281	 16G x 1" 1.6 x 25mm	Washout Cannula. Angled 30°, 6.5mm from the tip. Tip flattened in the horizontal plane	

Viscoelastic Cannulas




























For injection of viscoelastic products into the anterior or posterior chamber.

Code	Gauge and size	Description	Tip
 M3926A	 27G x $\frac{7}{8}$ " 0.4 x 22mm	Viscoelastic Cannula. Angled at 35°, 9mm from tip	
M3927	 27G x $\frac{7}{8}$ " 0.4 x 22mm	Viscoelastic Cannula. Angled at 25°, 8mm from tip	
M2272	 26G x $\frac{7}{8}$ " 0.45 x 22mm	Viscoelastic Cannula. Angled at 35°, 9mm from tip	
M2639A	 25G x $\frac{7}{8}$ " 0.5 x 22mm	Viscoelastic Cannula. Angled at 35°, 9mm from tip	
M3909	 23G x $\frac{7}{8}$ " 0.64 x 22mm	Viscoelastic Cannula. Angled at 45°, 9mm from tip	
M3910A	 21G x $\frac{7}{8}$ " 0.81 x 22mm	Viscoelastic Cannula. Angled at 45°, 9mm from tip	
 M3910	 21G x $\frac{7}{8}$ " 0.81 x 22mm	Viscoelastic Cannula. Straight	
 M3917	 27G x $\frac{7}{8}$ " 0.4 x 22mm	Viscoelastic Cannula. Angled and formed 11mm from tip	

Capsulotomy







Irrigating cystotomes are designed for capsularhexis, intercapsular/endocapsular and can opener capsulotomy techniques. Formed cystotomes are shaped to conform to the lens. Short curved cystotomes are more suited to deep set eyes or small pupils. Capsularhexis cystotomes have a special tip which allows greater control of the flap when performing continuous curvilinear capsulotomies.

Formed Irrigating Cystotomes

Code	Gauge and size	Description	Tip
			
M3630	 30G x $\frac{5}{8}$ " 0.3 x 16mm	Cystotome. Formed	
M3610B	 27G x $\frac{5}{8}$ " 0.4 x 16mm	Cystotome. Formed	
M3610	 25G x $\frac{5}{8}$ " 0.5 x 16mm	Cystotome. Formed	
M3610S	 25G x $\frac{5}{8}$ " 0.5 x 16mm	Cystotome. Short tip. Formed	
M3602	 25G x $\frac{5}{8}$ " 0.5 x 16mm	Cystotome. Side cutting. Formed	
			
M3610C	 25G x $\frac{5}{8}$ " 0.5 x 16mm	Cystotome. Tip angled 35°. Formed	
			
 M3627A	 27G x $\frac{5}{8}$ " 0.4 x 16mm	Cystotome. Short curve. Formed.	
M3627	 25G x $\frac{5}{8}$ " 0.5 x 16mm	Cystotome. Short curve. Formed	
			
M3626	 27G x $\frac{5}{8}$ " 0.4 x 16mm	Cystotome. Angled	
 M3626A	 25G x $\frac{5}{8}$ " 0.5 x 16mm	Cystotome. Angled	
			
M3629	 25G x $\frac{5}{8}$ " 0.5 x 16mm	Cystotome. Reverse tip. Formed	
			
 M3615	 27G x $\frac{7}{8}$ " 0.4 x 22mm	Long Cystotome. Formed.	



Formed Capsularhexis Cystotomes

Code	Gauge and size		Description	Tip
		27G x 5⁄8"	0.4 x 16mm	Cystotome. Formed
		25G x 5⁄8"	0.5 x 16mm	Cystotome. Formed
		27G x 5⁄8"	0.4 x 16mm	Cystotome. Short curve. Formed
		25G x 5⁄8"	0.5 x 16mm	Cystotome. Short curve. Formed

Hydrodissection Cannulas



Hydrodissection Cannulas

A range of cannulas with tips designed to deliver fluids to aid the separation of the cortex from the nucleus and capsule.

Code	Gauge and size	Description	Tip
M3919	27G x 7/8"	Hydrodissector. Angled 2mm tapered tip (Akahoshi)	
M2273C	27G x 7/8"	Hydrodissector. Curved. Tip flattened in vertical plane (Sauter)	
M2273D	25G x 7/8"	Hydrodissector. Curved. Tip flattened in vertical plane (Sauter)	
M2273E	27G x 7/8"	Hydrodissector. Curved. Tip flattened in horizontal plane (Helsinki)	
M2273F	25G x 7/8"	Hydrodissector. Curved. Tip flattened in horizontal plane (Helsinki)	
M2274	25G x 7/8"	Hydrodissector. Curved. Tip flattened in vertical plane (Kellan)	
M3992	30G x 7/8"	Hydrodissector. Angled 7mm from tip. Tip tapered and flattened in the horizontal plane	
M3902	27G x 7/8"	Hydrodissector. Angled 9mm from tip. Tip tapered and flattened in the horizontal plane	
M3900	25G x 7/8"	Hydrodissector. Angled 7mm from tip. Tip tapered and flattened in the horizontal plane	
M2273H	27G x 7/8"	Hydrodissector. Curved. Rounded tip	

Hydrodissection / Hydrodelineation / Viscoexpression Cannulas



M3904 27G x $\frac{3}{4}$ " 0.4 x 19mm

Hydrodissector.

Tip angled 90 degrees and flattened in the vertical plane (Chang)



M3912 23G x $\frac{7}{8}$ " 0.64 x 22mm

Hydrodissector. Angled 30° 8mm from tip. Flattened 4mm from tip.
Tip flattened in horizontal plane (Mackool)



M3906A 25G x $\frac{7}{8}$ " 0.5 x 22mm

Hydrodissector. Round tip, 1.75mm wide. J-shaped tip



Cortical Cleaving Cannulas

Code	Gauge and size	Description	Tip
M3908	25G x $\frac{7}{8}$ " 0.5 x 22mm	Cortical Cleaving Hydrodissector. Tapered to 0.3mm at tip. Angled at 45°, 1mm from tip	
M3911	27G x $\frac{7}{8}$ " 0.4 x 22mm	Cortical Cleaving Hydrodissector. Angled at 45°, 11mm from tip. Flattened in horizontal plane 2.75mm from tip	
M3911A	27G x $\frac{7}{8}$ " 0.4 x 22mm	Cortical Cleaving Hydrodissector. Angled 45°, 11mm from round tip	

Hydrodelineation Cannulas

Code	Gauge and size	Description	Tip
M3907	25G x $\frac{7}{8}$ " 0.5 x 22mm	Hydrodelineator. Tapered to 0.3mm at tip. Angled at 45°, 4.5mm from tip	






Viscoexpression Cannulas

Code	Gauge and size	Description	Tip
M3899	25G x $\frac{7}{8}$ " 0.5 x 22mm	The shape allows the cannulas to be inserted under the nucleus for expression using viscoelastic. Viscoexpression Cannula. Flat tip angled 2mm from tip (Corydon)	
M3899A	25G x $\frac{7}{8}$ " 0.5 x 22mm	Viscoexpression Cannula. Round tip angled 1.8mm from tip (Corydon)	

Nucleus / Cortex Removal Cannulas

Nucleus Removal Cannulas












Irrigating Vectis are designed for irrigating and removing the nucleus and the larger pieces of cortical debris whilst maintaining the anterior chamber depth.

Code	Gauge and size	Description	Tip
			
M4619	 25G x 1½" 0.5 x 38mm	Irrigating Vectis. 5mm wide, single port	
M4620	 25G x 1½" 0.5 x 38mm	Irrigating Vectis. 5mm wide, twin ports	

Cortex Removal Cannulas

For aspirating cortex debris when chamber is maintained with an anterior chamber maintainer or viscoelastic substance.










The 'J' shaped cannulas are designed to retract the iris and aspirate difficult to reach cortex between the 10 to 2 O'clock position.

Code	Gauge and size	Description	Tip
			
M6576	 23G x 7⁄8" 0.64 x 22mm	Cortex Extractor. 0.3mm top port	
M6575	 23G x 5⁄8" 0.64 x 16mm	Cortex Extractor. 0.3mm top port	
M6575A	 23G x 5⁄8" 0.64 x 16mm	Cortex Extractor. 0.4mm top port	
 M6576A	 23G x 1½" 0.64 x 12.5mm	Cortex Extractor. 0.3mm top port	
M6594	 23G x 5⁄8" 0.64 x 16mm	Cortex Extractor. 0.3mm bevelled end port (Charleux)	
M6596	 24G x 1½" 0.56 x 12.5mm	Cortex Extractor. 0.3mm bevelled end port (Charleux)	
M6595	 23G x 1½" 0.64 x 12.5mm	Cortex Extractor. 0.3mm bevelled end port (Charleux)	







Capsule Polishing Cannulas

Capsule Polishing Cannulas








Designed for polishing and cleaning the residual cortex from the capsular bag. Silicone tipped cannulas provide gentle polishing and atraumatic insertion and removal. Micro-etched cannulas are slightly roughened for gentle polishing. Olive tipped cannulas allow polishing over a greater surface area with a reduced risk of posterior capsule tear.

Code	Gauge and size	Description	Tip
 M8604A	 23G x 7/8" 0.64 x 22mm	Capsule Polisher. Angled 9mm from tip. Aspiration through 0.3mm side port. Micro-etched tip	
M8604	 21G x 1" 0.81 x 25mm	Capsule Polisher. Angled 12.5mm from tip. Aspiration through 0.3mm side port. Micro-etched tip	
 M8604B	 21G x 7/8" 0.81 x 22mm	Capsule Polisher. Angled 9mm from tip. Aspiration through 0.3mm side port. Micro-etched tip.	
 M8645	 23G x 7/8" 0.64 x 22mm	Capsule Scraper. Angled 0.5 & 7mm from tip. Micro-etched distal end.	

Silicone Tipped Polishers

Code	Gauge and size	Description	Tip
M8605	 27G x 7/8" 0.4 x 22mm	Silicone tipped polisher. Angled	
M8605A	 23G x 7/8" 0.64 x 22mm	Silicone tipped polisher. Angled	
M8608	 27G x 7/8" 0.4 x 22mm	Silicone tipped polisher. Curved through 45°	
























Olive Tipped Cannulas

Code	Gauge and size	Description	Tip
 M8622	 25G x 1" 0.5 x 25mm	Olive tipped polisher. Angled 10mm from tip. Micro-etched tip.	
M8620C	 23G x 1" 0.64 x 25mm	Olive tipped polisher. Curved	
M8621	 23G x 1" 0.64 x 25mm	Olive tipped polisher. Curved. Micro-etched tip	

Irrigating/Aspirating Cannulas and Handpieces





Coaxial Cannulas and Handpieces

For the aspiration of cortex while simultaneously maintaining the AC with a continuous irrigating flow.

Code	Gauge and size		Description	Tip
				
M6634	18G/21G	1.24/0.81mm	Coaxial I & A Cannula. 0.3mm side aspiration port on inner cannula	
				
M6611	 21G x 1½"	0.81 x 38mm	I/A Straight Cannula	
				
M5590	17/24G	1.47/0.56mm	I/A Handpiece for 2.2mm incisions. Straight tip	
M5592	17/24G	1.47/0.56mm	I/A Handpiece for 2.2mm incisions. 45° angled tip	
M5593	17/24G	1.47/0.56mm	I/A Handpiece for 2.2mm incisions. 60° angled tip	
M5594	17/24G	1.47/0.56mm	I/A Handpiece for 2.2mm incisions. 90° angled tip	
				
M5591	17/24G	1.47/0.56mm	I/A Handpiece for 2.2mm incisions. Curved tip	
				
M5580	16/21G	1.6/0.81mm	I/A Handpiece for 2.7/2.8mm incisions. Straight tip	
M5582	16/21G	1.6/0.81mm	I/A Handpiece for 2.7/2.8mm incisions. 45° angled tip	
M5583	16/21G	1.6/0.81mm	I/A Handpiece for 2.7/2.8mm incisions. 60° angled tip	
M5584	16/21G	1.6/0.81mm	I/A Handpiece for 2.7/2.8mm incisions. 90° angled tip	
				
M5581	16/21G	1.6/0.81mm	I/A Handpiece for 2.7/2.8mm incisions. Curved tip.	
				
M5560	21G		Soft Outer I/A Handpiece for 2.7/2.8mm incisions. Straight tip	
M5561	21G		Soft Outer I/A Handpiece for 2.7/2.8mm incisions. 45° angled tip	
M5562	21G		Soft Outer I/A Handpiece for 2.7/2.8mm incisions. 60° angled tip	
M5563	21G		Soft Outer I/A Handpiece for 2.7/2.8mm incisions. 90° angled tip	









Irrigating/Aspirating Cannulas and Handpieces



M5570	24G	Soft Outer I/A Handpiece for 2.2mm incisions. Straight tip	
M5571	24G	Soft Outer I/A Handpiece for 2.2mm incisions. 45° angled tip	
M5572	24G	Soft Outer I/A Handpiece for 2.2mm incisions. 60° angled tip	
M5573	24G	Soft Outer I/A Handpiece for 2.2mm incisions. 90° angled tip	

Simcoe Irrigating / Aspirating Cannulas

For removing cortical debris or viscoelastic substances while maintaining the anterior chamber during extracapsular and intercapsular/endocapsular cataract procedures.

Code	Gauge and size			Description	Tip
					
M6600		23G/23G	0.64/0.64mm	I/A Cannula Standard. 0.4mm port. 200mm silicone tubing 2.65 OD x 0.65 ID (Simcoe)	
M6602		23G/23G	0.64/0.64mm	I/A Cannula Standard. 0.4mm port. 270mm silicone tubing 2.65 OD x 0.65 ID (Simcoe)	
					
M6605		23G/23G	0.64/0.64mm	I/A Cannula Standard. 0.3mm port. 200mm silicone tubing 2 OD x 1 ID (Simcoe)	






















Irrigating Microsurgical Handle

Code	Gauge and size	Description	Tip
			
M1000		Irrigating Microsurgical Handle with female luer taper and a male luer lock connector	

Irrigating/Aspirating Cannulas and Handpieces

Bimanual I/A Handpieces

All Bimanual handles have a coloured indicator to show the gauge size in accordance with ISO 6009.

Code	Gauge and size			Description	Tip
					
M5501		23G x 5/8"	0.64 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.4mm side port and micro-etched tip	
M5502		23G x 5/8"	0.64 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port and micro-etched tip	
M5512		21G x 5/8"	0.81 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port and micro-etched tip	
M5520		21G x 5/8"	0.81 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.4mm side port and micro-etched tip	
M5511		20G x 3/4"	0.9 x 19mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port and micro-etched tip	
M5518		23G x 5/8"	0.64 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port	
M5515		21G x 7/8"	0.81 x 22mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port	
					
M5519		23G x 5/8"	0.64 x 16mm	Bimanual Irrigation Handpiece. Ultra Thin Wall. Curved with 45° bevelled tip	
M5505		21G x 5/8"	0.81 x 16mm	Bimanual Irrigation Handpiece. Curved with 45° bevelled tip	
M5513		23G x 5/8"	0.64 x 16mm	Bimanual Irrigation Handpiece. Thin Wall. Curved with twin 0.4mm side ports	
M5521		21G x 5/8"	0.81 x 16mm	Bimanual Irrigation Handpiece. Thin Wall. Curved with twin 0.5mm side ports	
M5514		21G x 5/8"	0.81 x 16mm	Bimanual Irrigation Handpiece. Curved with twin 0.5mm side ports	
M5510		20G x 3/4"	0.9 x 19mm	Bimanual Irrigation Handpiece. Curved with twin 0.5mm side ports	
M5523		23G x 5/8"	0.64 x 16mm	Bimanual Irrigation Handpiece. Ultra Thin Wall. Curved with open end	















Bimanual I/A Systems

A combination set of one Irrigating Handle and one Aspirating Handle manufactured using thin wall stainless steel tubing.

Code	Gauge and size	Description	Tip
			
 M5537 - set	 20G x 3/4" 0.9 x 19mm	Bimanual Irrigation Handpiece. Curved with twin 0.5mm side ports	
	 21G x 7/8" 0.81 x 22mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port	





Irrigating/Aspirating Cannulas and Handpieces

Bimanual I/A Systems

Code	Gauge and size	Description	Tip
			
M5531 - set	21G x 5/8" 0.81 x 16mm	Bimanual Irrigation Handpiece. Thin Wall. Curved with twin 0.5mm side ports	
	21G x 5/8" 0.81 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.4mm side port and micro-etched tip	
			
 M5531 - set	21G x 5/8" 0.81 x 16mm	Bimanual Irrigation Handpiece. Curved with 2 x 0.4mm irrigation ports and tapered tip	
	21G x 5/8" 0.81 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.3mm aspiration port and micro-etched tapered tip	
			
M5535 - set	23G x 5/8" 0.64 x 16mm	Bimanual Irrigation Handpiece. Thin Wall. Curved with twin 0.4mm side ports	
	23G x 5/8" 0.64 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port and micro-etched tip	
M5536 - set	23G x 5/8" 0.64 x 16mm	Bimanual Irrigation Handpiece. Ultra Thin Wall. Curved with 45° bevelled tip	
	23G x 5/8" 0.64 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port	
M5538 - set	25G x 5/8" 0.5 x 16mm	Bimanual Irrigation Handpiece. Ultra Thin Wall. Curved with 45° bevelled tip	
	25G x 5/8" 0.5 x 16mm	Bimanual Aspiration Handpiece. Curved with 0.3mm side port	

For more information of other systems available, please contact Sterimedix or your local distributor.















Bimanual Cannulas

Code	Gauge and size	Description	Tip
			
M6524	21G x 5/8" 0.81 x 16mm	Bimanual Aspiration Cannula. Curved with 0.3mm top port	
			
M5405	21G x 5/8" 0.81 x 16mm	Bimanual Irrigation Cannula. Curved with 45° bevelled tip	

Lachrymal Cannulas and Dacryocystorhinostomy (DCR) Sets


Lachrymal Cannulas

Cannulas for probing and irrigating the lachrymal ducts

Code	Gauge and size	Description	Tip
 M9275	 26G x 3/4" 0.45 x 20mm	Lachrymal Cannula. Short straight	
 M9276	 26G x 1 1/4" 0.45 x 32mm	Lachrymal Cannula. Curved	
M9277	 25G x 1 1/8" 0.5 x 29mm	Lachrymal Cannula. Curved	
M9274	 21G x 1 1/2" 0.81 x 38mm	Lachrymal Cannula. Curved	
 M9278	 25G x 7/8" 0.5 x 22mm	Lachrymal Cannula. Straight with 0.2mm side port	
 M9272	 23G x 1/2" 0.64 x 13mm	Lachrymal Cannula. Straight with 0.3mm side port. Tapered tip.	

Dacryocystorhinostomy (DCR) Sets

Sterimedix DCR sets offer the latest manufacturing technology and design. Improved attachment of the silicone rod to the malleable probes offers the practitioner the best overall device for DCR surgery. Tapered tips facilitate entry into the lachrymal ducts.

Code	Gauge and size	Description	Tip
M9290	20G x 1 3/4" 0.9 x 45mm	Straight DCR Set with 390mm silicone rod	
M9291	20G x 1 3/4" 0.9 x 45mm	Angled DCR Set with 390mm silicone rod	



Vitreoretinal Extension Tube & Self Retaining Infusion Cannulas

High Pressure Extension Tube

Code	Gauge and size	Description
		
M4463	125mm	High Pressure Extension Tube

Self Retaining Infusion Cannulas

For simple insertion and removal without the need for a retaining suture. Designed for use directly into the eye without the need for a trocar.

Code	Gauge and size		Description	Tip
				
300mm overall length				
M4464	20G	4.3mm	Self Retaining Infusion Cannula. Angled	
				
150mm overall length				
M4467A	20G	6mm	Self Retaining Infusion Cannula. Straight	



One-step Trocar Sets

Code	Gauge, size and description
------	-----------------------------












- | | |
|-------|--|
| M4510 | <div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: #4682B4; border-radius: 50%; margin-right: 5px;"></div> <div> <p>23G One-step Trocar Set containing:</p> <ul style="list-style-type: none"> • 3 x self-sealing valved trocars • 1 x 3.5mm scleral fixation plate • 1 x 185mm BSS infusion line </div> </div> |
|-------|--|

- | | |
|-------|--|
| M4515 | <div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: #DAA520; border-radius: 50%; margin-right: 5px;"></div> <div> <p>25G One-step Trocar Set containing:</p> <ul style="list-style-type: none"> • 3 x self-sealing valved trocars • 1 x 3.5mm scleral fixation plate • 1 x 185mm BSS infusion line </div> </div> |
|-------|--|













Vitreoretinal Cannulas






Vitreoretinal Cannulas

Code	Gauge and size	Description	Tip
 M4486	 27G x 1¼"	0.4 x 32mm Aspiration Cannula	
M4477	 25G x 1¼"	0.5 x 32mm Aspiration Cannula	
M4478	 23G x 1¼"	0.64 x 32mm Aspiration Cannula	
M4478B	 23G UTW x 1¼"	0.64 x 32mm Aspiration Cannula. Ultra Thin Wall	
M4471	 20G x 1¼"	0.9 x 32mm Aspiration Cannula	
M4410	 20G	0.9mm Subretinal Fluid Cannula. Straight. Silicone sleeve extends 6mm from end of cannula	

Viscous Fluid Injection Cannulas




Code	Gauge and size	Description	Tip
M4454	 20G x ¼"	0.90 x 7mm Viscous Fluid Injection Cannula	
M4453	 25G x ¼"	0.5 x 7mm Viscous Fluid Injection Cannula	
M4452	 23G x ¼"	0.64 x 8mm Viscous Fluid Injection Cannula. Bevelled tip	
 M4447	 23G x ¼"	0.64 x 4mm Viscous Fluid Injection Cannula	
 M4448	 25G x ¼"	0.5 x 4mm Viscous Fluid Injection Cannula	

Dual-Bore Cannulas

Code	Gauge and size	Description	Tip
M4474	 20G/25G	0.9/0.5mm Perfluorocarbon Coaxial (Dual Bore) Cannula	
M4499	 23G/30G	0.64/0.3mm Perfluorocarbon Coaxial (Dual Bore) Cannula	
M4499A	 25G/30G	0.5/0.3mm Perfluorocarbon Coaxial (Dual Bore) Cannula	

Vitreoretinal Cannulas and Vitreoretinal Handles

Silicone Brush Cannulas

Code	Gauge and size	Description	Tip
			
M4449	 25G x 1 $\frac{3}{8}$ " 0.5 x 35mm	Silicone Brush. Silicone extends 0.7mm beyond end of cannula	
M4459	 23G x 1 $\frac{1}{4}$ " 0.64 x 32mm	Silicone Brush. Silicone extends 0.7mm beyond end of cannula	
M4475	 20G x 1 $\frac{1}{4}$ " 0.9 x 32mm	Silicone Brush. Silicone extends 1.25mm beyond end of cannula	
M4475A	 20G x 1 $\frac{1}{4}$ " 0.9 x 32mm	Silicone Brush. Silicone extends 0.6mm beyond end of cannula	

Soft Tip Cannulas

Code	Gauge and size	Description	Tip
			
M4456	 25G x 1 $\frac{1}{4}$ " 0.5 x 32mm	Soft Tip. Silicone extends 1mm beyond end of cannula	
M4458	 23G x 1 $\frac{1}{4}$ " 0.64 x 32mm	Soft Tip. Silicone extends 2mm beyond end of cannula	
M4457	 20G x 1 $\frac{1}{4}$ " 0.9 x 32mm	Soft Tip. Silicone extends 1mm beyond end of cannula	








Backflush Handles and Combination Sets

Code	Description
 M4489A	'Active/Passive' Backflush Handle with finger control. Allows conversion from active to passive aspiration.
 M4504 - set	 25G x 1 $\frac{1}{4}$ " 0.5 x 32mm 'Active/Passive' Backflush Handle with 25G Soft Tip Cannula
 M4530 - set	 23G x 1 $\frac{1}{4}$ " 0.64 x 32mm 'Active/Passive' Backflush Handle with 23G Soft Tip Cannula
 M4531 - set	 20G x 1 $\frac{1}{4}$ " 0.9 x 32mm 'Active/Passive' Backflush Handle with 20G Soft Tip Cannula

Vitreoretinal Heavy Liquid Infusion Handles

Code	Description
 M4498	Heavy Liquid Infusion Handle with finger control and a luer lok connection

Backflush Handles & Combination Sets

Code	Gauge and size		Description	Tip
				
M4489	Backflush Handle for Passive Aspiration with finger control and a luer lok cannula connection			
<hr/>				
				
M4501 - set		20G x 1¼"	0.9 x 32mm	Backflush Handle for Passive Aspiration with 20G Soft Tip Cannula set
<hr/>				
M4502 - set		23G x 1¼"	0.64 x 32mm	Backflush Handle for Passive Aspiration with 23G Soft Tip Cannula set
<hr/>				
M4503 - set		25G x 1¼"	0.5 x 32mm	Backflush Handle for Passive Aspiration with 25G Soft Tip Cannula set
<hr/>				
				
M4491 - set		20G x 1¼"	0.9 x 32mm	Backflush Handle for Passive Aspiration with 20G Silicone Brush set
<hr/>				
M4492 - set		23G x 1¼"	0.64 x 32mm	Backflush Handle for Passive Aspiration with 23G Silicone Brush set
<hr/>				
				
M4496 - set		20G x 1¼"	0.9 x 32mm	Backflush Handle for Passive Aspiration with 20G Aspiration Cannula set
<hr/>				
M4497 - set		23G x 1¼"	0.64 x 32mm	Backflush Handle for Passive Aspiration with 23G Aspiration Cannula set
<hr/>				
M4500 - set		25G x 1¼"	0.5 x 32mm	Backflush Handle for Passive Aspiration with 25G Aspiration Cannula set

Charles Flute Handles and Combination Sets

Code	Gauge and size		Description	Tip
M4493				
'Charles' Flute Handle				
M4494 - set		20G x 1¼"	0.9 x 32mm	
M4495 - set		23G x 1¼"	0.64 x 32mm	
'Charles' Flute Handle with 20G Aspiration Cannula set				
'Charles' Flute Handle with 23G Aspiration Cannula set				

Index

PRODUCT CODE	SIZE	DESCRIPTION	PAGE	No. PER BOX
M0275	25G x 1/2"	Retrobulbar. Tri-facet	5	10
M0278	19G x 1"	Sub-Tenon Cannula	5	10
M0279	20G x 1"	Sub-Tenon Cannula	5	10
M0637	25G x 1/2"	Retrobulbar (Atkinson)	5	10
M0638	23G x 1/2"	Retrobulbar (Atkinson)	5	10
M0641	27G x 1/2"	Peribulbar (Atkinson)	5	10
M0641A	27G x 1/4"	Peribulbar (Atkinson)	5	10
M0642	25G x 1/4"	Peribulbar (Atkinson)	5	10
M0642A	25G x 1/8"	Peribulbar (Atkinson)	5	10
M0643	23G x 1/4"	Peribulbar (Atkinson)	5	10
M1000	100mm	Irrigating Microsurgical Handle	15	5
M2270	30G x 1/2"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2270A	30G x 1/2"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2272	26G x 1/2"	Viscoelastic Cannula. Angled 35°	7	10
M2273	30G x 1/2"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2273A	27G x 1/2"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2273B	20G x 1/2"	Anterior Chamber Cannula. Angled 45° (Rycroft)	6	10
M2273C	27G x 1/2"	Hydrodissector. Curved (Sauter)	10	10
M2273D	25G x 1/2"	Hydrodissector. Curved (Sauter)	10	10
M2273E	27G x 1/2"	Hydrodissector. Curved (Helsinki)	10	10
M2273F	25G x 1/2"	Hydrodissector. Curved (Helsinki)	10	10
M2273G	23G x 1/2"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2273H	27G x 1/2"	Hydrodissector. Curved	10	10
M2274	25G x 1/2"	Hydrodissector. Curved (Kellari)	10	10
M2275	25G x 1/2"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2279	27G x 1/2"	Anterior Chamber Cannula. Angled 45°	6	10
M2280	27G x 1/2"	Transzonular Injection Cannula. Angled 33°	6	10
M2639	25G x 1"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2639A	25G x 1/2"	Viscoelastic Cannula. Angled 35°	7	10
M2642	21G x 1/2"	Anterior Chamber Cannula. Angled 35° (Rycroft)	6	10
M2657	20G x 3/4"	Anterior Chamber Maintainer (Lewicky)	6	5
M2658	23G x 3/4"	Anterior Chamber Maintainer (Lewicky)	6	5
M2801	25G x 1/2"	Irrigating Lasik Cannula. 2 ports (Lin)	4	10
M2802	25G x 1/2"	Irrigating Lasik Cannula. 2 ports (Buratto)	4	10
M2804	25G x 1/2"	Irrigating Lasik Cannula. 6 ports	4	10
M2817	27G x 1/2"	Irrigating Lasik Cannula. 4 ports	4	10
M2822	25G x 1/2"	Irrigating Lasik Cannula. 6 ports	4	10
M2824	26G x 1/2"	Irrigating Lasik Cannula (Slade)	4	10
M3000D	25G x 1/2"	Cystotome Short Curve. Formed	9	10
M3000E	27G x 1/2"	Cystotome Short Curve. Formed	9	10
M3000F	27G x 1/2"	Cystotome. Formed	9	10
M3000G	25G x 1/2"	Cystotome. Formed	9	10

PRODUCT CODE	SIZE	DESCRIPTION	PAGE	No. PER BOX
M3602	25G x 1/2"	Cystotome. Side cutting. Formed	8	10
M3610	25G x 1/2"	Cystotome. Formed	8	10
M3610B	27G x 1/2"	Cystotome. Formed	8	10
M3610C	25G x 1/2"	Cystotome. Formed. Angled 35°	8	10
M3610S	25G x 1/2"	Cystotome. Short tip. Formed	8	10
M3615 NEW	27G x 1/2"	Long Cystotome. Formed	8	10
M3626	27G x 1/2"	Cystotome. Angled	8	10
M3626A NEW	25G x 1/2"	Cystotome. Angled	8	10
M3627	25G x 1/2"	Cystotome. Short curve. Formed	8	10
M3627A NEW	27G x 1/2"	Cystotome. Short curve. Formed	8	10
M3629	25G x 1/2"	Cystotome. Reverse tip. Formed	8	10
M3630	30G x 1/2"	Cystotome. Formed	8	10
M3899	25G x 1/2"	Viscoexpression Cannula. Flat tip. Angled (Corydon)	11	10
M3899A	25G x 1/2"	Viscoexpression Cannula. Rounded tip. Angled (Corydon)	11	10
M3900	25G x 1/2"	Hydrodissector. Angled. Tapered and flattened tip	10	10
M3902	27G x 1/2"	Hydrodissector. Angled. Tapered and flattened tip	10	10
M3904	27G x 1/2"	Hydrodissector. Angled 90° (Chang)	11	10
M3906A	25G x 1/2"	Hydrodissector. Rounded J-shaped tip	11	10
M3907	25G x 1/2"	Hydrodelineator. Angled 45°. Tapered to 0.3mm	11	10
M3908	25G x 1/2"	Hydrodissector. Angled 45°. Tapered to 0.3mm	11	10
M3909	23G x 1/2"	Viscoelastic Cannula. Angled 45°	7	10
M3910 NEW	21G x 1/2"	Viscoelastic Cannula. Straight	7	10
M3910A	21G x 1/2"	Viscoelastic Cannula. Angled 45°	7	10
M3911	27G x 1/2"	Hydrodissector. Angled. Flattened tip	11	10
M3911A	27G x 1/2"	Hydrodissector. Angled. Round tip	11	10
M3912	23G x 1/2"	Hydrodissector. Angled 30° (Mackool)	11	10
M3914	23G x 1/2"	Irrigating Lasik Cannula. Formed. Flattened tip	4	10
M3917 NEW	27G x 1/2"	Viscoelastic Cannula. Angled. Formed	7	10
M3919	27G x 1/2"	Hydrodissector. Tapered tip. (Akahoshi)	10	10
M3926A	27G x 1/2"	Viscoelastic Cannula. Angled 35°	7	10
M3927	27G x 1/2"	Viscoelastic Cannula. Angled 25°	7	10
M3992	30G x 1/2"	Hydrodissector. Angled. Flattened tip	10	10
M4410	20G	Subretinal Fluid Cannula. Straight. 6mm	21	10
M4447 NEW	23G x 1/4"	Viscous Fluid Injection Cannula	21	10
M4448 NEW	25G x 1/4"	Viscous Fluid Injection Cannula	21	10
M4449	25G x 1/4"	Silicone Brush. 0.7mm	22	10
M4452	23G x 1/4"	Viscous Fluid Injection Cannula. Bevelled tip	21	10
M4453	25G x 1/4"	Viscous Fluid Injection Cannula	21	10
M4454	20G x 1/4"	Viscous Fluid Injection Cannula	21	10
M4456	25G x 1/2"	Soft Tip Cannula. 1mm	22	10
M4457	20G x 1/4"	Soft Tip Cannula. 1mm	22	10

PRODUCT CODE	SIZE	DESCRIPTION	PAGE	No. PER BOX
M4458	23G x 1/4"	Soft Tip Cannula. 2mm	22	10
M4459	23G x 1/4"	Silicone Brush. 0.7mm	22	10
M4463	125mm	High Pressure Extension Tube. 125mm	19	10
M4464	20G x 4.3mm	Self-retaining Infusion Cannula. Angled. 300mm	19	10
M4467A	20G x 6.0mm	Self-retaining Infusion Cannula. 150mm	19	10
M4471	20G x 1/4"	Aspiration Cannula	21	10
M4474	20G/25G	Perfluorocarbon Coaxial Cannula (Dual bore)	21	10
M4475	20G x 1/4"	Silicone Brush. 1.25mm	22	10
M4475A	20G x 1/4"	Silicone Brush. 0.6mm	22	10
M4477	25G x 1/4"	Aspiration Cannula	21	10
M4478	23G x 1/4"	Aspiration Cannula	21	10
M4478B	23G UTW x 1/4"	Aspiration Cannula. Ultra Thin Wall	21	10
M4486 NEW	27G x 1/4"	Aspiration Cannula	21	10
M4489	100mm	Backflush Handle	23	5
M4489A	100mm	Active/Passive Backflush Handle	22	5
M4491 - set	100mm 20G x 1/4"	Backflush Handle + 20G Silicone Brush set	23	5
M4492 - set	100mm 23G x 1/4"	Backflush Handle + 23G Silicone Brush set	23	5
M4493	110mm	'Charles' Flute Handle	23	5
M4494 - set	110mm 20G x 1/4"	'Charles' Flute Handle + 20G Aspiration Cannula Set	23	5
M4495 - set	110mm 23G x 1/4"	'Charles' Flute Handle + 23G Aspiration Cannula Set	23	5
M4496 - set	100mm 20G x 1/4"	Backflush handle + 20G Aspiration cannula set	23	5
M4497 - set	100mm 23G x 1/4"	Backflush Handle + 23G Aspiration Cannula Set	23	5
M4498	110mm	Heavy Liquid Infusion Handle.	22	5
M4499	23G/30G	Perfluorocarbon Coaxial Cannula (Dual Bore)	21	10
M4499A	25G/30G	Perfluorocarbon Coaxial Cannula (Dual Bore)	21	10
M4500 - set	100mm 25G x 1/4"	Backflush Handle + 25G Aspiration cannula set	23	5
M4501 - set	100mm 20G x 1/4"	Backflush Handle + 20G Soft Tip Cannula Set	23	5
M4502 - set	100mm 23G x 1/4"	Backflush Handle + 23G Soft Tip Cannula Set	23	5
M4503 - set	100mm 25G x 1/4"	Backflush Handle + 25G Soft Tip Cannula Set	23	5
M4504 - set NEW	100mm 25G x 1/4"	Active/Passive Backflush Handle + 25G Soft Tip Cannula Set	22	5
M4510	23G	One-step Trocar Set	20	5
M4515	25G	One-step Trocar Set	20	5
M4530 - set NEW	100mm 23G x 1/4"	Active/Passive Backflush Handle + 23G Soft Tip Cannula Set	22	5
M4531 - set NEW	100mm 20G x 1/4"	Active/Passive Backflush Handle + 20G Soft Tip Cannula Set	22	5

PRODUCT CODE	SIZE	DESCRIPTION	PAGE	No. PER BOX
M4619	25G x 1/2"	Irrigating Vectis. 5mm. Single port	12	10
M4620	25G x 1/2"	Irrigating Vectis. 5mm. 2 ports	12	10
M5331 - set NEW	21G x 5/8"	Bimanual Irrigation Handpiece. Curved. Twin 0.4mm side ports. Tapered tip	17	5 Pairs
	21G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port. Micro-etched tapered tip	17	
M5405	21G x 5/8"	Bimanual Irrigation Cannula. Curved. 45° bevelled tip	17	10
M5501	23G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.4mm side port. Micro-etched tip	16	5
M5502	23G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port. Micro-etched tip	16	5
M5505	21G x 5/8"	Bimanual Irrigation Handpiece. Curved. Bevelled tip	16	5
M5510	20G x 5/8"	Bimanual Irrigation Handpiece. Curved. Twin 0.5mm side ports	16	5
M5511	20G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port. Micro-etched tip	16	5
M5512	21G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port. Micro-etched tip	16	5
M5513	23G x 5/8"	Bimanual Irrigation Handpiece. Thin Wall. Curved. Twin 0.4mm side ports	16	5
M5514	21G x 5/8"	Bimanual Irrigation Handpiece. Curved. Twin 0.5mm side ports	16	5
M5515	21G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port	16	5
M5518	23G x 5/8"	Bimanual Aspiration handpiece. Curved. 0.3mm side port	16	5
M5519	23G x 5/8"	Bimanual Irrigation Handpiece. Ultra Thin Wall. Curved. Bevelled tip	16	5
M5520	21G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.4mm side port. Micro-etched tip	16	5
M5521	21G x 5/8"	Bimanual Irrigation Handpiece. Thin Wall. Curved. Twin 0.5mm side ports	16	5
M5523	23G x 5/8"	Bimanual Irrigation Handpiece. Ultra Thin Wall. Curved. Open end	16	5
M5531 - set	21G x 5/8"	Bimanual Irrigation Handpiece. Thin Wall. Curved. Twin 0.5mm side ports	17	5 Pairs
	21G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.4mm side port. Micro-etched tip	17	
M5535 - set	23G x 5/8"	Bimanual Irrigation Handpiece. Thin Wall. Curved. Twin 0.35mm side ports	17	5 Pairs
	23G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port. Micro-etched tip	17	
M5536 - set	23G x 5/8"	Bimanual Irrigation Handpiece. Ultra Thin Wall. Curved. 45° bevelled tip	17	5 Pairs
	23G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port.	17	
M5537 - set NEW	20G x 5/8"	Bimanual Irrigation Handpiece. Curved. Twin 0.5mm side ports	16	5 Pairs
	21G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port	16	

Index

PRODUCT CODE	SIZE	DESCRIPTION	PAGE	No. PER BOX
M5538 - set	25G x 5/8"	Bimanual irrigation handpiece. Ultra Thin Wall. Curved. 45° bevelled tip	17	5 Pairs
	25G x 5/8"	Bimanual Aspiration Handpiece. Curved. 0.3mm side port.	17	
M5560	21G	Soft Outer I/A Handpiece. Straight tip	14	5
M5561	21G	Soft Outer I/A Handpiece. 45° angled tip	14	5
M5562	21G	Soft Outer I/A Handpiece. 60° angled tip	14	5
M5563	21G	Soft Outer I/A Handpiece. 90° angled tip	14	5
M5570	24G	Soft Outer I/A Handpiece for 2.2mm incision. Straight tip	15	5
M5571	24G	Soft Outer I/A Handpiece for 2.2mm incision. 45° angled tip	15	5
M5572	24G	Soft Outer I/A Handpiece for 2.2mm incision. 60° angled tip	15	5
M5573	24G	Soft Outer I/A Handpiece for 2.2mm incision. 90° angled tip	15	5
M5580	16G/21G	I/A Handpiece. Straight tip	14	5
M5581	16G/21G	I/A Handpiece. Curved tip	14	5
M5582	16G/21G	I/A Handpiece. 45° angled tip	14	5
M5583	16G/21G	I/A Handpiece. 60° angled tip	14	5
M5584	16G/21G	I/A Handpiece. 90° angled tip	14	5
M5590	17/24G	I/A Handpiece for 2.2mm incision. Straight tip	14	5
M5591	17/24G	I/A Handpiece for 2.2mm incision. Curved tip	14	5
M5592	17/24G	I/A Handpiece for 2.2mm incision. 45° angled tip	14	5
M5593	17/24G	I/A Handpiece for 2.2mm incision. 60° angled tip	14	5
M5594	17/24G	I/A Handpiece for 2.2mm incision. 90° angled tip	14	5
M6524	21G x 5/8"	Bimanual Aspirating Cannula. Curved. 0.3mm top port	17	10
M6575	23G x 5/8"	Cortex Extractor. 0.3mm side port	12	10
M6575A	23G x 5/8"	Cortex Extractor. 0.4mm side port	12	10
M6576	23G x 1/8"	Cortex Extractor. 0.3mm port	12	10
M6576A NEW	23G x 1/8"	Cortex Extractor. 0.3mm port	12	10
M6594	23G x 5/8"	Cortex Extractor. 0.3mm bevelled end port (Charleux)	12	10
M6595	23G x 1/2"	Cortex Extractor. 0.3mm bevelled end port (Charleux)	12	10
M6596	24G x 1/2"	Cortex Extractor. 0.3mm bevelled end port (Charleux)	12	10
M6600	23G/23G	I&A Cannula standard. 0.4mm port. 200mm silicone tubing 2.65 OD x 0.65 ID (Simcoe)	15	5
M6602 NEW	23G/23G	I&A Cannula standard. 0.4mm port. 270mm silicone tubing 2.65 OD x 0.65 ID (Simcoe)	15	5
M6605	23G/23G	I&A Cannula standard. 0.3mm port. 200mm silicone tubing 2 OD x 1 ID (Simcoe)	15	5
M6611	21G x 1 1/2"	I&A Cannula. Straight	14	10
M6634	18G/21G	Coaxial I&A Cannula. 0.3mm side aspiration port	14	5
M7500	3.5mm/4.0mm	Scleral Marker. 80mm	4	10

PRODUCT CODE	SIZE	DESCRIPTION	PAGE	No. PER BOX
M7510	3.5mm	Scleral Fixation/Incision Template. 75mm	4	10
M8604	21G x 1"	Capsule Polisher. Angled. 0.3mm side port. Micro-etched tip	13	10
M8604A	23G x 5/8"	Capsule Polisher. Angled. 0.3mm side port. Micro-etched tip	13	10
M8604B NEW	21G x 5/8"	Capsule Polisher. Angled. 0.3mm side port. Micro-etched tip	13	10
M8605	27G x 5/8"	Silicone Tipped Polisher. Angled	13	10
M8605A	23G x 5/8"	Silicone Tipped Polisher. Angled	13	10
M8608	27G x 5/8"	Silicone Tipped Polisher. Curved	13	10
M8620C	23G x 1"	Olive Tipped Polisher. Curved	13	10
M8621	23G x 1"	Olive Tipped Polisher. Curved. Micro-etched tip	13	10
M8622 NEW	25G x 1"	Olive Tipped Polisher. Angled. Micro-etched tip	13	10
M8645 NEW	23G x 5/8"	Capsule Scraper. Angled. Micro-etched, distal tip	13	10
M9272 NEW	23G x 1/2"	Lachrymal Cannula. Straight. 0.3mm side port. Tapered tip	18	10
M9274	21G x 1 1/2"	Lachrymal Cannula. Curved	18	10
M9275	26G x 5/8"	Lachrymal Cannula. Short straight	18	10
M9276	26G x 1 1/2"	Lachrymal Cannula. Curved	18	10
M9277	25G x 1 1/2"	Lachrymal Cannula. Curved	18	10
M9278	25G x 5/8"	Lachrymal Cannula. Straight. 0.2mm side port	18	10
M9280	19G x 1"	Washout Cannula. Angled (Bishop Harmon)	7	10
M9281	16G x 1"	Washout Cannula. Angled. Flattened Tip	7	10
M9290	20G x 1 1/2"	Straight DCR Set with 390mm silicone rod	18	5
M9291	20G x 1 1/2"	Angled DCR Set with 390mm silicone rod	18	5













Protector for kit packers

A new labelled protector for bulk non-sterile products, to provide increased flexibility and reduce packaging waste. Designed to protect the cannulas and needle tips by ensuring that no distortion or deformation can occur to formed or angled products such as cystotomes.




For further information, please contact us at:
sales@sterimedix.com

Product Key

Colour		Gauge
Yellow		30G
Grey		27G
Brown		26G
Orange		25G
Purple		24G
Blue		23G
Black		22G
Green		21G
Yellow		20G
Cream		19G
Pink		18G
White		16G

All hub colours comply with ISO6009





single-use ophthalmic innovations

www.sterimedix.com

Sterimedix Limited

1 Madeley Road, North Moons Moat,
Redditch, Worcestershire B98 9NB, UK

T : +44 (0)1527 501480

F : +44 (0)1527 501491

e : sales@sterimedix.com