




ABLE[®] Haemodialysis Catheter kit



Focus on Quality, Respect for Life!


Haemodialysis Catheter



Soft Tip
Tapered tip facilitates ease of insertion without use of peel-awaysheath. Reduces vessel trauma during insertion.



Side Holes
2.5cm far from end hole reduces recircling and wall-suction. Minimizes risk of clot formation.



Rotatable Suture Wing
Facilitates skin inspection. Avoid blood vessle wall-suction. Minimizes risk of exit infections. No tube-kinking occurred.



Silicone Extension Tube
Increases patient comfort, will not crimp over time, able to visualize fluids.

Completeness

lumen					
	Single	Pre-curved	Acute	Standard kits	Introducer Needle
	Double I				
	Triple	Silicone extension tube	Chronic	Compound kits	Nitinol guide-wire

Specification

Product Code	Specification			Guidewire	Dilator	Introducer Needle
FH-1713	Single lumen	7F	10cm	0.035"×50cm	8F×10cm	18Ga
FH-1714	Single lumen	7F	13cm	0.035"×50cm	8F×10cm	18Ga
FH/FR-172913-5	Single lumen	7F	13.5cm	0.035"×50cm	8F×10cm	18Ga
FH-171915	Single lumen	7F	15cm	0.035"×50cm	8F×10cm	18Ga
FH-1715	Single lumen	7F	16cm	0.035"×50cm	8F×10cm	18Ga
FH-1716	Single lumen	7F	20cm	0.035"×60cm	8F×10cm	18Ga
FH-1813	Single lumen	8F	10cm	0.038"×50cm	9F×10cm	17Ga
FH-1814	Single lumen	8F	13cm	0.038"×50cm	9F×10cm	17Ga
FH/FR-182913-5	Single lumen	8F	13.5cm	0.038"×50cm	9F×10cm	17Ga
FH-181915	Single lumen	8F	15cm	0.038"×50cm	9F×10cm	17Ga
FH-1815	Single lumen	8F	16cm	0.038"×50cm	9F×10cm	17Ga
FH-1816	Single lumen	8F	20cm	0.038"×60cm	9F×10cm	17Ga
FH/FR-2611	Double lumen	6.5F	5cm	0.021"×50cm	7F×10cm	20Ga
FR-2611W	Double lumen	6.5F	5cm curved	0.021"×50cm	7F×10cm	20Ga
FH/FR-2612	Double lumen	6.5F	8cm	0.021"×50cm	7F×10cm	20Ga
FR-2612W	Double lumen	6.5F	8cm curved	0.021"×50cm	7F×10cm	20Ga
FH/FR-2613	Double lumen	6.5F	10cm	0.021"×50cm	7F×10cm	20Ga
FR-2613W	Double lumen	6.5F	10cm curved	0.021"×50cm	7F×10cm	20Ga
FH/FR-2614	Double lumen	6.5F	13cm	0.021"×50cm	7F×10cm	20Ga
FR-2614W	Double lumen	6.5F	13cm curved	0.021"×50cm	7F×10cm	20Ga
FH/FR-2615	Double lumen	6.5F	16cm	0.021"×50cm	7F×10cm	20Ga
FR-2615W	Double lumen	6.5F	16cm curved	0.021"×50cm	7F×10cm	20Ga
FH/FR-2911	Double lumen	8.5F	5cm	0.025"×50cm	9F×10cm	19Ga
FR-2911W	Double lumen	8.5F	5cm curved	0.025"×50cm	9F×10cm	19Ga
FH/FR-2912	Double lumen	8.5F	8cm	0.025"×50cm	9F×10cm	19Ga
FR-2912W	Double lumen	8.5F	8cm curved	0.025"×50cm	9F×10cm	19Ga
FH/FR-2913	Double lumen	8.5F	10cm	0.025"×50cm	9F×10cm	19Ga
FR-2913W	Double lumen	8.5F	10cm curved	0.025"×50cm	9F×10cm	19Ga
FH/FR-212911	Double lumen	8.5F	11cm	0.038"×60cm	9F×10cm	17Ga
FH/FR-212911W	Double lumen	8.5F	11cm curved	0.038"×60cm	9F×10cm	17Ga
FR-291912	Double lumen	8.5F	12cm	0.025"×50cm	9F×10cm	19Ga
FR-291912W	Double lumen	8.5F	12cm curved	0.025"×50cm	9F×10cm	19Ga
FH/FR-2914	Double lumen	8.5F	13cm	0.025"×50cm	9F×10cm	19Ga
FR-2914W	Double lumen	8.5F	13cm curved	0.025"×50cm	9F×10cm	19Ga
FR-291915	Double lumen	8.5F	15cm	0.025"×50cm	9F×10cm	19Ga
FR-291915W	Double lumen	8.5F	15cm curved	0.025"×50cm	9F×10cm	19Ga
FH/FR-2915	Double lumen	8.5F	16cm	0.025"×50cm	9F×10cm	19Ga
FR-2915W	Double lumen	8.5F	16cm curved	0.025"×50cm	9F×10cm	19Ga
FR-291917	Double lumen	8.5F	17cm	0.025"×50cm	9F×10cm	19Ga
FR-291917W	Double lumen	8.5F	17cm curved	0.025"×50cm	9F×10cm	19Ga
FR-2926	Double lumen	8.5F	20cm	0.025"×50cm	9F×10cm	19Ga
FR-2316	Double lumen	10F	20cm	0.038"×60cm	10F×15cm 9F×10cm	17Ga
FR-2313	Double lumen	10F	10cm	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2313W	Double lumen	10F	10cm curved	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2312	Double lumen	10F	8cm	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2312W	Double lumen	10F	8cm curved	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-231912	Double lumen	10F	12cm	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-231912W	Double lumen	10F	12cm curved	0.038"×50cm	10F×15cm 9F×10cm	17Ga

Specification

Product Code	Specification			Guidewire	Dilator	Introducer Needle
FR-231915	Double lumen	10F	15cm	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-231915W	Double lumen	10F	15cm curved	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2314	Double lumen	10F	13cm	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2314W	Double lumen	10F	13cm curved	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-231917	Double lumen	10F	17cm	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-231917W	Double lumen	10F	17cm curved	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2315	Double lumen	10F	16cm	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2315W	Double lumen	10F	16cm curved	0.038"×50cm	10F×15cm 9F×10cm	17Ga
FR-2113	Double lumen	11.5F	10cm	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FR-2113W	Double lumen	11.5F	10cm curved	0.038"×50cm	11.5F×15cm	17Ga
FR-212912	Double lumen	11.5F	12cm	0.038"×50cm	10F×15cm	17Ga
FR-212912W	Double lumen	11.5F	12cm curved	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FR-211912G	Double lumen	11.5F	12cm pre-curved	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FH/FR-2114	Double lumen	11.5F	13cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-2114W	Double lumen	11.5F	13cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-212913-5	Double lumen	11.5F	13.5cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-212913-5W	Double lumen	11.5F	13.5cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-211915	Double lumen	11.5F	15cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-211915W	Double lumen	11.5F	15cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-211915G	Double lumen	11.5F	15cm pre-curved	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FH/FR-2115	Double lumen	11.5F	16cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-2115W	Double lumen	11.5F	16cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-2125W	Double lumen	11.5F	16cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-2116	Double lumen	11.5F	20cm	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-2116W	Double lumen	11.5F	20cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-2115G	Double lumen	11.5F	20cm pre-curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-211924	Double lumen	11.5F	24cm	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-211924W	Double lumen	11.5F	24cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FH/FR-2127	Double lumen	11.5F	25cm	0.038"×60cm	11.5F×15cm 10F×15cm	17Ga
FR-2117W	Double lumen	11.5F	25cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-2213	Double lumen	12F	10cm	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FR-2213W	Double lumen	12F	10cm curved	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FR-221912G	Double lumen	12F	12cm pre-curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-2216G	Double lumen	12F	20cm pre-curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FH/FR-2214	Double lumen	12F	13cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-2214W	Double lumen	12F	13cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-222913-5	Double lumen	12F	13.5cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-222913-5W	Double lumen	12F	13.5cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-221915	Double lumen	12F	15cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FH/FR-221915W	Double lumen	12F	15cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-221915G	Double lumen	12F	15cm pre-curved	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FH/FR-2215	Double lumen	12F	16cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-2215W	Double lumen	12F	16cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-2225G	Double lumen	12F	16cm pre-curved	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FG-2215	Double lumen	12F	16cm	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FG-2215W	Double lumen	12F	16cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FH/FR-2216	Double lumen	12F	20cm	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-2216W	Double lumen	12F	20cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga

Specification

Product Code	Specification			Guidewire	Dilator	Introducer Needle
FG-2216	Double lumen	12F	20cm	0.035"×60cm	12F×15cm 10F×15cm	17Ga
FG-2216W	Double lumen	12F	20cm curved	0.035"×60cm	12F×15cm 10F×15cm	17Ga
FR-221924	Double lumen	12F	24cm	0.035"×60cm	12F×15cm 10F×15cm	17Ga
FR-221924W	Double lumen	12F	24cm curved	0.035"×60cm	12F×15cm 10F×15cm	17Ga
FR-2217	Double lumen	12F	25cm	0.035"×60cm	12F×15cm 10F×15cm	17Ga
FR-2217W	Double lumen	12F	25cm curved	0.035"×60cm	12F×15cm 10F×15cm	17Ga
FR-2414	Double lumen	14F	13cm	0.038"×50cm	14F×15cm 12F×15cm	17Ga
FR-241915	Double lumen	14F	15cm	0.038"×60cm	14F×15cm 12F×15cm	17Ga
FR-241915W	Double lumen	14F	15cm curved	0.038"×60cm	14F×15cm 12F×15cm	17Ga
FR-2415	Double lumen	14F	16cm	0.038"×60cm	14F×15cm 12F×15cm	17Ga
FR-2415W	Double lumen	14F	16cm curved	0.038"×60cm	14F×15cm 12F×15cm	17Ga
FR-252919	Double lumen	14F	19cm	0.038"×60cm	11.5F×15cm 10F×15cm	17Ga
FR-2416	Double lumen	14F	20cm	0.038"×70cm	14F×15cm 12F×15cm	17Ga
FR-2416W	Double lumen	14F	20cm curved	0.038"×70cm	14F×15cm 12F×15cm	17Ga
FR-241924	Double lumen	14F	24cm	0.038"×70cm	14F×15cm 12F×15cm	17Ga
FR-241924W	Double lumen	14F	24cm curved	0.038"×70cm	14F×15cm 12F×15cm	17Ga
FR-2417	Double lumen	14F	25cm	0.038"×70cm	14F×15cm 12F×15cm	17Ga
FR-3214	Triple lumen	12F	13cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-3214W	Triple lumen	12F	13cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-3224	Triple lumen	12F	13cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-3224W	Triple lumen	12F	13cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-321915	Triple lumen	12F	15cm	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FR-321915W	Triple lumen	12F	15cm curved	0.038"×50cm	12F×15cm 10F×15cm	17Ga
FR-3215	Triple lumen	12F	16cm	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-3215W	Triple lumen	12F	16cm curved	0.038"×50cm	11.5F×15cm 10F×15cm	17Ga
FR-3216	Triple lumen	12F	20cm	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-3216W	Triple lumen	12F	20cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-321924	Triple lumen	12F	24cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-321924W	Triple lumen	12F	24cm	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-3217W	Triple lumen	12F	25cm curved	0.038"×60cm	12F×15cm 10F×15cm	17Ga
FR-3217	Triple lumen	12F	25cm	0.038"×60cm	12F×15cm 10F×15cm	17Ga



GUANGDONG BAIHE MEDICAL TECHNOLOGY CO.,LTD.

No. 89, Taoyuan East Road, Nanhai, Foshan, Guangdong Province, P.R.C.

Tel: +86-757-81207300 Ph:+86-18028167972 (Contact: Judy)

Fax: +86-757-81207311

Email: sales6@baihemedical.com

<http://www.baihemedical.com>



CMC Medical Devices & Drugs S.L.
C/ Horacio Lengo No 18, CP 29006, Málaga, Spain.

