



good health & high technology



good health & high technology

NORMMED Medical, transferred its almost 20-year experience in the sector to production in 2011 and it set up a modern technology-based factory in Ankara İvedik Organized Industrial Zone to start production.

It utilized its market experience and sector knowledge in the field of production and took advantage of its production capability for new designs through world standard factory organization. It established its equipment park by realizing future oriented planning in its factory infrastructure.

We are operating in Turkish market for 18 years as distributor. Our unique structure of being both manufacturer and distributor has given us an important edge in the market and lead to our exponential growth in Turkish market and all wide world. NORMMED, as a manufacturer have a scientific and technological infrastructure and human resources in terms of approval international standards, strong and high production capacity , is the biggest one of the leading manufacturer company of the Turkish Medical Industry.

Normmed Medical provides the highest quality Locking Plates, Screws and Instruments advancement that simplify surgical techniques for trauma orthopaedic surgeons.

As a consequence of working with key opinion leaders we know what patients need, and as a designer and manufacturer we do our best to provide the patients need.

Titanium Alloy (Ti-6Al-4V ELI, ASTM F136)


All of our products have CE and ISO Certificates .



normmed



Upper Limb / 3.5 Small Fragment Set

**Indications**

Distal Clavicle Locking Plate System is indicated for fixation of fractures, malunions, nonunions and osteotomies of the clavicle.

PNM1001 Distal Clavicle Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1001-003	L	3	61 mm*
PNM1001-004	L	4	73 mm
PNM1001-005	L	5	85,5 mm
PNM1001-006	L	6	98,5 mm
PNM1001-007	L	7	111 mm*
PNM1001-008	L	8	124 mm*
PNM1001-009	L	9	136,5 mm*
PNM1001-010	L	10	149 mm*
PNM1001-103	R	3	61 mm*
PNM1001-104	R	4	73 mm
PNM1001-105	R	5	85,5 mm
PNM1001-106	R	6	98,5 mm
PNM1001-107	R	7	111 mm*
PNM1001-108	R	8	124 mm*
PNM1001-109	R	9	136,5 mm*
PNM1001-110	R	10	149 mm*

* These sizes are manufactured on demand

Screws for Distal Clavicle Locking Plate

- Ø 2.7 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw


Upper Limb / 3.5 Small Fragment Set



PNM1002 S-Clavicle Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1002-006	L	6	88,5 mm
PNM1002-007	L	7	101 mm*
PNM1002-008	L	8	113,5 mm
PNM1002-009	L	9	126 mm*
PNM1002-010	L	10	136,5 mm
PNM1002-106	R	6	88,5 mm
PNM1002-107	R	7	101 mm*
PNM1002-108	R	8	113,5 mm
PNM1002-109	R	9	126 mm*
PNM1002-110	R	10	136,5 mm

* These sizes are manufactured on demand



Indications


S-Clavicle Locking Plate System is indicated for fixation of fractures, malunions, nonunions and osteotomies of the clavicle.

Screws for S-Clavicle Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Upper Limb / 3.5 Small Fragment Set



PNM1003 Clavicle Hook Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1003-005	L	5	81,5 mm
PNM1003-006	L	6	96 mm
PNM1003-007	L	7	110,5 mm*
PNM1003-105	R	5	81,5 mm
PNM1003-106	R	6	96 mm
PNM1003-107	R	7	110,5 mm*

* These sizes are manufactured on demand




Indications

Clavicle Hook Locking Plate System is indicated for fixation of fractures, malunions, nonunions and osteotomies of the clavicle.

Screws for Clavicle Hook Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Upper Limb / 3.5 Small Fragment Set




PNM1004

Proximal Humeral Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1004-003	3	100 mm
PNM1004-004	4	116 mm
PNM1004-005	5	132 mm
PNM1004-006	6	148 mm
PNM1004-007	7	164 mm*
PNM1004-008	8	180 mm
PNM1004-009	9	196 mm*
PNM1004-010	10	212 mm
PNM1004-011	11	228 mm*
PNM1004-012	12	244 mm
PNM1004-014	14	276 mm*

* These sizes are manufactured on demand



Indications

Proximal Humeral Locking Plates are indicated for fractures, fracture dislocations, osteotomies and nonunions of the proximal humerus, particularly in osteopenic bone.

Screws for Proximal Humeral Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Upper Limb / 3.5 Small Fragment Set



Indications

Proximal Humeral Locking Plate are indicated for fractures, fracture dislocations, osteotomies and nonunions of the proximal humerus, particularly in osteopenic bone.

PNM1004 - TP2 Proximal Humeral Locking Plate


PRODUCT NO.	HOLE	LENGTH
PNM1004-TP2-003	3	100 mm
PNM1004-TP2-004	4	116 mm
PNM1004-TP2-005	5	132 mm
PNM1004-TP2-006	6	148 mm
PNM1004-TP2-007	7	164 mm*
PNM1004-TP2-008	8	180 mm
PNM1004-TP2-009	9	196 mm*
PNM1004-TP2-010	10	212 mm
PNM1004-TP2-011	11	228 mm*
PNM1004-TP2-012	12	244 mm
PNM1004-TP2-014	14	276 mm*

* These sizes are manufactured on demand

Screws for Proximal Humeral Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Upper Limb / 3.5 Small Fragment Set



PNM1009 Humeral Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1009-004	4	56 mm*
PNM1009-005	5	71 mm
PNM1009-006	6	84 mm
PNM1009-007	7	97 mm
PNM1009-008	8	110 mm
PNM1009-009	9	123 mm
PNM1009-010	10	136 mm
PNM1009-011	11	149 mm*
PNM1009-012	12	162 mm
PNM1009-014	14	188 mm*

* These sizes are manufactured on demand



Indications



Humeral Locking Compression Plates are intended for fixation of fractures, osteotomies and nonunions of the clavicle, scapula, olecranon, humerus, radius, ulna, distal tibia and fibula, particularly in osteopenic bone.

Screws for Humeral Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Upper Limb / 3.5 Small Fragment Set



Thickness 3,2 mm
Width 11 mm

Indications

Distal Medial Humeral Locking Plates are indicated for intra-articular fractures of the distal humerus, comminuted supracondylar fractures, osteotomies and nonunions of the distal humerus

PNM1005**Distal Medial Humeral Locking Plate**


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1005-003	L	3	94 mm
PNM1005-004	L	4	107 mm*
PNM1005-005	L	5	120 mm
PNM1005-006	L	6	133 mm*
PNM1005-007	L	7	146 mm
PNM1005-008	L	8	159 mm*
PNM1005-009	L	9	172 mm
PNM1005-010	L	10	185 mm*
PNM1005-011	L	11	198 mm
PNM1005-013	L	13	224 mm
PNM1005-103	R	3	94 mm
PNM1005-104	R	4	107 mm*
PNM1005-105	R	5	120 mm
PNM1005-106	R	6	133 mm*
PNM1005-107	R	7	146 mm
PNM1005-108	R	8	159 mm*
PNM1005-109	R	9	172 mm
PNM1005-110	R	10	185 mm*
PNM1005-111	R	11	198 mm*
PNM1005-113	R	13	224 mm*

* These sizes are manufactured on demand

Screws for Distal Medial Humeral Locking Plate

- Ø 2.7 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Upper Limb / 3.5 Small Fragment Set



Indications

Distal Lateral Humeral Locking Plates are indicated for intra-articular fractures of the distal humerus, comminuted supracondylar fractures, osteotomies and nonunions of the distal humerus

PNM1006 Distal Lateral Humeral Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1006-003	L	3	74 mm
PNM1006-004	L	4	87 mm*
PNM1006-005	L	5	100 mm
PNM1006-006	L	6	113 mm*
PNM1006-007	L	7	126 mm
PNM1006-008	L	8	139 mm*
PNM1006-009	L	9	152 mm
PNM1006-010	L	10	165 mm*
PNM1006-011	L	11	178 mm
PNM1006-013	L	13	204 mm
PNM1006-103	R	3	74 mm
PNM1006-104	R	4	87 mm*
PNM1006-105	R	5	100 mm
PNM1006-106	R	6	113 mm*
PNM1006-107	R	7	126 mm
PNM1006-108	R	8	139 mm*
PNM1006-109	R	9	152 mm
PNM1006-110	R	10	165 mm*
PNM1006-111	R	11	178 mm*
PNM1006-113	R	13	204 mm*


* These sizes are manufactured on demand

Screws for Distal Lateral Humeral Locking Plate

- Ø 2.7 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Upper Limb / 3.5 Small Fragment Set

**Indications**

Distal Posterolateral Humeral Locking Plates are indicated for intra-articular fractures of the distal humerus, comminuted supracondylar fractures, osteotomies and nonunions of the distal humerus

PNM1007**Distal Posterolateral Humeral Locking Plate**


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1007-003	L	3	74 mm
PNM1007-004	L	4	87 mm*
PNM1007-005	L	5	100 mm
PNM1007-006	L	6	113 mm*
PNM1007-007	L	7	126 mm
PNM1007-008	L	8	139 mm*
PNM1007-009	L	9	152 mm
PNM1007-010	L	10	165 mm*
PNM1007-011	L	11	178 mm
PNM1007-013	L	13	204 mm
PNM1007-103	R	3	74 mm
PNM1007-104	R	4	87 mm*
PNM1007-105	R	5	100 mm
PNM1007-106	R	6	113 mm*
PNM1007-107	R	7	126 mm
PNM1007-108	R	8	139 mm*
PNM1007-109	R	9	152 mm
PNM1007-110	R	10	165 mm*
PNM1007-111	R	11	178 mm*
PNM1007-113	R	13	204 mm*

* These sizes are manufactured on demand

Screws for Distal Posterolateral Humeral Locking Plate

- Ø 2.7 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Upper Limb / 3.5 Small Fragment Set



Thickness 2,5 mm
Width 10 mm

Indications

Olecranon Locking Plates are indicated for fixation of fractures, osteotomies and nonunions of the olecranon, particularly in osteopenic bone.

PNM1008 Olecranon Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1008-003	3	77,5 mm
PNM1008-004	4	89,5 mm
PNM1008-005	5	101,5 mm
PNM1008-006	6	113,5 mm
PNM1008-007	7	125,5 mm
PNM1008-008	8	137,5 mm
PNM1008-009	9	149,5 mm*
PNM1008-010	10	161,5 mm*



* These sizes are manufactured on demand

Screws for Olecranon Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Upper Limb / 3.5 Small Fragment Set



Thickness
Width 2,5 mm
11 mm

Indications

Anatomical Olecranon Locking Plates are indicated for fixation of fractures, osteotomies and nonunions of the olecranon, particularly in osteopenic bone.

PNM1042

Anatomical Olecranon Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1042-002	L	2	82,5 mm
PNM1042-004	L	4	111,5 mm
PNM1042-006	L	6	140 mm
PNM1042-008	L	8	169 mm
PNM1042-102	R	2	82,5 mm
PNM1042-104	R	4	111,5 mm
PNM1042-106	R	6	140 mm*
PNM1042-108	R	8	169 mm*

* These sizes are manufactured on demand

Screws for Anatomical Olecranon Locking Plate

- Ø 2.7 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Upper and Lower Limb / 3.5 Small Fragment Set



PNM1033

1/3 Tubular Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1033-004	4	58 mm*
PNM1033-005	5	71 mm
PNM1033-006	6	84 mm
PNM1033-007	7	97 mm
PNM1033-008	8	110 mm
PNM1033-009	9	123 mm
PNM1033-010	10	136 mm
PNM1033-011	11	149 mm
PNM1033-012	12	162 mm
PNM1033-013	13	175 mm*
PNM1033-014	14	188 mm*

* These sizes are manufactured on demand



Indications

1/3 Tubular Locking Plates are intended for fixation of fractures, osteotomies and nonunions of the clavicle, scapula, olecranon, humerus, radius, ulna, distal tibia and fibula, particularly in osteopenic bone.

Screws for 1/3 Tubular Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw




Upper Limb / 2.4 - 3.5 Radius Set

PNM1034

Proximal Radius Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1034-003	L	3	48,5 mm
PNM1034-004	L	4	56 mm*
PNM1034-005	L	5	65,5 mm
PNM1034-006	L	6	75 mm*
PNM1034-103	R	3	46,5 mm
PNM1034-104	R	4	56 mm
PNM1034-105	R	5	65,5 mm*
PNM1034-106	R	6	75 mm

* These sizes are manufactured on demand




Indications

Extra-articular and intra-articular fractures of the proximal radius and multifragmented radial neck fractures

Screws for Proximal Radius Locking Plate

- Ø2.4 mm - Locking Self Tapping Screw
- Ø2.4 mm - Cortical Self Tapping Screw

Upper Limb / 3.5 Small Fragment Set



Indications

Small Fragment Locking Compression Plates are intended for fixation of fractures, osteotomies and nonunions of the clavicle, scapula, olecranon, humerus, radius, ulna, distal tibia and fibula, particularly in osteopenic bone.

PNM1010 Small Fragment Locking Compression Plate

PRODUCT NO.	HOLE	LENGTH
PNM1010-004	4	56 mm
PNM1010-005	5	69 mm
PNM1010-006	6	82 mm
PNM1010-007	7	95 mm
PNM1010-008	8	108 mm
PNM1010-009	9	121 mm
PNM1010-010	10	134 mm
PNM1010-011	11	147 mm
PNM1010-012	12	160 mm
PNM1010-014	14	186 mm*


* These sizes are manufactured on demand

Screws for Small Fragment Locking Compression Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Upper Limb / 3.5 Small Fragment Set



PNM1018
Small Metaphyseal
Locking Compression Plate

PRODUCT NO.	HOLE	LENGTH
PNM1018-006	6	88 mm*
PNM1018-007	7	101 mm
PNM1018-008	8	114mm*
PNM1018-009	9	127 mm
PNM1018-010	10	140 mm*
PNM1018-011	11	153 mm
PNM1018-012	12	166 mm*
PNM1018-013	13	179 mm
PNM1018-014	14	192 mm*
PNM1018-016	16	218 mm*

* These sizes are manufactured on demand




Indications

Small Metaphyseal Locking Compression Plates are indicated for extra-articular fractures of the metaphyseal area that extend into the shaft. The 3.5 plate is indicated for distal tibial and distal humeral fractures

Screws for Small Metaphyseal Locking Compression Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Upper Limb / Radius Set



Thickness 2,5 mm
Width 9 mm

Indications

For fixation of complex intra and extra articular fractures and osteotomies of the distal radius and other small bones.

PNM1011

Distal Volar Radius Locking Plate


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1011-003	L	3	70 mm
PNM1011-004	L	4	82,5 mm
PNM1011-005	L	5	95 mm
PNM1011-006	L	6	107,5 mm
PNM1011-007	L	7	120 mm
PNM1011-008	L	8	132,5 mm
PNM1011-009	L	9	145 mm
PNM1011-010	L	10	159,5 mm
PNM1011-103	R	3	70 mm
PNM1011-104	R	4	82,5 mm
PNM1011-105	R	5	95 mm
PNM1011-106	R	6	107,5 mm
PNM1011-107	R	7	120 mm
PNM1011-108	R	8	132,5 mm
PNM1011-109	R	9	145 mm
PNM1011-110	R	10	159,5 mm

Screws for Distal Volar Radius Locking Plate

- Ø 2.4 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Upper Limb / Radius Set



Indications

For fixation of complex intra and extra articular fractures and osteotomies of the distal radius and other small bones.

PNM1011-VA


Distal Volar Radius Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1011-VA-003	L	3	59 mm
PNM1011-VA-004	L	4	67,25 mm*
PNM1011-VA-005	L	5	75,5 mm
PNM1011-VA-006	L	6	83,75 mm*
PNM1011-VA-007	L	7	92 mm
PNM1011-VA-008	L	8	100,25 mm
PNM1011-VA-009	L	9	108,5 mm*
PNM1011-VA-010	L	10	116,75 mm
PNM1011-VA-103	R	3	59 mm*
PNM1011-VA-104	R	4	67,25 mm*
PNM1011-VA-105	R	5	75,5 mm*
PNM1011-VA-106	R	6	83,75 mm*
PNM1011-VA-107	R	7	92 mm*
PNM1011-VA-108	R	8	100,25 mm*
PNM1011-VA-109	R	9	108,5 mm*
PNM1011-VA-110	R	10	116,75 mm*

Screws for Distal Volar Radius Locking Plate

- Ø 2.4 mm – Locking Self Tapping Screw
- Ø 2.4 mm – Cortical Self Tapping Screw

Upper Limb / Radius Set



Indications

For fixation of complex intra and extra articular fractures and osteotomies of the distal radius and other small bones.

PNM1011-TP2 Distal Volar Radius Locking Plate


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1011-TP2-003	L	3	59 mm
PNM1011-TP2-004	L	4	67,25 mm*
PNM1011-TP2-005	L	5	75,5 mm
PNM1011-TP2-006	L	6	83,75 mm*
PNM1011-TP2-007	L	7	92 mm
PNM1011-TP2-008	L	8	100,25 mm
PNM1011-TP2-009	L	9	108,5 mm*
PNM1011-TP2-010	L	10	116,75 mm
PNM1011-TP2-103	R	3	59 mm*
PNM1011-TP2-104	R	4	67,25 mm*
PNM1011-TP2-105	R	5	75,5 mm*
PNM1011-TP2-106	R	6	83,75 mm*
PNM1011-TP2-107	R	7	92 mm*
PNM1011-TP2-108	R	8	100,25 mm*
PNM1011-TP2-109	R	9	108,5 mm*
PNM1011-TP2-110	R	10	116,75 mm*

Screws for Distal Volar Radius Locking Plate

- Ø 2.4 mm – Locking Self Tapping Screw
- Ø 2.4 mm – Cortical Self Tapping Screw



Upper Limb / Radius Set

**PNM1041****Radius Distal Dorsal Locking Plate**

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1041-004	L	4	55 mm
PNM1041-006	L	6	75 mm*
PNM1041-104	R	4	55 mm
PNM1041-106	R	6	75 mm*

* These sizes are manufactured on demand


**Indications**

For fixation of complex intra and extra articular fractures and osteotomies of the distal radius and other small bones.


Screws for Radius Distal Dorsal Locking Plate

- Ø 2.4 mm – Locking Self Tapping Screw
- Ø 2.4 mm – Cortical Self Tapping Screw

Upper Limb / Radius Set



2,4 mm


Thickness
Width

2,0 mm
8,2 mm

Indications

For fixation of complex intra and extra articular fractures and osteotomies of the distal radius and other small bones.

PNM1040
Radius Distal Straight Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1040-004	4	65 mm*
PNM1040-006	6	85 mm


* These sizes are manufactured on demand

Screws for Radius Distal Straight Locking Plate

- Ø 2.4 mm – Locking Self Tapping Screw
- Ø 2.4 mm – Cortical Self Tapping Screw



Pelvic and 3.5 Small Fragment Set

**Indications**

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures

PNM1012 Reconstruction Locking Plate



PRODUCT NO.	HOLE	LENGTH
PNM1012-004	4	52 mm
PNM1012-005	5	64 mm
PNM1012-006	6	76 mm
PNM1012-007	7	88 mm
PNM1012-008	8	100 mm
PNM1012-009	9	112 mm
PNM1012-010	10	124 mm
PNM1012-011	11	136 mm
PNM1012-012	12	148 mm
PNM1012-014	14	172 mm
PNM1012-016	16	196 mm
PNM1012-018	18	220 mm
PNM1012-020	20	244 mm*

* These sizes are manufactured on demand

Max.10° bending**Screws for Reconstruction Locking Plate**

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw

Pelvic and 3.5 Small Fragment Set



PNM1075 Reconstruction Plate

PRODUCT NO.	HOLE	LENGTH
PNM1075 - 004	4	52 mm
PNM1075-005	5	64 mm
PNM1075-006	6	76 mm
PNM1075-007	7	88 mm
PNM1075-008	8	100 mm
PNM1075-009	9	112 mm
PNM1075-010	10	124 mm
PNM1075-011	11	136 mm
PNM1075-012	12	148 mm
PNM1075-014	14	172 mm
PNM1075-016	16	196 mm
PNM1075-018	18	220 mm
PNM1075-020	20	244 mm



Max.10° bending

Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures

Screws for Reconstruction Plate

- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 4.0 mm – Cancellous Screw




Pelvic and 3.5 Small Fragment Set

PNM1013 Curved Reconstruction Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1013 - 004	4	51,5 mm
PNM1013-005	5	63 mm
PNM1013-006	6	74,8 mm
PNM1013-007	7	86 mm
PNM1013-008	8	97,2 mm
PNM1013-009	9	107,8 mm
PNM1013-010	10	118,5 mm
PNM1013-011	11	128,5 mm
PNM1013-012	12	138,5 mm
PNM1013-014	14	156,5 mm
PNM1013-016	16	173 mm
PNM1013-018	18	187,25 mm
PNM1013-020	20	199,25 mm

Max.10° bending




Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures

Screws for Curved Reconstruction Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Pelvic and 3.5 Small Fragment Set



Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures

PNM1076 Curved Reconstruction Plate

PRODUCT NO.	HOLE	LENGTH
PNM1076 - 004	4	51,5 mm
PNM1076-005	5	63 mm
PNM1076-006	6	74,8 mm
PNM1076-007	7	86 mm
PNM1076-008	8	97,2 mm
PNM1076-009	9	107,8 mm
PNM1076-010	10	118,5 mm
PNM1076-011	11	128,5 mm
PNM1076-012	12	138,5 mm
PNM1076-014	14	156,5 mm
PNM1076-016	16	173 mm
PNM1076-018	18	187,25 mm
PNM1076-020	20	199,25 mm


Max.10° bending

Screws for Curved Reconstruction Plate

- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 4.0 mm – Cancellous Screw



Pelvic and 3.5 Small Fragment Set



Max.10° bending


PNM1077
Pelvic-J Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1077-006	L	6	79 mm
PNM1077-007	L	7	90,25 mm*
PNM1077-008	L	8	101,5 mm
PNM1077-009	L	9	112,5 mm*
PNM1077-010	L	10	123,5 mm
PNM1077-011	L	11	134,75 mm*
PNM1077-012	L	12	146 mm
PNM1077-013	L	13	158,25 mm*
PNM1077-014	L	14	170,5 mm*
PNM1077-015	L	15	182,75 mm*
PNM1077-016	L	16	195 mm
PNM1077-106	R	6	79 mm
PNM1077-107	R	7	90,25 mm*
PNM1077-108	R	8	101,5 mm
PNM1077-109	R	9	112,5 mm*
PNM1077-110	R	10	123,5 mm
PNM1077-111	R	11	134,75 mm*
PNM1077-112	R	12	146 mm
PNM1077-113	R	13	158,25 mm*
PNM1077-114	R	14	170,5 mm
PNM1077-115	R	15	184,75 mm*
PNM1077-116	R	16	195 mm

* These sizes are manufactured on demand


Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures

Screws for J- Reconstruction Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw

Pelvic and 3.5 Small Fragment Set



Max.10° bending



Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures

PNM1038 Pelvic-J Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1038-006	L	6	79 mm
PNM1038-007	L	7	90,25 mm*
PNM1038-008	L	8	101,5 mm
PNM1038-009	L	9	112,5 mm*
PNM1038-010	L	10	123,5 mm
PNM1038-011	L	11	134,75 mm*
PNM1038-012	L	12	146 mm
PNM1038-013	L	13	158,25 mm*
PNM1038-014	L	14	170,5 mm
PNM1038-015	L	15	182,75 mm*
PNM1038-016	L	16	195 mm
PNM1038-106	R	6	79 mm
PNM1038-107	R	7	90,25 mm*
PNM1038-108	R	8	101,5 mm
PNM1038-109	R	9	112,5 mm*
PNM1038-110	R	10	123,5 mm
PNM1038-111	R	11	134,75 mm*
PNM1038-112	R	12	146 mm
PNM1038-113	R	13	158,25 mm*
PNM1038-114	R	14	170,5 mm
PNM1038-115	R	15	182,75 mm*
PNM1038-116	R	16	195 mm

* These sizes are manufactured on demand

Screws for J- Reconstruction Plate


- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 4.0 mm – Cancellous Screw



Pelvic and 3.5 Small Fragment Set

PNM1036 Pelvic Pubic Symphysis Plate

PRODUCT NO.	HOLE	LENGTH
PNM1036-004	4	62,5 mm
PNM1036-006	6	89,5 mm



Screws for Pelvic Pubic Symphysis Plate


- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 4.0 mm – Cancellous Screw

Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures

PNM1078 Pelvic Pubic Symphysis Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1078-004	4	62,5 mm
PNM1078-006	6	89,5 mm



Screws for Pelvic Pubic Symphysis Locking Plate


- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw

Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures



Pelvic and 3.5 Small Fragment Set



Max.10° bending



Indications

- Symphysis fractures
- Pelvic brim fractures
- Ilium - Iliac wing fractures
- Acetabulum fractures



PNM1081 Pelvic Ischiadica Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1081-006	L	6	65 mm
PNM1081-007	L	7	75 mm
PNM1081-008	L	8	85 mm
PNM1081-009	L	9	95 mm
PNM1081-010	L	10	105 mm
PNM1081-106	R	6	65 mm
PNM1081-107	R	7	75 mm
PNM1081-108	R	8	85 mm
PNM1081-109	R	9	95 mm
PNM1081-110	R	10	105 mm

Screws for Pelvic Ischiadica Plate

- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 4.0 mm – Cancellous Screw

PNM1080 Pelvic Ischiadica Locking Plate


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1080-006	L	6	65 mm
PNM1080-007	L	7	75 mm
PNM1080-008	L	8	85 mm
PNM1080-009	L	9	95 mm
PNM1080-010	L	10	105 mm
PNM1080-106	R	6	65 mm
PNM1080-107	R	7	75 mm
PNM1080-108	R	8	85 mm
PNM1080-109	R	9	95 mm
PNM1080-110	R	10	105 mm

Screws for Pelvic Pubic Symphysis Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw



Lower Limb / 4.5 - 5.0 Large Fragment Set



Indications

- Proximal femur plate is intended for fracture of the femur including:
- Fractures of the trochanteric region, trochanteric simple, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric reversed or transverse or with additional fracture of the medial cortex
 - Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
 - Metastatic fracture of the proximal femur
 - Osteotomies of the proximal femur
 - Also for use in fixation of osteopenic bone and fixation of nonunions or malunions

PNM1021 Proximal Femoral Locking Plate


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1021 - 004	L	4	120 mm*
PNM1021-005	L	5	138 mm
PNM1021-006	L	6	156 mm*
PNM1021-007	L	7	174 mm
PNM1021-008	L	8	192 mm*
PNM1021-009	L	9	210 mm
PNM1021-010	L	10	228 mm*
PNM1021-011	L	11	246 mm
PNM1021-012	L	12	264 mm*
PNM1021-013	L	13	282 mm
PNM1021-015	L	15	318 mm*
PNM1021-104	R	4	120 mm*
PNM1021-105	R	5	138 mm
PNM1021-106	R	6	156 mm*
PNM1021-107	R	7	174 mm
PNM1021-108	R	8	192 mm*
PNM1021-109	R	9	210 mm
PNM1021-110	R	10	228 mm*
PNM1021-111	R	11	246 mm
PNM1021-112	R	12	264 mm*
PNM1021-113	R	13	282 mm
PNM1021-115	R	15	318 mm*

* These sizes are manufactured on demand

Screws for Proximal Femur Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw

Lower Limb / 4.5 - 5.0 - 6.5 Large Fragment Set



Indications

- Proximal Femoral Neck plate is intended for fractures of the femur including:
- Fractures of the trochanteric region, trochanteric simple, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric reversed or transverse or with additional fracture of the medial cortex
 - Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
 - Metastatic fracture of the proximal femur
 - Osteotomies of the proximal femur
 - Also for use in use in fixation of osteopenic bone and fixation of nonunions or malunions

PNM3001 Proximal Femoral Neck Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM3001-005	L	5	74,5 mm
PNM3001-006	L	6	93,5 mm*
PNM3001-007	L	7	111,5 mm
PNM3001-008	L	8	129,5 mm*
PNM3001-105	R	5	74,5 mm
PNM3001-106	R	6	93,5mm*
PNM3001-107	R	7	111,5 mm
PNM3001-108	R	8	129,5 mm*


* These sizes are manufactured on demand

Screws for Proximal Femoral Neck Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw
- Ø 6.5 mm – Cannulated Compression Locking Screw



Lower Limb / 4.5 - 5.0 Large Fragment Set



Indications

Proximal Femoral Trochanteric locking plate is intended for fractures of the femur including:

- Fractures of the trochanteric region, trochanteric simple, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric reversed or transverse or with additional fracture of the medial cortex
- Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
- Metastatic fracture of the proximal femur
- Osteotomies of the proximal femur
- Also for use in fixation of osteopenic bone and fixation of nonunions or malunions

PNM3002

Proximal Femoral Trochanter Locking Plate


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM3002-005	L	5	89,5 mm
PNM3002-006	L	6	108,5 mm*
PNM3002-007	L	7	126 mm
PNM3002-008	L	8	144 mm*
PNM3002-105	R	5	89,5 mm
PNM3002-106	R	6	108,5mm*
PNM3002-107	R	7	126 mm
PNM3002-108	R	8	144 mm*

* These sizes are manufactured on demand

Screws for Proximal Femoral Trochanter Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw
- Ø 6.5 mm – Cannulated Compression Locking Screw

Lower Limb / DHS/DCS Set



PNM1023

Dynamic Hip Screw (DHS)

Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1023-003	3	82 mm
PNM1023-004	4	100 mm*
PNM1023-005	5	118 mm
PNM1023-006	6	136mm*
PNM1023-007	7	154 mm
PNM1023-008	8	172 mm*
PNM1023-009	9	190 mm
PNM1023-010	10	208 mm*
PNM1023-011	11	226 mm*
PNM1023-012	12	244 mm*
PNM1023-013	13	262 mm*
PNM1023-014	14	280 mm*

* These sizes are manufactured on demand



Indications

- Intertrochanteric fractures
- Subtrochanteric fractures
- Basilar neck fractures

Screws for 135° DHS Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw
- Lag Screw
- Compression Screw



Lower Limb / 4.5 - 5.0 Large Fragment Set



Indications

Broad Locking Compression Plates are intended for fixation of various long bones, such as the humerus, femur and tibia. They are also for use in fixation of periprosthetic fractures, osteopenic bone and nonunions or malunions in adult patients.

PNM1020 Broad Locking Compression Plate



PRODUCT NO.	HOLE	LENGTH
PNM1020-004	4	78 mm*
PNM1020-005	5	96 mm*
PNM1020-006	6	114 mm
PNM1020-007	7	132 mm*
PNM1020-008	8	150 mm
PNM1020-009	9	168mm*
PNM1020-010	10	186 mm
PNM1020-011	11	204 mm*
PNM1020-012	12	222 mm
PNM1020-013	13	240 mm*
PNM1020-014	14	268 mm
PNM1020-015	15	276 mm*
PNM1020-016	16	284 mm
PNM1020-018	18	330mm*
PNM1020-020	20	366 mm*

* These sizes are manufactured on demand

Screws for Broad Locking Compression Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw

Lower Limb / 4.5 - 5.0 Large Fragment Set



Thickness 5,6 mm
Width 17,6 mm

Indications

Curved Broad Locking Compression Plates are intended for fixation of various long bones, such as the humerus, femur and tibia. They are also for use in fixation of periprosthetic fractures, osteopenic bone and nonunions or malunions in adult patients.

**PNM1068
Curved Broad Locking
Compression Plate**

PRODUCT NO.	HOLE	LENGTH
PNM1068-004	4	78 mm
PNM1068-005	5	96 mm*
PNM1068-006	6	114 mm
PNM1068-007	7	132 mm*
PNM1068-008	8	150 mm
PNM1068-009	9	168 mm*
PNM1068-010	10	186 mm
PNM1068-011	11	204 mm*
PNM1068-012	12	222 mm
PNM1068-013	13	240 mm*
PNM1068-014	14	258 mm
PNM1068-015	15	276 mm
PNM1068-016	16	294 mm
PNM1068-018	18	330 mm

* These sizes are manufactured on demand

**Screws for Curved Broad
Locking Compression Plate**

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw



Lower Limb / DHS/ DCS Set



Indications

- Intercondylar fractures
- Supracondylar fractures
- Unicondylar fractures
- Transverse subtrochanteric fractures
- Short oblique subtrochanteric fractures
- Long oblique subtrochanteric fractures

PNM1024

Dynamic Condylar Screw (95° DCS) Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1024-004	4	112 mm
PNM1024-005	5	128 mm*
PNM1024-006	6	144 mm
PNM1024-007	7	160 mm*
PNM1024-008	8	176 mm
PNM1024-009	9	192 mm*
PNM1024-010	10	208 mm
PNM1024-011	11	224 mm*
PNM1024-012	12	240 mm
PNM1024-013	13	256 mm*
PNM1024-014	14	272 mm

* These sizes are manufactured on demand

Screws for 95° DCS Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw
- Lag Screw
- Compression Screw

Lower Limb / DHS/DCS Set



PNM3014
Compression Screw




PNM1025
DHS/DCS Lag Screw

PRODUCT NO.	HOLE
PNM1025-050	50 mm
PNM1025-055	55 mm
PNM1025-060	60 mm
PNM1025-065	65 mm
PNM1025-070	70 mm
PNM1025-075	75 mm
PNM1025-080	80 mm
PNM1025-085	85 mm
PNM1025-090	90 mm
PNM1025-095	95 mm
PNM1025-100	100 mm
PNM1025-105	105 mm
PNM1025-110	110 mm
PNM1025-115	115 mm
PNM1025-120	120 mm



Lower Limb / 4.5 - 5.0 Large Fragment Set



PNM1022 Distal Femoral Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1022-004	L	4	141 mm*
PNM1022-005	L	5	161 mm
PNM1022-006	L	6	181 mm*
PNM1022-007	L	7	201 mm
PNM1022-008	L	8	221 mm*
PNM1022-009	L	9	241 mm
PNM1022-010	L	10	261 mm*
PNM1022-011	L	11	281 mm
PNM1022-012	L	12	301 mm*
PNM1022-013	L	13	321 mm
PNM1022-015	L	15	361 mm*
PNM1022-104	R	4	141 mm*
PNM1022-105	R	5	161 mm
PNM1022-106	R	6	181 mm*
PNM1022-107	R	7	201 mm
PNM1022-108	R	8	221 mm*
PNM1022-109	R	9	241 mm
PNM1022-110	R	10	261 mm*
PNM1022-111	R	11	281 mm
PNM1022-112	R	12	301 mm*
PNM1022-113	R	13	321 mm
PNM1022-115	R	15	361 mm*

* These sizes are manufactured on demand


Indications

Distal Femoral Locking Plates are intended for buttressing multifragmentary distal femur fractures including: supracondylar, intra-articular and extra-articular condylar, periprosthetic fractures; fractures in normal or osteopenic bone nonunions and malunions and osteotomies of the femur.

Screws for Distal Femoral Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw

Lower Limb / 4.5 - 5.0 Large Fragment Set



Indications

For the stabilization of fractures of the proximal tibia, proximal shaft fractures, metaphyseal fractures, intra-articular fractures

PNM1026

Proximal Lateral Tibial Large Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1026-004	L	4	125 mm*
PNM1026-005	L	5	145 mm
PNM1026-006	L	6	165 mm*
PNM1026-007	L	7	185 mm
PNM1026-008	L	8	205 mm*
PNM1026-009	L	9	225 mm
PNM1026-010	L	10	245 mm*
PNM1026-011	L	11	265 mm
PNM1026-012	L	12	285 mm*
PNM1026-013	L	13	305 mm
PNM1026-104	R	4	125 mm*
PNM1026-105	R	5	145 mm
PNM1026-106	R	6	165 mm*
PNM1026-107	R	7	185 mm
PNM1026-108	R	8	205 mm*
PNM1026-109	R	9	225 mm
PNM1026-110	R	10	245 mm*
PNM1026-111	R	11	265 mm
PNM1026-112	R	12	285 mm*
PNM1026-113	R	13	305 mm


* These sizes are manufactured on demand

Screws for Proximal Lateral Tibial Large Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw



Lower Limb / 3.5 - Small and 4.5 - 5.0 Large Fragment Set



Indications

For the stabilization of fractures of the proximal tibia, proximal shaft fractures, metaphyseal fractures, intra-articular fractures

PNM1027

Proximal Lateral Tibial Small Locking Plate


PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1027-004	L	4	109 mm
PNM1027-005	L	5	123,5 mm*
PNM1027-006	L	6	141 mm
PNM1027-007	L	7	155,5 mm*
PNM1027-008	L	8	173 mm
PNM1027-009	L	9	187,5 mm*
PNM1027-010	L	10	205 mm
PNM1027-011	L	11	219,5 mm*
PNM1027-012	L	12	234,5 mm
PNM1027-104	R	4	109 mm
PNM1027-105	R	5	123,5 mm*
PNM1027-106	R	6	142 mm
PNM1027-107	R	7	155,5 mm*
PNM1027-108	R	8	173 mm
PNM1027-109	R	9	187,5 mm*
PNM1027-110	R	10	205 mm
PNM1027-111	R	11	219,5 mm*
PNM1027-112	R	12	234,5 mm

* These sizes are manufactured on demand

Screws for Proximal Lateral Tibial Small Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw
- Ø 4.5 mm – Cortical Self Tapping Screw

Lower Limb / 4.5 - 5.0 Large Fragment Set


Indications

For the stabilization of fractures of the proximal tibia, proximal shaft fractures, metaphyseal fractures, intra-articular fractures

PNM1054-TP2
Proximal Medial Tibial Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1054-TP2-003	L	3	120 mm
PNM1054-TP2-004	L	4	136 mm
PNM1054-TP2-005	L	5	152 mm
PNM1054-TP2-006	L	6	168 mm
PNM1054-TP2-007	L	7	184 mm
PNM1054-TP2-008	L	8	200 mm
PNM1054-TP2-009	L	9	216 mm
PNM1054-TP2-103	R	3	120 mm
PNM1054-TP2-104	R	4	136 mm
PNM1054-TP2-105	R	5	152 mm
PNM1054-TP2-106	R	6	168 mm
PNM1054-TP2-107	R	7	184 mm
PNM1054-TP2-108	R	8	200 mm
PNM1054-TP2-109	R	9	216 mm

Screws for Proximal Medial Tibial Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw
- Ø 4.5 mm – Cortical Self Tapping Screw



Lower Limb / 3.5 - Small Fragment Set



PNM1055 Proximal Medial Tibial Small Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1055-003	L	3	120 mm
PNM1055-004	L	4	136 mm
PNM1055-005	L	5	152 mm
PNM1055-006	L	6	168 mm
PNM1055-007	L	7	184 mm
PNM1055-008	L	8	200 mm
PNM1055-009	L	9	216 mm
PNM1055-103	R	3	120 mm
PNM1055-104	R	4	136 mm
PNM1055-105	R	5	152 mm
PNM1055-106	R	6	168 mm
PNM1055-107	R	7	184 mm
PNM1055-108	R	8	200 mm
PNM1055-109	R	9	216 mm




Indications

For the stabilization of fractures of the proximal tibia, proximal shaft fractures, metaphyseal fractures, intra-articular fractures

Screws for Proximal Medial Tibial Small Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 3.5 mm – Cortical Self Tapping Screw

Lower Limb / 4.5 - 5.0 Large Fragment Set



PNM1029 T Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1029-004	4	88 mm
PNM1029-005	5	104 mm*
PNM1029-006	6	120 mm
PNM1029-007	7	136 mm*
PNM1029-008	8	152 mm
PNM1029-009	9	168 mm*
PNM1029-010	10	184 mm

* These sizes are manufactured on demand



Indications


For the stabilization of fractures of the proximal tibia, proximal shaft fractures, metaphyseal fractures, intra-articular fractures

Screws for T - Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw



Lower Limb / 4.5 - 5.0 Large Fragment Set



PNM1030 L Buttress Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1030-004	L	4	90 mm
PNM1030-005	L	5	106 mm*
PNM1030-006	L	6	122 mm
PNM1030-007	L	7	138 mm*
PNM1030-008	L	8	154 mm
PNM1030-009	L	9	170 mm*
PNM1030-010	L	10	186 mm
PNM1030-104	R	4	90 mm*
PNM1030-105	R	5	106 mm
PNM1030-106	R	6	122 mm*
PNM1030-107	R	7	138 mm
PNM1030-108	R	8	154 mm*
PNM1030-109	R	9	170 mm
PNM1030-110	R	10	186 mm

* These sizes are manufactured on demand


Indications

For the stabilization of fractures of the proximal tibia, proximal shaft fractures, metaphyseal fractures, intra-articular fractures


Screws for L Buttress Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw

Lower Limb / 4.5 - 5.0 Large Fragment Set



4,5 mm


Thickness
Width

4,9 mm
14 mm

Indications

Narrow Locking Compression Plates are intended for fixation of various long bones, such as the humerus, femur and tibia. They are also for use in fixation of periprosthetic fractures, osteopenic bone and nonunions or malunions in adult patients.

PNM1019

Narrow Locking Compression Plate

PRODUCT NO.	HOLE	LENGTH
PNM1019-004	4	76 mm*
PNM1019-005	5	96 mm*
PNM1019-006	6	112 mm
PNM1019-007	7	130 mm*
PNM1019-008	8	148 mm
PNM1019-009	9	166 mm*
PNM1019-010	10	184 mm
PNM1019-011	11	202 mm*
PNM1019-012	12	220 mm
PNM1019-013	13	238 mm*
PNM1019-014	14	256 mm
PNM1019-015	15	274 mm*
PNM1019-016	16	292 mm
PNM1019-018	18	328 mm*

* These sizes are manufactured on demand

Screws for Narrow Locking Compression Plate


- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw





Lower Limb / 3.5 Small and 4.5 - 5.0 Large Fragment Set



3,5 mm



4,5 mm



Thickness 4 mm
Width 13 mm

Indications

4.5 mm/3.5 mm metaphyseal plates are intended for the fixation of various long bones, excluding the femur and tibia. They are also for use in fixation of osteopenic bone and fixation of nonunions or malunions.

PNM1031 Large Metaphyseal Locking Plate


PRODUCT NO.	HOLE	LENGTH
PNM1031-008	5+3	119 mm
PNM1031-009	5+4	137 mm*
PNM1031-010	5+5	155 mm
PNM1031-011	5+6	173 mm*
PNM1031-012	5+7	191 mm
PNM1031-014	5+9	227 mm*
PNM1031-016	5+11	263 mm
PNM1031-018	5+13	299 mm

* These sizes are manufactured on demand

Screws for Large Metaphyseal Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw

Lower Limb / 3.5 Small Fragment Set



PNM1014 Distal Medial Tibial Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1014-004	L	4	114,5 mm
PNM1014-005	L	5	127,5 mm
PNM1014-006	L	6	140,5 mm
PNM1014-007	L	7	153,5 mm*
PNM1014-008	L	8	166,5 mm
PNM1014-009	L	9	179,5 mm*
PNM1014-010	L	10	192,5 mm
PNM1014-011	L	11	205,5 mm*
PNM1014-012	L	12	218,5 mm
PNM1014-014	L	14	244,5 mm
PNM1014-016	L	16	270,5 mm*
PNM1014-104	R	4	114,5 mm
PNM1014-105	R	5	127,5 mm
PNM1014-106	R	6	140,5 mm
PNM1014-107	R	7	153,5 mm*
PNM1014-108	R	8	166,5 mm
PNM1014-109	R	9	179,5 mm*
PNM1014-110	R	10	192,5 mm
PNM1014-111	R	11	205,5 mm*
PNM1014-112	R	12	218,5 mm
PNM1014-114	R	14	244,5 mm
PNM1014-116	R	16	270,5 mm*

* These sizes are manufactured on demand

Indications


Distal Medial Tibia Plates are intended for fixation of complex intra and extra articular fractures and osteotomies of the distal tibia

Screws for Distal Medial Tibial Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø4.0 mm – Cancellous Screw



Lower Limb / 4.5 - 5.0 Large Fragment Set



PNM1028 Distal Lateral Tibial Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1028-004	L	4	104 mm*
PNM1028-005	L	5	122 mm
PNM1028-006	L	6	140 mm*
PNM1028-007	L	7	158 mm
PNM1028-008	L	8	176 mm*
PNM1028-009	L	9	194 mm
PNM1028-010	L	10	212 mm*
PNM1028-011	L	11	230 mm
PNM1028-104	R	4	104 mm*
PNM1028-105	R	5	122 mm
PNM1028-106	R	6	140 mm*
PNM1028-107	R	7	158 mm
PNM1028-108	R	8	176 mm*
PNM1028-109	R	9	194 mm
PNM1028-110	R	10	212 mm*
PNM1028-111	R	11	230 mm

* These sizes are manufactured on demand



Indications

Distal Lateral Tibia Plate is indicated for fractures, osteotomies and nonunions of the distal tibia, particularly in osteopenic bone.

Screws for Distal Lateral Tibial Locking Plate

- Ø 5.0 mm – Locking Self Tapping Screw
- Ø 4.5 mm – Cortical Self Tapping Screw
- Ø 5.0 mm – Locking Cancellous Screw

Lower Limb / 3.5 Small Fragment Set


Indications

Distal articular fractures of the tibia (pilon fractures) with emphasis on complex articular reconstruction

**PNM1044
Pilon Plate**

PRODUCT NO.	HOLE	LENGTH
PNM1044-006	6	145,5 mm
PNM1044-007	7	158,5 mm*
PNM1044-008	8	171,5 mm
PNM1044-009	9	184,5 mm*
PNM1044-010	10	197,5 mm


* These sizes are manufactured on demand

Screws for Pilon Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø4.0 mm – Cancellous Screw



Lower Limb / 3.5 Small Fragment Set



Indications

Intra-articular fractures of the distal tibia and proximal humerus fractures

PNM1050 Cloverleaf Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1050-003	3	65 mm*
PNM1050-004	4	78 mm
PNM1050-005	5	91 mm*
PNM1050-006	6	104 mm
PNM1050-007	7	117 mm*
PNM1050-008	8	130 mm*
PNM1050-009	9	143 mm*
PNM1050-010	10	156 mm*

* These sizes are manufactured on demand


Screws for Cloverleaf Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw

Lower Limb / 3.5 Small Fragment Set



3.5 mm



Thickness 4 mm
Width 12,5 mm

Indications

Anterolateral Distal Tibia Locking Plate is indicated for fractures, osteotomies and nonunions of the distal tibia, particularly in osteopenic bone.

PNM1015

Distal Anterolateral Tibial Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1015-004	L	4	66 mm*
PNM1015-005	L	5	79 mm
PNM1015-006	L	6	92 mm*
PNM1015-007	L	7	105 mm
PNM1015-008	L	8	118 mm*
PNM1015-009	L	9	131 mm
PNM1015-010	L	10	144 mm*
PNM1015-011	L	11	157 mm*
PNM1015-013	L	13	183 mm*
PNM1015-104	R	4	66 mm*
PNM1015-105	R	5	79 mm
PNM1015-106	R	6	92 mm*
PNM1015-107	R	7	105 mm
PNM1015-108	R	8	118 mm*
PNM1015-109	R	9	131 mm
PNM1015-110	R	10	144 mm*
PNM1015-111	R	11	157 mm*
PNM1015-113	R	13	183 mm*

* These sizes are manufactured on demand

Screws for Distal Anterolateral Tibial Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Lower Limb / 3.5 Small Fragment Set

PNM1016


Distal Lateral Fibular Locking Plate

PRODUCT NO.	SIDE	HOLE	LENGTH
PNM1016-004	L	4	92 mm
PNM1016-005	L	5	104 mm*
PNM1016-006	L	6	116 mm
PNM1016-007	L	7	128 mm*
PNM1016-008	L	8	140 mm
PNM1016-009	L	9	152 mm*
PNM1016-010	L	10	164 mm*
PNM1016-011	L	11	176 mm*
PNM1016-012	L	12	188 mm*
PNM1016-014	L	14	212 mm*
PNM1016-104	R	4	92 mm
PNM1016-105	R	5	104 mm*
PNM1016-106	R	6	116 mm
PNM1016-107	R	7	128 mm*
PNM1016-108	R	8	140 mm
PNM1016-109	R	9	152 mm*
PNM1016-110	R	10	164 mm
PNM1016-111	R	11	176 mm*
PNM1016-112	R	12	188 mm*
PNM1016-114	R	14	212 mm*

* These sizes are manufactured on demand

Screws for Distal Lateral Fibular Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Scre




Indications

Distal Lateral Fibular Locking Plates are indicated for fractures, osteotomies and nonunions of the metaphyseal and diaphyseal region of the distal fibula, especially in osteopenic bone.

Lower Limb / 3.5 Small Fragment Set



3.5 mm



Thickness 2 mm
Width 10 mm

Indications

Distal Fibular Locking Plates are indicated for fractures, osteotomies and nonunions of the metaphyseal and diaphyseal region of the distal fibula, especially in osteopenic bone.

PNM1017
Distal Fibular Locking Plate

PRODUCT NO.	HOLE	LENGTH
PNM1017-004	4	97 mm
PNM1017-005	5	110 mm
PNM1017-006	6	123 mm
PNM1017-007	7	136 mm
PNM1017-008	8	149 mm
PNM1017-009	9	162 mm*
PNM1017-010	10	175 mm*
PNM1017-011	11	188 mm*
PNM1017-013	13	214 mm*

* These sizes are manufactured on demand

Screws for Distal Fibular Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Cortical Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw
- Ø 4.0 mm – Cancellous Screw



Lower Limb / 3.5 Small Fragment Set



Max.10° bending



Indications

The locking calcaneal plates address complex fractures of the calcaneus. The locking calcaneal plate is indicated for fractures and osteotomies of the calcaneus including, but not limited to, extra-articular, intra-articular, joint depression, tongue type and severely comminuted fractures.

PNM1032 Calcaneal Locking Plate

PRODUCT NO.	SIDE	SIZE	LENGTH
PNM1032-057	L	57	57 mm
PNM1032-067	L	67	67 mm
PNM1032-157	R	57	57 mm
PNM1032-167	R	67	67 mm

Screws for Calcaneal Locking Plate

- Ø 3.5 mm – Locking Self Tapping Screw
- Ø 3.5 mm – Locking Cancellous Screw



PNM2021
Locking Self Tapping Screw
Ø 2.4 mm



PRODUCT NO. LENGTH

PNM2021-010	10 mm
PNM2021-012	12 mm
PNM2021-014	14 mm
PNM2021-016	16 mm
PNM2021-018	18 mm
PNM2021-020	20 mm
PNM2021-022	22 mm
PNM2021-024	24 mm
PNM2021-026	26 mm
PNM2021-028	28 mm
PNM2021-030	30 mm
PNM2021-032	32 mm
PNM2021-034	34 mm
PNM2021-036	36 mm
PNM2021-038	38 mm
PNM2021-040	40 mm
PNM2021-042	42 mm*
PNM2021-044	44 mm*
PNM2021-046	46 mm*
PNM2021-048	48 mm*
PNM2021-050	50 mm*


PNM2001
Locking Self Tapping Screw
Ø 2.7 mm



PRODUCT NO. LENGTH

PNM2001-010	10 mm
PNM2001-012	12 mm
PNM2001-014	14 mm
PNM2001-016	16 mm
PNM2001-018	18 mm
PNM2001-020	20 mm
PNM2001-022	22 mm
PNM2001-024	24 mm
PNM2001-026	26 mm
PNM2001-028	28 mm
PNM2001-030	30 mm
PNM2001-032	32 mm
PNM2001-034	34 mm
PNM2001-036	36 mm
PNM2001-038	38 mm
PNM2001-040	40 mm
PNM2001-045	45 mm
PNM2001-050	50 mm
PNM2001-055	55 mm
PNM2001-060	60 mm


PNM2002
Locking Self Tapping Screw
Ø 3.5 mm



PRODUCT NO. LENGTH

PNM2002-010	10 mm
PNM2002-012	12 mm
PNM2002-014	14 mm
PNM2002-016	16 mm
PNM2002-018	18 mm
PNM2002-020	20 mm
PNM2002-022	22 mm
PNM2002-024	24 mm
PNM2002-026	26 mm
PNM2002-028	28 mm
PNM2002-030	30 mm
PNM2002-032	32 mm
PNM2002-034	34 mm
PNM2002-035	35 mm
PNM2002-036	36 mm
PNM2002-038	38 mm
PNM2002-040	40 mm
PNM2002-042	42 mm*
PNM2002-044	44 mm*
PNM2002-045	45 mm
PNM2002-046	46 mm*
PNM2002-048	48 mm*
PNM2002-050	50 mm
PNM2002-055	55 mm
PNM2002-060	60 mm
PNM2002-065	65 mm
PNM2002-070	70 mm

PNM2003
Locking Self Tapping Screw
Ø 5.0 mm



PRODUCT NO. LENGTH

PNM2003-014	14 mm
PNM2003-016	16 mm
PNM2003-018	18 mm
PNM2003-020	20 mm
PNM2003-022	22 mm
PNM2003-024	24 mm
PNM2003-026	26 mm
PNM2003-028	28 mm
PNM2003-030	30 mm
PNM2003-032	32 mm
PNM2003-034	34 mm
PNM2003-036	36 mm
PNM2003-038	38 mm
PNM2003-040	40 mm
PNM2003-042	42 mm
PNM2003-044	44 mm
PNM2003-046	46 mm
PNM2003-048	48 mm
PNM2003-050	50 mm
PNM2003-055	55 mm
PNM2003-060	60 mm
PNM2003-065	65 mm
PNM2003-070	70 mm
PNM2003-075	75 mm
PNM2003-080	80 mm
PNM2003-085	85 mm
PNM2003-090	90 mm
PNM2003-095	95 mm
PNM2003-100	100 mm
PNM2003-105	105 mm
PNM2003-110	110 mm

* These sizes are manufactured on demand

**PNM2022**

Cortical Self Tapping Screw

Ø 2.4 mm

Star Drive

PRODUCT NO. LENGTH

PNM2022-010	10 mm
PNM2022-012	12 mm
PNM2022-014	14 mm
PNM2022-016	16 mm
PNM2022-018	18 mm
PNM2022-020	20 mm
PNM2022-022	22 mm
PNM2022-024	24 mm
PNM2022-026	26 mm
PNM2022-028	28 mm
PNM2022-030	30 mm
PNM2022-032	32 mm
PNM2022-034	34 mm
PNM2022-036	36 mm
PNM2022-038	38 mm
PNM2022-040	40 mm
PNM2022-042	42 mm*
PNM2022-044	44 mm*
PNM2022-046	46 mm*
PNM2022-048	48 mm*
PNM2022-050	50 mm*

PNM2004

Cortical Self Tapping Screw

Ø 2.7 mm

Hex. Drive

PRODUCT NO. LENGTH

PNM2004-010	10 mm
PNM2004-012	12 mm
PNM2004-014	14 mm
PNM2004-016	16 mm
PNM2004-018	18 mm
PNM2004-020	20 mm
PNM2004-022	22 mm
PNM2004-024	24 mm
PNM2004-026	26 mm
PNM2004-028	28 mm
PNM2004-030	30 mm
PNM2004-032	32 mm
PNM2004-034	34 mm
PNM2004-036	36 mm
PNM2004-038	38 mm
PNM2004-040	40 mm
PNM2004-045	45 mm
PNM2004-050	50 mm
PNM2004-055	55 mm
PNM2004-060	60 mm

PNM2005

Cortical Self Tapping Screw

Ø 3.5 mm

Hex. Drive

PRODUCT NO. LENGTH

PNM2005-010	10 mm
PNM2005-012	12 mm
PNM2005-014	14 mm
PNM2005-016	16 mm
PNM2005-018	18 mm
PNM2005-020	20 mm
PNM2005-022	22 mm
PNM2005-024	24 mm
PNM2005-026	26 mm
PNM2005-028	28 mm
PNM2005-030	30 mm
PNM2005-032	32 mm
PNM2005-034	34 mm
PNM2005-036	36 mm
PNM2005-038	38 mm
PNM2005-040	40 mm
PNM2005-045	45 mm
PNM2005-050	50 mm
PNM2005-055	55 mm
PNM2005-060	60 mm
PNM2005-065	65 mm
PNM2005-070	70 mm

PNM2006

Cortical Self Tapping Screw

Ø 4.5 mm

Hex. Drive

PRODUCT NO. LENGTH

PNM2006-014	14 mm
PNM2006-016	16 mm
PNM2006-018	18 mm
PNM2006-020	20 mm
PNM2006-022	22 mm
PNM2006-024	24 mm
PNM2006-026	26 mm
PNM2006-028	28 mm
PNM2006-030	30 mm
PNM2006-032	32 mm
PNM2006-034	34 mm
PNM2006-036	36 mm
PNM2006-038	38 mm
PNM2006-040	40 mm
PNM2006-042	42 mm
PNM2006-044	44 mm
PNM2006-046	46 mm
PNM2006-048	48 mm
PNM2006-050	50 mm
PNM2006-052	52 mm
PNM2006-054	54 mm
PNM2006-056	56 mm
PNM2006-058	58 mm
PNM2006-060	60 mm
PNM2006-065	65 mm
PNM2006-070	70 mm
PNM2006-075	75 mm
PNM2006-080	80 mm
PNM2006-085	85 mm
PNM2006-090	90 mm
PNM2006-095	95 mm
PNM2006-100	100 mm*
PNM2006-105	105 mm*
PNM2006-110	110 mm*

* These sizes are manufactured on demand



PNM2007 Locking Self Drilling Screw

Ø 3.5 mm



PRODUCT NO. LENGTH

PNM2007-010	10 mm
PNM2007-012	12 mm
PNM2007-014	14 mm
PNM2007-016	16 mm
PNM2007-018	18 mm
PNM2007-020	20 mm
PNM2007-022	22 mm
PNM2007-024	24 mm
PNM2007-026	26 mm
PNM2007-028	28 mm
PNM2007-030	30 mm
PNM2007-032	32 mm
PNM2007-034	34 mm
PNM2007-036	36 mm
PNM2007-038	38 mm
PNM2007-040	40 mm
PNM2007-042	42 mm*
PNM2007-044	44 mm*
PNM2007-045	45 mm
PNM2007-046	46 mm*
PNM2007-048	48 mm*
PNM2007-050	50 mm
PNM2007-055	55 mm
PNM2007-060	60 mm
PNM2007-065	65 mm*
PNM2007-070	70 mm*

PNM2008 Locking Self Drilling Screw

Ø 5.0 mm



PRODUCT NO. LENGTH

PNM2008-014	14 mm
PNM2008-016	16 mm
PNM2008-018	18 mm
PNM2008-020	20 mm
PNM2008-022	22 mm
PNM2008-024	24 mm
PNM2008-026	26 mm
PNM2008-028	28 mm
PNM2008-030	30 mm
PNM2008-032	32 mm
PNM2008-034	34 mm
PNM2008-036	36 mm
PNM2008-038	38 mm
PNM2008-040	40 mm
PNM2008-042	42 mm
PNM2008-044	44 mm
PNM2008-046	46 mm
PNM2008-048	48 mm
PNM2008-050	50 mm
PNM2008-055	55 mm
PNM2008-060	60 mm
PNM2008-065	65 mm
PNM2008-070	70 mm
PNM2008-075	75 mm
PNM2008-080	80 mm
PNM2008-085	85 mm
PNM2008-090	90 mm
PNM2008-095	95 mm
PNM2008-100	100 mm
PNM2008-105	105 mm
PNM2008-110	110 mm

* These sizes are manufactured on demand



PNM2009

Locking Cancellous Screw

Ø 3.5 mm



PRODUCT NO.	LENGTH
-------------	--------

PNM2009-014	14 mm
PNM2009-016	16 mm
PNM2009-018	18 mm
PNM2009-020	20 mm
PNM2009-022	22 mm
PNM2009-024	24 mm
PNM2009-026	26 mm
PNM2009-028	28 mm
PNM2009-030	30 mm
PNM2009-032	32 mm
PNM2009-034	34 mm
PNM2009-035	35 mm
PNM2009-036	36 mm
PNM2009-038	38 mm
PNM2009-040	40 mm
PNM2009-042	42 mm*
PNM2009-044	44 mm*
PNM2009-045	45 mm
PNM2009-046	46 mm*
PNM2009-048	48 mm*
PNM2009-050	50 mm
PNM2009-055	55 mm
PNM2009-060	60 mm
PNM2009-065	65 mm
PNM2009-070	70 mm

PNM2010

Locking Cancellous Screw

Ø 5.0 mm



PRODUCT NO.	LENGTH
-------------	--------

PNM2010-030	30 mm
PNM2010-035	35 mm
PNM2010-040	40 mm
PNM2010-045	45 mm
PNM2010-050	50 mm
PNM2010-055	55 mm
PNM2010-060	60 mm
PNM2010-065	65 mm
PNM2010-070	70 mm
PNM2010-075	75 mm
PNM2010-080	80 mm
PNM2010-085	85 mm
PNM2010-090	90 mm
PNM2010-095	95 mm
PNM2010-100	100 mm
PNM2010-105	105 mm
PNM2010-110	110 mm
PNM2010-115	115 mm*
PNM2010-120	120 mm*

* These sizes are manufactured on demand



PNM2025
Fully Threaded
Cancellous Screw
Ø 3.5 mm



PRODUCT NO.	LENGTH
PNM2025-010	10 mm*
PNM2025-012	12 mm*
PNM2025-014	14 mm
PNM2025-016	16 mm
PNM2025-018	18 mm
PNM2025-020	20 mm
PNM2025-022	22 mm
PNM2025-024	24 mm
PNM2025-026	26 mm
PNM2025-028	28 mm
PNM2025-030	30 mm
PNM2025-032	32 mm
PNM2025-034	34 mm
PNM2025-036	36 mm
PNM2025-038	38 mm
PNM2025-040	40 mm
PNM2025-045	45 mm
PNM2025-050	50 mm
PNM2025-055	55 mm
PNM2025-060	60 mm
PNM2025-065	65 mm
PNM2025-070	70 mm

PNM2011
Cancellous Screw
Ø 4.0 mm



PRODUCT NO.	LENGTH	THREADED LENGTH
PNM2011-014	14 mm*	6
PNM2011-016	16 mm*	6
PNM2011-018	18 mm*	6
PNM2011-020	20 mm*	6
PNM2011-022	22 mm*	8
PNM2011-024	24 mm*	8
PNM2011-025	25 mm	10
PNM2011-026	26 mm*	10
PNM2011-028	28 mm*	12
PNM2011-030	30 mm	14
PNM2011-032	32 mm*	14
PNM2011-034	34 mm*	14
PNM2011-035	35 mm	14
PNM2011-036	36 mm*	14
PNM2011-038	38 mm*	14
PNM2011-040	40 mm	16
PNM2011-042	42 mm*	16
PNM2011-044	44 mm*	16
PNM2011-045	45 mm	16
PNM2011-046	46 mm*	16
PNM2011-048	48 mm*	16
PNM2011-050	50 mm	16
PNM2011-055	55 mm	16
PNM2011-060	60 mm	16
PNM2011-065	65 mm	16
PNM2011-070	70 mm	16

PNM2041-TP2
Fully Threaded
Cancellous Screw
Ø 4.0 mm



PRODUCT NO.	LENGTH
PNM2041-TP2-014	14 mm*
PNM2041-TP2-016	16 mm*
PNM2041-TP2-018	18 mm*
PNM2041-TP2-020	20 mm
PNM2041-TP2-022	22 mm*
PNM2041-TP2-024	24 mm*
PNM2041-TP2-025	25 mm
PNM2041-TP2-026	26 mm*
PNM2041-TP2-028	28 mm*
PNM2041-TP2-030	30 mm
PNM2041-TP2-032	32 mm*
PNM2041-TP2-034	34 mm*
PNM2041-TP2-035	35 mm
PNM2041-TP2-036	36 mm*
PNM2041-TP2-038	38 mm*
PNM2041-TP2-040	40 mm
PNM2041-TP2-042	42 mm*
PNM2041-TP2-044	44 mm*
PNM2041-TP2-045	45 mm
PNM2041-TP2-046	46 mm*
PNM2041-TP2-048	48 mm*
PNM2041-TP2-050	50 mm
PNM2041-TP2-055	55 mm
PNM2041-TP2-060	60 mm
PNM2041-TP2-065	65 mm
PNM2041-TP2-070	70 mm

* These sizes are manufactured on demand



PNM2028
Fully Threaded Cancellous
Screw

Ø 5.0 mm



PRODUCT NO.	LENGTH
PNM2028-014	14 mm
PNM2028-016	16 mm
PNM2028-018	18 mm
PNM2028-020	20 mm
PNM2028-022	22 mm
PNM2028-024	24 mm
PNM2028-026	26 mm
PNM2028-028	28 mm
PNM2028-030	30 mm
PNM2028-032	32 mm
PNM2028-034	34 mm
PNM2028-036	36 mm
PNM2028-038	38 mm
PNM2028-040	40 mm
PNM2028-042	42 mm
PNM2028-044	44 mm
PNM2028-046	46 mm
PNM2028-048	48 mm
PNM2028-050	50 mm
PNM2028-055	55 mm
PNM2028-060	60 mm
PNM2028-065	65 mm
PNM2028-070	70 mm
PNM2028-075	75 mm
PNM2028-080	80 mm
PNM2028-085	85 mm
PNM2028-090	90 mm
PNM2028-095	95 mm
PNM2028-100	100 mm
PNM2028-105	105 mm
PNM2028-110	110 mm

PNM2028-TP2
5,0 mm Ø16mm
Cancellous Screw

Ø 5.0 mm



PRODUCT NO.	LENGTH
PNM2028-TP2-040	40 mm
PNM2028-TP2-042	42 mm
PNM2028-TP2-044	44 mm
PNM2028-TP2-046	46 mm
PNM2028-TP2-048	48 mm
PNM2028-TP2-050	50 mm
PNM2028-TP2-055	55 mm
PNM2028-TP2-060	60 mm
PNM2028-TP2-065	65 mm
PNM2028-TP2-070	70 mm
PNM2028-TP2-075	75 mm
PNM2028-TP2-080	80 mm
PNM2028-TP2-085	85 mm
PNM2028-TP2-090	90 mm
PNM2028-TP2-095	95 mm
PNM2028-TP2-100	100 mm
PNM2028-TP2-105	105 mm
PNM2028-TP2-110	110 mm

PNM2028-TP2
5,0 mm Ø32mm
Cancellous Screw

Ø 5.0 mm



PRODUCT NO.	LENGTH
PNM2028-TP2-140	40 mm
PNM2028-TP2-142	42 mm
PNM2028-TP2-144	44 mm
PNM2028-TP2-146	46 mm
PNM2028-TP2-148	48 mm
PNM2028-TP2-150	50 mm
PNM2028-TP2-155	55 mm
PNM2028-TP2-160	60 mm
PNM2028-TP2-165	65 mm
PNM2028-TP2-170	70 mm
PNM2028-TP2-175	75 mm
PNM2028-TP2-180	80 mm
PNM2028-TP2-185	85 mm
PNM2028-TP2-190	90 mm
PNM2028-TP2-195	95 mm
PNM2028-TP2-200	100 mm
PNM2028-TP2-205	105 mm
PNM2028-TP2-210	110 mm



PNM2012
Cancellous Screw 16 mm

Ø 6.5 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2012-030	30*	16
PNM2012-035	35*	16
PNM2012-040	40	16
PNM2012-045	45	16
PNM2012-050	50	16
PNM2012-055	55	16
PNM2012-060	60	16
PNM2012-065	65	16
PNM2012-070	70	16
PNM2012-075	75	16
PNM2012-080	80	16
PNM2012-085	85	16
PNM2012-090	90	16
PNM2012-095	95	16
PNM2012-100	100	16
PNM2012-105	105	16
PNM2012-110	110	16 *

PNM2029
Cancellous Screw 32 mm

Ø 6.5 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2029-045	45	32
PNM2029-050	50	32
PNM2029-055	55	32
PNM2029-060	60	32
PNM2029-065	65	32
PNM2029-070	70	32
PNM2029-075	75	32
PNM2029-080	80	32
PNM2029-085	85	32
PNM2029-090	90	32
PNM2029-095	95	32
PNM2029-100	100	32
PNM2029-105	105	32
PNM2029-110	110	32
PNM2029-115	115	32 *
PNM2029-120	120	32 *

PNM2030
Fully Threaded
Cancellous Screw

Ø 6.5 mm



PRODUCT NO.	LENGTH (mm)
PNM2030-025	25
PNM2030-030	30
PNM2030-035	35
PNM2030-040	40
PNM2030-045	45
PNM2030-050	50
PNM2030-055	55
PNM2030-060	60
PNM2030-065	65
PNM2030-070	70
PNM2030-075	75
PNM2030-080	80
PNM2030-085	85
PNM2030-090	90
PNM2030-095	95
PNM2030-100	100
PNM2030-105	105 *
PNM2030-110	110 *
PNM2030-115	115 *
PNM2030-120	120 *

* These sizes are manufactured on demand



PNM2013
Headless Cannulated
Compression Screw
Ø 2.5 mm



PRODUCT NO. LENGTH

PNM2013-008	08 mm
PNM2013-009	09 mm
PNM2013-010	10 mm
PNM2013-011	11 mm
PNM2013-012	12 mm
PNM2013-013	13 mm
PNM2013-014	14 mm
PNM2013-015	15 mm
PNM2013-016	16 mm
PNM2013-017	17 mm
PNM2013-018	18 mm
PNM2013-019	19 mm
PNM2013-020	20 mm
PNM2013-022	22 mm
PNM2013-024	24 mm
PNM2013-026	26 mm
PNM2013-028	28 mm
PNM2013-030	30 mm

PNM2014
Headless Cannulated
Compression Screw
Ø 3.5 mm



PRODUCT NO. LENGTH

PNM2014-016	16 mm
PNM2014-018	18 mm
PNM2014-020	20 mm
PNM2014-022	22 mm
PNM2014-024	24 mm
PNM2014-026	26 mm
PNM2014-028	28 mm
PNM2014-030	30 mm
PNM2014-032	32 mm
PNM2014-034	34 mm
PNM2014-036	36 mm
PNM2014-038	38 mm
PNM2014-040	40 mm

PNM2015
Headless Cannulated
Compression Screw
Ø 4.0 mm



PRODUCT NO. LENGTH

PNM2015-016	16 mm
PNM2015-018	18 mm
PNM2015-020	20 mm
PNM2015-022	22 mm
PNM2015-024	24 mm
PNM2015-026	26 mm
PNM2015-028	28 mm
PNM2015-030	30 mm
PNM2015-032	32 mm
PNM2015-034	34 mm
PNM2015-036	36 mm
PNM2015-038	38 mm
PNM2015-040	40 mm
PNM2015-042	42 mm
PNM2015-044	44 mm
PNM2015-046	46 mm
PNM2015-048	48 mm
PNM2015-050	50 mm
PNM2015-052	52 mm
PNM2015-054	54 mm
PNM2015-056	56 mm
PNM2015-058	58 mm
PNM2015-060	60 mm



PNM2016
Headless Cannulated
Compression Screw
Ø 5.0 mm



PRODUCT NO. LENGTH

PNM2016-020	20 mm
PNM2016-025	25 mm
PNM2016-030	30 mm
PNM2016-035	35 mm
PNM2016-040	40 mm
PNM2016-045	45 mm
PNM2016-050	50 mm
PNM2016-055	55 mm
PNM2016-060	60 mm
PNM2016-065	65 mm
PNM2016-070	70 mm
PNM2016-075	75 mm
PNM2016-080	80 mm
PNM2016-085	85 mm

PNM2044
Headless Cannulated
Compression Screw
Ø 6.5 mm



PRODUCT NO. LENGTH

PNM2044-030	30 mm
PNM2044-035	35 mm
PNM2044-040	40 mm
PNM2044-045	45 mm
PNM2044-050	50 mm
PNM2044-055	55 mm
PNM2044-060	60 mm
PNM2044-065	65 mm
PNM2044-070	70 mm
PNM2044-075	75 mm
PNM2044-080	80 mm
PNM2044-085	85 mm
PNM2044-090	90 mm
PNM2044-095	95 mm
PNM2044-100	100 mm





PNM3003
Malleolar Screw

Ø 4.5 mm



Hex. Drive

PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM3003-025	25	12
PNM3003-030	30	15
PNM3003-035	35	18
PNM3003-040	40	20
PNM3003-045	45	22
PNM3003-050	50	24
PNM3003-055	55	26
PNM3003-060	60	28
PNM3003-065	65	30
PNM3003-070	70	32

PNM2039
Locking Peg

Ø 2.0 mm



Star Drive

PRODUCT NO.	LENGTH (mm)
PNM2039-008	08
PNM2039-010	10
PNM2039-012	12
PNM2039-014	14
PNM2039-016	16
PNM2039-018	18
PNM2039-020	20
PNM2039-022	22
PNM2039-024	24
PNM2039-026	26
PNM2039-028	28
PNM2039-030	30
PNM2039-032	32
PNM2039-034	34
PNM2039-036	36
PNM2039-038	38





PNM2038
Half Threaded
Cannulated Compression Screw

Ø 2.7 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2038-520	20	7
PNM2038-522	22	7
PNM2038-624	24	8
PNM2038-626	26	9
PNM2038-628	28	9
PNM2038-630	30	10
PNM2038-632	32	12
PNM2038-634	34	12
PNM2038-636	36	12
PNM2038-638	38	14
PNM2038-640	40	14

PNM2017
Half Threaded Cannulated
Compression Screw

Ø 3.5 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2017-020	20	10
PNM2017-022	22	11
PNM2017-024	24	12
PNM2017-026	26	13
PNM2017-028	28	14
PNM2017-030	30	15
PNM2017-032	32	16
PNM2017-034	34	16
PNM2017-036	36	16
PNM2017-038	38	16
PNM2017-040	40	16
PNM2017-042	42	16
PNM2017-044	44	16
PNM2017-046	46	16
PNM2017-048	48	16
PNM2017-050	50	16
PNM2017-055	55*	16
PNM2017-060	60*	16
PNM2017-065	65*	16
PNM2017-070	70*	16

PNM2046
Fully Threaded
Cannulated
Compression Screw

Ø 3.5 mm



PRODUCT NO.	LENGTH (mm)
PNM2046-020	20
PNM2046-022	22
PNM2046-024	24
PNM2046-026	26
PNM2046-028	28
PNM2046-030	30
PNM2046-032	32
PNM2046-034	34
PNM2046-036	36
PNM2046-038	38
PNM2046-040	40
PNM2046-042	42
PNM2046-044	44
PNM2046-046	46
PNM2046-048	48
PNM2046-050	50
PNM2046-055	55*
PNM2046-060	60*
PNM2046-065	65*
PNM2046-070	70*



PNM3001
Screw Fixture

PRODUCT NO.	Size(mm)
PNM3001-350	3,5

* These sizes are manufactured on demand



PNM2018
Half Threaded Cannulated
Compression Screw

Ø 4.5 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2018-020	20	6
PNM2018-025	25	8
PNM2018-030	30	10
PNM2018-032	32	10
PNM2018-034	34	10
PNM2018-036	36	12
PNM2018-038	38	12
PNM2018-040	40	12
PNM2018-042	42	14
PNM2018-044	44	14
PNM2018-046	46	14
PNM2018-048	48	16
PNM2018-050	50	16
PNM2018-055	55*	18
PNM2018-060	60*	20
PNM2018-065	65*	20
PNM2018-070	70*	24

* These sizes are manufactured on demand

PNM2047
Fully Threaded Cannulated
Compression Screw

Ø 4.5 mm



PRODUCT NO.	LENGTH (mm)
PNM2047-020	20
PNM2047-025	25
PNM2047-030	30
PNM2047-032	32
PNM2047-034	34
PNM2047-036	36
PNM2047-038	38
PNM2047-040	40
PNM2047-042	42
PNM2047-044	44
PNM2047-046	46
PNM2047-048	48
PNM2047-050	50
PNM2047-055	55*
PNM2047-060	60*
PNM2047-065	65*
PNM2047-070	70*



PNM3001
Screw Fixture

PRODUCT NO.	Size(mm)
PNM3001-450	4,5



PNM2060
Half Threaded Cannulated
Compression Screw

Ø 6.5 16 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2060-040	40*	16
PNM2060-045	45*	16
PNM2060-050	50	16
PNM2060-055	55	16
PNM2060-060	60	16
PNM2060-065	65	16
PNM2060-070	70	16
PNM2060-075	75	16
PNM2060-080	80	16
PNM2060-085	85	16
PNM2060-090	90	16
PNM2060-095	95	16
PNM2060-100	100	16
PNM2060-105	105*	16
PNM2060-110	110*	16
PNM2060-115	115*	16
PNM2060-120	120*	16

PNM2059
Half Threaded Cannulated
Compression Screw

Ø 6.5 32 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2059-040	40*	32
PNM2059-045	45*	32
PNM2059-050	50	32
PNM2059-055	55	32
PNM2059-060	60	32
PNM2059-065	65	32
PNM2059-070	70	32
PNM2059-075	75	32
PNM2059-080	80	32
PNM2059-085	85	32
PNM2059-090	90	32
PNM2059-095	95	32
PNM2059-100	100	32
PNM2059-105	105*	32
PNM2059-110	110*	32
PNM2059-115	115*	32
PNM2059-120	120*	32

PNM2048
Fully Threaded Cannulated
Compression Screw

Ø 6.5 mm



PRODUCT NO.	LENGTH (mm)
PNM2048-040	40
PNM2048-045	45
PNM2048-050	50
PNM2048-055	55
PNM2048-060	60
PNM2048-065	65
PNM2048-070	70
PNM2048-075	75
PNM2048-080	80
PNM2048-085	85
PNM2048-090	90
PNM2048-095	95
PNM2048-100	100
PNM2048-105	105*
PNM2048-110	110*
PNM2048-115	115*
PNM2048-120	120*

* These sizes are manufactured on demand



PNM3001
Screw Fixture

PRODUCT NO.	Size(mm)
PNM3001-650	6,5



PNM2020
Half Threaded Cannulated
Compression Screw
Ø 7.3 16 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2020-040	40*	16
PNM2020-045	45*	16
PNM2020-050	50	16
PNM2020-055	55	16
PNM2020-060	60	16
PNM2020-065	65	16
PNM2020-070	70	16
PNM2020-075	75	16
PNM2020-080	80	16
PNM2020-085	85	16
PNM2020-090	90	16
PNM2020-095	95	16
PNM2020-100	100	16
PNM2020-105	105*	16
PNM2020-110	110*	16
PNM2020-115	115*	16
PNM2020-120	120*	16

PNM2019
Half Threaded Cannulated
Compression Screw
Ø 7.3 32 mm



PRODUCT NO.	LENGTH (mm)	THREADED LENGTH
PNM2019-040	40*	32
PNM2019-045	45*	32
PNM2019-050	50	32
PNM2019-055	55	32
PNM2019-060	60	32
PNM2019-065	65	32
PNM2019-070	70	32
PNM2019-075	75	32
PNM2019-080	80	32
PNM2019-085	85	32
PNM2019-090	90	32
PNM2019-095	95	32
PNM2019-100	100	32
PNM2019-105	105*	32
PNM2019-110	110*	32
PNM2019-115	115*	32
PNM2019-120	120*	32

PNM2049
Fully Threaded Cannulated
Compression Screw
Ø 7.3mm



PRODUCT NO.	LENGTH (mm)
PNM2049-040	40*
PNM2049-045	45*
PNM2049-050	50
PNM2049-055	55
PNM2049-060	60
PNM2049-065	65
PNM2049-070	70
PNM2049-075	75
PNM2049-080	80
PNM2049-085	85
PNM2049-090	90
PNM2049-095	95
PNM2049-100	100
PNM2049-105	105*
PNM2049-110	110*
PNM2049-115	115*
PNM2049-120	120*

* These sizes are manufactured on demand



PNM3001
Screw Fixture

PRODUCT NO.	Size(mm)
PNM3001-730	7,3



PNM3017
Cannulated Compression
Locking Screw
Ø 3,5 mm



PRODUCT NO. LENGTH

PNM3017-012	12 mm*
PNM3017-014	14 mm*
PNM3017-016	16 mm*
PNM3017-018	18 mm*
PNM3017-020	20 mm*
PNM3017-022	22 mm*
PNM3017-024	24 mm*
PNM3017-026	26 mm*
PNM3017-028	28 mm*
PNM3017-030	30 mm
PNM3017-032	32 mm*
PNM3017-034	34 mm*
PNM3017-035	35 mm
PNM3017-036	36 mm*
PNM3017-038	38 mm*
PNM3017-040	40 mm
PNM3017-045	45 mm
PNM3017-050	50 mm
PNM3017-055	55 mm
PNM3017-060	60 mm
PNM3017-065	65 mm
PNM3017-070	70 mm
PNM3017-075	75 mm*
PNM3017-080	80 mm*

PNM3018
Cannulated Compression
Locking Screw
Ø 5.0



PRODUCT NO. LENGTH

PNM3018-012	12 mm*
PNM3018-014	14 mm
PNM3018-016	16 mm
PNM3018-018	18 mm
PNM3018-020	20 mm
PNM3018-022	22 mm
PNM3018-024	24 mm
PNM3018-026	26 mm
PNM3018-028	28 mm
PNM3018-030	30 mm
PNM3018-032	32 mm
PNM3018-034	34 mm
PNM3018-036	36 mm
PNM3018-038	38 mm
PNM3018-040	40 mm
PNM3018-042	42 mm
PNM3018-044	44 mm
PNM3018-045	45 mm
PNM3018-046	46 mm
PNM3018-048	48 mm
PNM3018-050	50 mm
PNM3018-055	55 mm
PNM3018-060	60 mm
PNM3018-065	65 mm
PNM3018-070	70 mm

PNM3018
Cannulated Compression
Locking Screw
Ø 6,5 mm



PRODUCT NO. LENGTH

PNM3018-075	75 mm
PNM3018-080	80 mm
PNM3018-085	85 mm
PNM3018-090	90 mm
PNM3018-095	95 mm
PNM3018-100	100 mm
PNM3018-105	105 mm
PNM3018-110	110 mm
PNM3018-115	115 mm*
PNM3018-120	120 mm*

* These sizes are manufactured on demand



PNM2054
2,5 mm Herbert
Cannulated Short
Threaded Screw
Ø 2.5 mm



PRODUCT NO.	LENGTH (mm)
-------------	-------------

PNM2054-010	10
PNM2054-011	11
PNM2054-012	12
PNM2054-013	13
PNM2054-014	14
PNM2054-015	15
PNM2054-016	16
PNM2054-017	17
PNM2054-018	18
PNM2054-019	19
PNM2054-020	20
PNM2054-022	22
PNM2054-024	24
PNM2054-026	26
PNM2054-028	28
PNM2054-030	30
PNM2054-032	32
PNM2054-034	34
PNM2054-036	36
PNM2054-038	38
PNM2054-040	40

PNM2055
3,0 mm Herbert
Cannulated Short
Threaded Screw
Ø 3.0 mm



PRODUCT NO.	LENGTH (mm)
-------------	-------------

PNM2055-010	10
PNM2055-011	11
PNM2055-012	12
PNM2055-013	13
PNM2055-014	14
PNM2055-015	15
PNM2055-016	16
PNM2055-017	17
PNM2055-018	18
PNM2055-019	19
PNM2055-020	20
PNM2055-022	22
PNM2055-024	24
PNM2055-026	26
PNM2055-028	28
PNM2055-030	30
PNM2055-032	32
PNM2055-034	34
PNM2055-036	36
PNM2055-038	38
PNM2055-040	40

PNM2056
3,5 mm Herbert
Cannulated Short
Threaded Screw
Ø 3.5 mm



PRODUCT NO.	LENGTH (mm)
-------------	-------------

PNM2056-020	20
PNM2056-022	22
PNM2056-024	24
PNM2056-026	26
PNM2056-028	28
PNM2056-030	30
PNM2056-032	32
PNM2056-034	34
PNM2056-036	36
PNM2056-038	38
PNM2056-040	40
PNM2056-042	42
PNM2056-044	44
PNM2056-046	46
PNM2056-048	48
PNM2056-050	50

PNM2057
4,0 mm Herbert
Cannulated Short
Threaded Screw
Ø 4.0 mm



PRODUCT NO.	LENGTH (mm)
-------------	-------------

PNM2057-020	20
PNM2057-022	22
PNM2057-024	24
PNM2057-026	26
PNM2057-028	28
PNM2057-030	30
PNM2057-032	32
PNM2057-034	34
PNM2057-036	36
PNM2057-038	38
PNM2057-040	40
PNM2057-042	42
PNM2057-044	44
PNM2057-046	46
PNM2057-048	48
PNM2057-050	50
PNM2057-052	52
PNM2057-054	54
PNM2057-056	56
PNM2057-058	58
PNM2057-060	60





Nail Series





PNM3019
Ftna Femoral Trochanteric
Nail Screw Long

FTNA Implant

PRODUCT NO. DIA X LENGTH

PNM3019-132	Ø 9 x 320 L	
PNM3019-134	Ø 9 x 340 L	
PNM3019-136	Ø 9 x 360 L	
PNM3019-138	Ø 9 x 380 L	
PNM3019-140	Ø 9 x 400 L	
PNM3019-142	Ø 9 x 420 L	
PNM3019-232	Ø 9 x 320 R	
PNM3019-234	Ø 9 x 340 R	
PNM3019-236	Ø 9 x 360 R	
PNM3019-238	Ø 9 x 380 R	
PNM3019-240	Ø 9 x 400 R	
PNM3019-242	Ø 9 x 420 R	
PNM3019-332	Ø 10 x 320 L	
PNM3019-334	Ø 10 x 340 L	
PNM3019-336	Ø 10 x 360 L	
PNM3019-338	Ø 10 x 380 L	
PNM3019-340	Ø 10 x 400 L	
PNM3019-342	Ø 10 x 420 L	
PNM3019-432	Ø 10 x 320 R	
PNM3019-434	Ø 10 x 340 R	
PNM3019-436	Ø 10 x 360 R	
PNM3019-438	Ø 10 x 380 R	
PNM3019-440	Ø 10 x 400 R	
PNM3019-442	Ø 10 x 420 R	
PNM3019-532	Ø 11 x 320 L	PNM3019-732 Ø 12 x 320 L
PNM3019-534	Ø 11 x 340 L	PNM3019-734 Ø 12 x 340 L
PNM3019-536	Ø 11 x 360 L	PNM3019-736 Ø 12 x 360 L
PNM3019-538	Ø 11 x 380 L	PNM3019-738 Ø 12 x 380 L
PNM3019-540	Ø 11 x 400 L	PNM3019-740 Ø 12 x 400 L
PNM3019-542	Ø 11 x 420 L	PNM3019-742 Ø 12 x 420 L
PNM3019-544	Ø 11 x 440 L	PNM3019-744 Ø 12 x 440 L
PNM3019-632	Ø 11 x 320 R	PNM3019-832 Ø 12 x 320 R
PNM3019-634	Ø 11 x 340 R	PNM3019-834 Ø 12 x 340 R
PNM3019-636	Ø 11 x 360 R	PNM3019-836 Ø 12 x 360 R
PNM3019-638	Ø 11 x 380 R	PNM3019-838 Ø 12 x 380 R
PNM3019-640	Ø 11 x 400 R	PNM3019-840 Ø 12 x 400 R
PNM3019-642	Ø 11 x 420 R	PNM3019-842 Ø 12 x 420 R
PNM3019-644	Ø 11 x 440 R	PNM3019-844 Ø 12 x 440 R



PNM3019
Ftna Femoral Trochanteric
Nail Screw Short

PRODUCT NO. DIA X LENGTH

PNM3019-008	Ø 9 x 170
PNM3019-009	Ø 9 x 200
PNM3019-109	Ø 9 x 240
PNM3019-007	Ø 10 x 170
PNM3019-010	Ø 10 x 200
PNM3019-110	Ø 10 x 240
PNM3019-006	Ø 11 x 170
PNM3019-011	Ø 11 x 200
PNM3019-111	Ø 11 x 240
PNM3019-005	Ø 12 x 170
PNM3019-012	Ø 12 x 200
PNM3019-112	Ø 12 x 240

PNM3020
Ftna Roughshod Blade Screw

PRODUCT NO. LENGTH (mm)

PNM3020-070	70
PNM3020-075	75
PNM3020-080	80
PNM3020-085	85
PNM3020-090	90
PNM3020-095	95
PNM3020-100	100
PNM3020-105	105
PNM3020-110	110
PNM3020-115	115
PNM3020-120	120



PNM3021
Ftna Locking Self
Tapping Screw

FTNA Implant

PRODUCT NO. LENGTH (mm)

PNM3021-026	26
PNM3021-028	28
PNM3021-030	30
PNM3021-032	32
PNM3021-034	34
PNM3021-036	36
PNM3021-038	38
PNM3021-040	40
PNM3021-042	42
PNM3021-044	44
PNM3021-046	46
PNM3021-048	48
PNM3021-050	50
PNM3021-052	52
PNM3021-054	54
PNM3021-056	56
PNM3021-058	58
PNM3021-060	60
PNM3021-065	65
PNM3021-070	70
PNM3021-075	75
PNM3021-080	80
PNM3021-085	85
PNM3021-090	90
PNM3021-095	95
PNM3021-100	100
PNM3021-105	105
PNM3021-110	110



PNM3022
Ftna End Cup Screw Standart

PRODUCT NO.

PNM3022-001
PNM3022-020





Lateral Femur Implant

PNM3209

Lateral Intramedullary Femur Nail

PRODUCT NO.	Dia(mm)	Length(mm)	Side
PNM3209-320	9.5	320	L
PNM3209-340	9.5	340	L
PNM3209-360	9.5	360	L
PNM3209-380	9.5	380	L
PNM3209-400	9.5	400	L
PNM3209-420	9.5	420	L
PNM3209-520	9.5	320	R
PNM3209-540	9.5	340	R
PNM3209-560	9.5	360	R
PNM3209-580	9.5	380	R
PNM3209-600	9.5	400	R
PNM3209-620	9.5	420	R

PNM3210

Lateral Intramedullary Femur Nail

PRODUCT NO.	Dia(mm)	Length(mm)	Side
PNM3210-320	10	320	L
PNM3210-340	10	340	L
PNM3210-360	10	360	L
PNM3210-380	10	380	L
PNM3210-400	10	400	L
PNM3210-420	10	420	L
PNM3210-440	10	440	L
PNM3210-520	10	320	R
PNM3210-540	10	340	R
PNM3210-560	10	360	R
PNM3210-580	10	380	R
PNM3210-600	10	400	R
PNM3210-620	10	420	R
PNM3210-640	10	440	R

PNM3211

Lateral Intramedullary Femur Nail

PRODUCT NO.	Dia(mm)	Length(mm)	Side
PNM3211-320	11	320	L
PNM3211-340	11	340	L
PNM3211-360	11	360	L
PNM3211-380	11	380	L
PNM3211-400	11	400	L
PNM3211-420	11	420	L
PNM3211-440	11	440	L
PNM3211-520	11	320	R
PNM3211-540	11	340	R
PNM3211-560	11	360	R
PNM3211-580	11	380	R
PNM3211-600	11	400	R
PNM3211-620	11	420	R
PNM3211-640	11	440	R

PNM3212

Lateral Intramedullary Femur Nail

PRODUCT NO.	Dia(mm)	Length(mm)	Side
PNM3212-320	12	320	L
PNM3212-340	12	340	L
PNM3212-360	12	360	L
PNM3212-380	12	380	L
PNM3212-400	12	400	L
PNM3212-420	12	420	L
PNM3212-440	12	440	L
PNM3212-520	12	320	R
PNM3212-540	12	340	R
PNM3212-560	12	360	R
PNM3212-580	12	380	R
PNM3212-600	12	400	R
PNM3212-620	12	420	R
PNM3212-640	12	440	R





Lateral Femur Implant

PNM3213

Lateral Intramedullary Femur Nail

PRODUCT NO.	Dia(mm)	Length(mm)	Side
PNM3213-320	13	320	L
PNM3213-340	13	340	L
PNM3213-360	13	360	L
PNM3213-380	13	380	L
PNM3213-400	13	400	L
PNM3213-420	13	420	L
PNM3213-440	13	440	L
PNM3213-520	13	320	R
PNM3213-540	13	340	R
PNM3213-560	13	360	R
PNM3213-580	13	380	R
PNM3213-600	13	420	R
PNM3213-620	13	440	R
PNM3213-640	13	440	R

PNM3064

Hip Screw 6.4

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3064-065	6.4	65
PNM3064-070	6.4	70
PNM3064-075	6.4	75
PNM3064-080	6.4	80
PNM3064-085	6.4	85
PNM3064-090	6.4	90
PNM3064-095	6.4	95
PNM3064-100	6.4	100
PNM3064-105	6.4	105
PNM3064-110	6.4	110
PNM3064-115	6.4	115



Hex. Drive

PNM3034

Locking Screw 5.0

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3034-026	5.0	26
PNM3034-028	5.0	28
PNM3034-030	5.0	30
PNM3034-032	5.0	32
PNM3034-034	5.0	34
PNM3034-036	5.0	36
PNM3034-038	5.0	38
PNM3034-040	5.0	40
PNM3034-042	5.0	42
PNM3034-044	5.0	44
PNM3034-046	5.0	46
PNM3034-048	5.0	48
PNM3034-050	5.0	50
PNM3034-052	5.0	52
PNM3034-054	5.0	54
PNM3034-056	5.0	56
PNM3034-058	5.0	58
PNM3034-060	5.0	60
PNM3034-062	5.0	62
PNM3034-064	5.0	64
PNM3034-066	5.0	66
PNM3034-068	5.0	68
PNM3034-070	5.0	70
PNM3034-072	5.0	72
PNM3034-074	5.0	74
PNM3034-076	5.0	76
PNM3034-078	5.0	78
PNM3034-080	5.0	80
PNM3034-085	5.0	85
PNM3034-090	5.0	90
PNM3034-095	5.0	95
PNM3034-100	5.0	100

PNM3038

End Cap

PRODUCT NO.	Length(mm)
PNM3038-000	0
PNM3038-005	5
PNM3038-010	10
PNM3038-015	15
PNM3038-020	20



**PNM3308****Cannulated Tibial Intramedullary Nails**

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3308-270	8.5	270
PNM3308-285	8.5	285
PNM3308-300	8.5	300
PNM3308-315	8.5	315
PNM3308-330	8.5	330
PNM3308-345	8.5	345
PNM3308-360	8.5	360
PNM3308-375	8.5	375

PNM3309**Cannulated Tibial Intramedullary Nails**

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3309-270	9	270
PNM3309-285	9	285
PNM3309-300	9	300
PNM3309-315	9	315
PNM3309-330	9	330
PNM3309-345	9	345
PNM3309-360	9	360
PNM3309-375	9	375

PNM3312**Cannulated Tibial Intramedullary Nails**

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3312-270	12	270
PNM3312-285	12	285
PNM3312-300	12	300
PNM3312-315	12	315
PNM3312-330	12	330
PNM3312-345	12	345
PNM3312-360	12	360
PNM3312-375	12	375

Cannulated Tibial Implant**PNM3310****Cannulated Tibial Intramedullary Nails**

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3310-270	10	270
PNM3310-285	10	285
PNM3310-300	10	300
PNM3310-315	10	315
PNM3310-330	10	330
PNM3310-345	10	345
PNM3310-360	10	360
PNM3310-375	10	375

PNM3311**Cannulated Tibial Intramedullary Nails**

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3311-270	11	270
PNM3311-285	11	285
PNM3311-300	11	300
PNM3311-315	11	315
PNM3311-330	11	330
PNM3311-345	11	345
PNM3311-360	11	360
PNM3311-375	11	375



Cannulated Tibial Implant

PNM3048 Locking Screw 4.5

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3048-026	4.5	26
PNM3048-028	4.5	28
PNM3048-030	4.5	30
PNM3048-032	4.5	32
PNM3048-034	4.5	34
PNM3048-036	4.5	36
PNM3048-038	4.5	38
PNM3048-040	4.5	40
PNM3048-042	4.5	42
PNM3048-044	4.5	44
PNM3048-046	4.5	46
PNM3048-048	4.5	48
PNM3048-050	4.5	50
PNM3048-052	4.5	52
PNM3048-054	4.5	54
PNM3048-056	4.5	56
PNM3048-058	4.5	58
PNM3048-060	4.5	60
PNM3048-062	4.5	62
PNM3048-064	4.5	64
PNM3048-066	4.5	66
PNM3048-070	4.5	70
PNM3048-075	4.5	75
PNM3048-080	4.5	80
PNM3048-085	4.5	85




PNM3036 Cancellous Locking Screw 4.8

PRODUCT NO.	Dia(mm)	Length(mm)
PNM3036-025	4.8	25
PNM3036-030	4.8	30
PNM3036-035	4.8	35
PNM3036-040	4.8	40
PNM3036-045	4.8	45
PNM3036-050	4.8	50
PNM3036-055	4.8	55
PNM3036-060	4.8	60
PNM3036-065	4.8	65
PNM3036-070	4.8	70
PNM3036-075	4.8	75
PNM3036-080	4.8	80
PNM3036-085	4.8	85
PNM3036-090	4.8	90

PNM3039 End Cap

PRODUCT NO.	Length(mm)
PNM3039-000	0
PNM3039-005	5
PNM3039-010	10
PNM3039-015	15




Locking
Mini Plate




PNM5001 Mini Hand Plate Straight Short

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5001	4,6 mm	1,0 mm	22,6 mm



PNM5002 Mini Hand Plate Straight Long

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5002	4,6 mm	1,0 mm	34,6 mm




PNM5003 Mini Narrow T Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5003	12,6 mm	1,0 mm	22,6 mm



PNM5004 Mini Broad T Hand Plate


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5004	12,6 mm	1,0 mm	26,6 mm






PNM5005 Mini Y Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5005	12,2 mm	1,0 mm	22,6 mm




PNM5006-022 Mini 2x2 Bridge Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5006-022	10,6 mm	1,0 mm	20,6 mm




PNM5006-032 Mini 3x2 Bridge Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5006-032	10,2 mm	1,0 mm	23,6 mm



PNM5006-042 Mini 4x2 Bridge Hand Plate


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5006-042	12 mm	1,3 mm	34,6 mm






PNM5007 Hand Plate Straight Short

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5007	4,6 mm	1,0 mm	28,6 mm



PNM5008 Hand Plate Straight Long

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5008	4,6 mm	1,3 mm	26,6 mm




PNM5009 Narrow T Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5009	12,6 mm	1,3 mm	22,6 mm



PNM5010 Broad T Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5010	12,6 mm	1,3 mm	26,6 mm






PNM5014

Hand&Foot Plate Straight Long


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5014	4,6 mm	1,3 mm	36,6 mm



PNM5015

T Hand&Foot Plate


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5015	10,6 mm	1,3 mm	26,6 mm



PNM5016-000

L Left Hand&Foot Plate


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5016-000	9,6 mm	1,3 mm	28,6 mm



PNM5016-100

L Right Hand&Foot Plate


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5016-100	9,6 mm	1,3 mm	28,6 mm






PNM5011
Y Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5011	12,2 mm	1,3 mm	28,6 mm




PNM5012-000
L Left Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5012-000	9,6 mm	1,0 mm	22,6 mm




PNM5012-100
L Right Hand Plate

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5012-100	9,6 mm	1,0 mm	22,6 mm



PNM5013
Hand&Foot Plate Straight Short

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5013	4,6 mm	1,3 mm	24,6 mm






PNM5017-000

L Oblique Left Hand&Foot Plate


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5017-000	9,6 mm	1,3 mm	30,9 mm



PNM5017-100

L Oblique Right Hand&Foot Plate


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5017-100	9,6 mm	1,3 mm	30,9 mm



PNM5018

H Hand&Foot Plate Short


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5018	12 mm	1,0 mm	24,6 mm



PNM5019

H Hand&Foot Plate Long

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5019	16,6 mm	1,3 mm	28,6 mm





PNM2031
1,5 mm Locking Self
Tapping Screw



PRODUCT NO.	LENGTH(mm)
PNM2031-006	6
PNM2031-007	7
PNM2031-008	8
PNM2031-009	9
PNM2031-010	10
PNM2031-011	11
PNM2031-012	12
PNM2031-013	13
PNM2031-014	14
PNM2031-015	15
PNM2031-016	16
PNM2031-018	18
PNM2031-020	20
PNM2031-022	22
PNM2031-024	24

PNM2032
2,0 mm Locking Self
Tapping Screw



PRODUCT NO.	LENGTH(mm)
PNM2032-008	8
PNM2032-010	10
PNM2032-012	12
PNM2032-014	14
PNM2032-016	16
PNM2032-018	18
PNM2032-020	20
PNM2032-022	22
PNM2032-024	24
PNM2032-026	26
PNM2032-028	28
PNM2032-030	30
PNM2032-032	32
PNM2032-034	34






Non Locking
Mini Plate




PNM5021
Hand Plate Straight Short
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5021	4,6 mm	1,0 mm	22,6 mm




PNM5022
Hand Plate Straight Long
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5022	4,6 mm	1,0 mm	34,6 mm




PNM5023
Mini Narrow T Hand Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5023	12,6 mm	1,0 mm	22,6 mm



PNM5024
Mini Broad T Hand Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5024	12,6 mm	1,0 mm	26,6 mm






PNM5025

Mini Y Hand Plate
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5025	12,2 mm	1,0 mm	22,6 mm



PNM5026 - 22

Mini 2x2 Bridg Hand Plate
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5026-22	10,6 mm	1,0 mm	20,6 mm



PNM5026 - 32

Mini 3x2 Bridg Hand Plate
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5026-32	10,2 mm	1,0 mm	23,6 mm



PNM5026 - 42

Mini 4x2 Bridg Hand Plate
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5026-42	12,0 mm	1,3 mm	34,6 mm






PNM5027
Hand Plate Straight Short
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5027	4,6 mm	1,0 mm	28,6 mm




PNM5028
Hand Plate Straight Long
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5028	4,6 mm	1,3 mm	26,6 mm




PNM5029
Narrow T Hand Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5029	12,6 mm	1,3 mm	22,6 mm



PNM5032 - 000
L Left Hand Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5032-000	9,6 mm	1,0 mm	22,6 mm






PNM5032 - 100

L Right Hand Plate
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5032-100	9,6 mm	1,0 mm	22,6 mm



PNM5033

Hand & Foot Plate Straight Short
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5033	4,6 mm	1,3 mm	24,6 mm



PNM5034

Hand & Foot Plate Straight Long
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5034	4,6 mm	1,3 mm	36,6 mm



PNM5035

T Hand & Foot Plate
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5035	10,6 mm	1,3 mm	26,6 mm






PNM5036 - 000
L Left Hand & Foot Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5036-000	9,6 mm	1,3 mm	28,6 mm




PNM5036 - 100
L Right Hand & Foot Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5036-100	9,6 mm	1,3 mm	28,6 mm




PNM5037 - 100
L Oblique Hand Right & Foot Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5037-100	9,6 mm	1,3 mm	30,9 mm



PNM5037 - 000
L Oblique Left Hand & Foot Plate
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5037-000	9,6 mm	1,3 mm	30,9 mm






PNM5038

H Hand & Foot Plate Short
Non Locking


PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5038	12,0 mm	1,0 mm	24,6 mm



PNM5039

H Hand & Foot Plate Long
Non Locking

PRODUCT NO.	WIDTH	THICKNESS	LENGTH
PNM5039	16,6 mm	1,3 mm	28,6 mm



PNM2033

1,5 mm Cortical Self
Tapping Screw



PRODUCT NO.	LENGTH(mm)
PNM2033-006	6
PNM2033-007	7
PNM2033-008	8
PNM2033-009	9
PNM2033-010	10
PNM2033-011	11
PNM2033-012	12
PNM2033-013	13
PNM2033-014	14
PNM2033-015	15
PNM2033-016	16
PNM2033-018	18
PNM2033-020	20
PNM2033-022	22
PNM2033-024	24

PNM2034

2,0 mm Cortical Self
Tapping Screw



PRODUCT NO.	LENGTH(mm)
PNM2034-008	8
PNM2034-010	10
PNM2034-012	12
PNM2034-014	14
PNM2034-016	16
PNM2034-018	18
PNM2034-020	20
PNM2034-022	22
PNM2034-024	24
PNM2034-026	26
PNM2034-028	28
PNM2034-030	30
PNM2034-032	32
PNM2034-034	34

[illegible]