

CERERE DE PARTICIPARE

Către Administrația Națională a Penitenciarelor , MD-2032, MOLDOVA, mun.Chișinău,
mun.Chișinău, str.Nicolae Titulescu 35

Stimați domni,

Ca urmare a anunțului/invitației de participare/de preselecție apărut în Buletinul achizițiilor publice și/sau Jurnalul Oficial al Uniunii Europene, nr. ocds-b3wdp1-MD-1755001280422 din 04/09/2025 (ziua/luna/anul), privind aplicarea procedurii pentru atribuirea contractului Echipament de monitorizare video portabil, noi „Eximotor SA”, am luat cunoștință de condițiile și de cerințele expuse în documentația de atribuire și exprimăm prin prezenta interesul de a participa, în calitate de ofertant/candidat, neavînd obiecții la documentația de atribuire.

Data completării 02.09.2025 Cu stimă,



Ofertant/candidat

.....
(semnătura autorizată)





"EXIMOTOR" SA

Rețea de magazine auto

Anexa nr. 8

la Documentația standard nr. _____
din "_____" _____ 20____

DECLARAȚIE privind valabilitatea ofertei

Către Administrația Națională a Penitenciarelor , MD-2032, MOLDOVA, mun.Chișinău,
mun.Chișinău, str.Nicolae Titulescu 35

Stimați domni,

Ne angajăm să menținem oferta valabilă, privind Echipament de monitorizare video portabil, prin procedura de achiziție Licitație deschisă pentru o durată de 90 (noua zeci) zile, (durata în litere și cifre), respectiv până la data de 03.12.2025 (ziua/luna/anul), și ea va rămâne obligatorie pentru noi și poate fi acceptată oricând înainte de expirarea perioadei de valabilitate.

Data completării 02.09.2025 Cu stimă,

Ofertant/candidat



(semnătura autorizată)





BANCA:

BC „MAIB” S.A.,
str. 31 august 1989, 127, mun. Chișinău, MD-2012, Republica Moldova
codul fiscal 1002600003778

SCRISOARE DE GARANȚIE BANCARĂ

pentru participare cu ofertă la procedura de atribuire a contractului de achiziție publică
nr. LD2524400431 din 1 septembrie 2025

Către **Administrația Națională a Penitenciarelor**, cu sediul în MD-2032, Republica Moldova, mun. Chișinău, str. Nicolae Titulescu nr. 35, codul fiscal 1006601001012 cu privire la procedura de atribuire a contractului privind Achiziționarea Echipament de monitorizare video portabil, licitația publică nr. ocds-b3wdp1-MD-1755001280422 din 05 septembrie 2025.

Subsemnata **BC „MAIB” S.A.**, cu sediul în mun. Chișinău, MD-2012, str. 31 august 1989, 127, codul fiscal 1002600003778 ne obligăm față de **Administrația Națională a Penitenciarelor**, să plătim suma de **13 100,00 MDL (treisprezece mii o sută lei 00 bani)**, la prima sa cerere scrisă și fără ca acesta să aibă obligația de a-și motiva cererea respectivă, cu condiția, ca în cererea sa autoritatea contractantă să specifice că suma cerută de ea și datorată ei este din cauza existenței uneia sau mai multora dintre situațiile următoare:

1. Ofertantul **“Eximotor” S.A.** codul fiscal 1002600034712, își retrage sau modifică oferta în perioada de valabilitate a acesteia;
Prezenta ofertă rămâne valabilă pentru perioada de timp specificată în Anexa nr. 2 Anunțul de Participare, începând cu data-limită pentru depunerea ofertei, în conformitate cu Anexa nr. 2 Anunțul de Participare, și rămâne obligatorie și poate fi acceptată în orice moment până la expirarea acestei perioade;
2. Oferta sa fiind stabilită câștigătoare, ofertantul **“Eximotor” S.A.**, nu a constituit garanția de bună execuție;
3. Oferta sa fiind stabilită câștigătoare, ofertantul **“Eximotor” S.A.** a refuzat să semneze contractul de achiziție publică de bunuri/servicii;
4. nu se execută vreo condiție, specificată în documentația de atribuire înainte de semnarea contractului de achiziție publică de bunuri/servicii.

Orice litigiu apărut pe parcursul realizării prezentei garanții va fi soluționat pe calea negocierilor. În cazul când părțile nu vor soluționa litigiile apărute prin negocieri, acestea vor fi soluționate în conformitate cu legislația Republicii Moldova.

Prezenta garanție intră în vigoare la data de **04 septembrie 2025** și este valabilă până la data de **05 decembrie 2025** inclusiv.

Ion Cociorva,
Director Relații Clienți Corporativi
BC “MAIB” S.A.

Digitally signed by Cociorva Ion
Date: 2025.09.01 16:20:06 EEST
Reason: MoldSign Signature
Location: Moldova
MOLDOVA EUROPEANĂ



Emiterea prezentei Garanții poate
fi verificată pe pagina web a băncii www.maib.md,
compartimentul Garanții bancare



"EXIMOTOR" SA

Rețea de magazine auto

Anexa nr. 22
la Documentația standard nr. _____
din "____" _____ 20____

I. Specificații tehnice

Numărul procedurii de achiziție: <u>ocds-b3wdp1-MD-1755001280422</u> din <u>04/09/2025</u>						
Obiectul achiziției: Echipament de monitorizare video portabil						
Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Produce-cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Lot nr.1 – Componente pentru suplimentarea sistemului de monitorizare video portabil						
1 · 1	Cameră body (în set cu licență)	Cameră body (în set cu licență)	China	Telox Communications Co.,Ltd	dimensiuni: maxim 75mm x 95mm x 28mm; - greutate: 100-180g (fără elemente de fixare); - indicator de încărcare și functionare; - politici de înregistrare programabile: înregistrare simultană de la mai multe camere: - butoane: pornire/oprire, înregistrare (cu posibilitatea programării funcțiilor butoanelor); - capacitate de stocare: minim 64 GB; GPS: integrat, marcarea fluxurilor video cu datele despre locație;	dimensiuni: 58mm x 105mm x 28mm; - greutate: 180g - indicator de încărcare și functionare; - politici de înregistrare programabile: înregistrare simultană de la mai multe camere: - butoane: pornire/oprire, înregistrare (cu posibilitatea programării funcțiilor butoanelor); - capacitate de stocare: minim 64 GB; GPS: integrat, marcarea fluxurilor video cu datele despre locație; Bluetooth, WiFi; - fără conexiuni de tip USB;

Adresa juridică: RM, mun. Chișinău, MD-2024, str. Aerodromului 15/6
Adresa poștală: RM, mun. Chișinău, MD-2005, str. Albisoara 38A
tel. 0 22 407-747; fax. 0 22 407-956
e-mail: director@coleso.md
www.coleso.md



c/f 1002600034712
TVA 0603690
BC "ProCredit Bank" SA
c/d 2251130060160201
BIC: PRCBMD22



"EXIMOTOR" SA

Rețea de magazine auto

				Bluetooth, WiFi; - fără conexiuni de tip USB; - cu motor de vibrație; - posibilitatea vizualizării streaming video prin WI-FI; - jurnalizarea acțiunilor utilizatorului; - captare audio (minim 2 microfoane) - unghi de monitorizare video minim 120° orizontal și 60° vertical; - pre/post înregistrare de la 1 minut până la 2 minute; - frecvență de cadre: 25-30 pe secundă; - sensibilitatea senzorului video pe timp de noapte: până la 0.2 lux; - rezoluție de înregistrare: cel puțin 640x360p, 1280x780p, 1920x1080p; - notificarea utilizatorului despre starea înregistrării: vibrator, vizual și sonor; - fără posibilitate de accesa sau radia înregistrările direct de pe dispozitiv; - criptare: minim AES; - licență pentru managementul informațiilor înregistrate; - baterie integrată (Lithium-Polymer); - timp de încărcare: maxim 8 ore; - timp de lucru continuu; minim 10 ore; - test la cădere echivalent cu MIL STD 810G: - protecție umiditate praf: IP67;	- cu motor de vibrație; - posibilitatea vizualizării streaming video prin WI-FI; - Sistemul nostru de gestionare a probelor digitale va înregistra, utilizatorul nu poate șterge fișierul de probă de pe dispozitiv.; - captare audio (minim 2 microfoane) - unghi de monitorizare video minim 120° orizontal și 60° vertical; - pre/post înregistrare de la 1 minut până la 2 minute; - frecvență de cadre: 30 pe secundă; - sensibilitatea senzorului video pe timp de noapte: până la 0.2 lux; - rezoluție de înregistrare: 2560*1440 (30FPS)/ 2304*1296 (30FPS)/ 1920*1080P(30 FPS)/ 1280*720 (30 FPS)/ 848*480P(30 FPS) - notificarea utilizatorului despre starea înregistrării: vibrator, vizual și sonor; - fără posibilitate de accesa sau radia înregistrările direct de pe dispozitiv; - criptare: AES256 - licență pentru managementul informațiilor înregistrate; - baterie integrată (Lithium-Polymer)	
--	--	--	--	--	--	--

Adresa juridică: RM, mun. Chișinău, MD-2024, str. Aerodromului 15/6
Adresa poștală: RM, mun. Chișinău, MD-2005, str. Albisoara 38A
tel. 0 22 407-747; fax. 0 22 407-956
e-mail: director@coleso.md
www.coleso.md



c/f 1002600034712
TVA 0603690
BC "ProCredit Bank" SA
c/d 2251130060160201
BIC: PRCBMD22

					- echivalent modelului VB-440-64-KF-N; - garanție: minim 24 de luni.	3600mAh; - timp de încărcare: maxim 8 ore; - timp de lucru continuu; 10 ore cu baterie aditionala - test la cădere : 2 metri - protecție umiditate praf: IP68; - garanție: 24 de luni.	
1.2	Fixator magnetic p/u camera body	Fixator magnetic p/u camera body	Serbia	Plastic Gogic	suport magnetic care să permită rotirea de 360° cu conexiune fiabilă cu punctul de atașare de pe uniforma de serviciu (echivalent cu modelul KF-MAGMOUNT2); - compatibil cu echipamentul propus la poziția 1.1.	suport magnetic care să permită rotirea de 360° cu conexiune fiabilă cu punctul de atașare de pe uniforma de serviciu (echivalent cu modelul KF-MAGMOUNT2); - compatibil cu echipamentul propus la poziția 1.1.	



1.3	Fixator Klick Fast pentru camera body	Fixator Klick Fast pentru camera body	China	Telox Communications Co.,Ltd	curea pe umăr cu fixare Klick Fast la piept, reglabilă pentru orice uniformă (echivalent cu modelul KFHARN5); - compatibil cu echipamentul propus la poziția 1.1	curea pe umăr cu fixare Klick Fast la piept, reglabilă pentru orice uniformă (echivalent cu modelul KFHARN5); - compatibil cu echipamentul propus la poziția 1.1	
1.4	Controler de agregare și management	Controler de agregare și management	China	Telox Communications Co.,Ltd	compatibil cu echipamentul propus la poziția 1.1; echivalent cu modelul DC-200; - procesare date de la minim 28 camere; - interfață de rețea: minim 10/100/1000Mbps; - garanție: minim 24 de luni.	compatibil cu echipamentul propus la poziția 1.1; echivalent cu modelul DC-200; - procesare date de la 28 camere; - interfață de rețea: 10/100/1000Mbps; - garanție: 24 de luni.	





"EXIMOTOR" SA

Rețea de magazine auto

1.5	Controler RFID	Controler RFID	China	Telox Communications Co.,Ltd	- compatibil cu echipamentul propus la poziția 1.5; - echivalent cu modelul RF-220; - pentru atribuirea camerei către utilizator prin autentificare cu carduri de proximitate; - garanție: minim 24 de luni.	- compatibil cu echipamentul propus la poziția 1.5; -DS-08W are un cititor NFC pe stația de andocare. Poate fi utilizat cu un card NFC (DS-08W) - garanție: 24 de luni.	
1.6	Card de proximitate	Card de proximitate	China	Telox Communications Co.,Ltd	compatibil cu echipamentul propus la poziția 1.6; - standard: MIFARE.	-compatibil cu echipamentul propus la poziția 1.6; -DS-08W are un cititor NFC pe stația de andocare. Poate fi utilizat cu un card NFC (DS-08W) - garanție: 24 de luni.	
Lotul nr.2- Sistem de monitorizare video portabil							

Adresa juridică: RM, mun. Chișinău, MD-2024, str. Aerodromului 15/6
Adresa poștală: RM, mun. Chișinău, MD-2005, str. Albisoara 38A
tel. 0 22 407-747; fax. 0 22 407-956
e-mail: director@coleso.md
www.coleso.md



c/f 1002600034712
TVA 0603690
BC "ProCredit Bank" SA
c/d 2251130060160201
BIC: PRCBMD22

	Cameră body	Cameră body	China	Telox Communications Co.,Ltd	- în set cu: sursă de alimentare, clamă de fixare pe uniforma de serviciu care să permită rotirea a 360° și soft dedicat de gestionare, setare și operare cu arhiva compatibil cu SO Windows 10 sau o versiune ulterioară; - echivalent cu modelul Transcend DrivePro Body 40; - dimensiuni: maxim 96mm x 53mm x 28mm; - greutate: 120-140g (fără elemente de fixare); - indicator de încărcare și funcționare; - stabilizare electronică a imaginii (EIS); - GPS încorporat pentru geo etichetarea clipurilor video și imaginilor; - conexiune: USB tip C; - WiFi protocol 802.11n, frecvență 2,4 GHz; - gestionare: de pe dispozitive mobile (iOS și Android) prin aplicații dedicate; - memorie internă (încorporată); - capacitate de stocare; minim 128 GB; - unghi de monitorizare video; minim 130°; - durata de viață a bateriei: minim 11 ore; - baterie încorporată (Lithium-	- în set cu: sursă de alimentare, clamă de fixare pe uniforma de serviciu care să permită rotirea a 360° și soft dedicat de gestionare, setare și operare cu arhiva compatibil cu SO Windows 10 sau o versiune ulterioară; - dimensiuni: maxim 105mm x 58mm x 28mm; - greutate: 180(fără elemente de fixare); - indicator de încărcare și funcționare; - stabilizare electronică a imaginii (EIS); - GPS încorporat pentru geo etichetarea clipurilor video și imaginilor; - conexiune: USB tip C; - WiFi protocol 2.4G/5G, 802.11 a/b/g/n/ac - gestionare: de pe dispozitive mobile prin aplicatia producatorului; - memorie internă (încorporată) card intern +TF; - capacitate de stocare; Card TF 64GB (Standard); maxim până la 256GB (Opțional) RAM+ROM: 4+64GB; -unghi de monitorizare video; minim 140°; - durata de viață a bateriei: Baterie suplimentară (baterie mică încorporată (>3 min) pentru înlocuirea bateriei	
--	-------------	-------------	-------	------------------------------	---	--	--



					Polymer); - posibilitatea efectuării înregistrărilor video în rezoluție 2K QHD 1440P; - frecvența de cadre: 60/30 pe secundă; - format video: MP4 (H.264); - temperatură de funcționare: -20°C + 60°C; - actualizare la distanță; - restricționarea accesului la date: prin parolă; - clasă de protecție: IP68; - mod de funcționare silențios (activare/ dezactivare): sunet, vibrație și indicatoare led; - testare privind rezistența la impact: minim MIL-SDT810G (sau analogic); garanție: minim 24 de luni.	noi); - baterie: 3600 mAh, detașabila; - posibilitatea efectuării înregistrărilor video în rezoluție 2K , 2560*1440 (30FPS)/ 2304*1296 (30FPS)/ 1920*1080P(30 FPS)/ 1280*720 (30 FPS)/ 848*480P(30 FPS) QHD 1440P; - frecvența de cadre: 30 pe secundă; - format video: MP4 (H.264), Tip codare: H.265/H.264; - temperatură de funcționare: -20°C + 60°C; - actualizare la distanță; - restricționarea accesului la date: prin parolă; - clasă de protecție: IP68; - mod de funcționare silențios (activare/ dezactivare): sunet, vibrație și indicatoare led; - testare privind rezistența la impact: 2 metri garanție: 24 de luni.	
--	--	--	--	--	---	---	--



Dispozitiv pentru încărcare acumulat or și descărcare arhivă	Dispozitiv pentru încărcare acumulator și descărcare arhivă	China	Telox Communications Co.,Ltd	- compatibil cu echipamentul propus la poziția 2.1; - echivalent cu modelul Transcend TS-DPD6C; - încărcarea bateriei, descărcarea înregistrărilor video simultan a minim 6 camere; - dimensiuni: maxim 450mm x 110mm x 55mm; - număr minim de interfețe pentru conectarea dispozitivului de încărcare: USB Tip-A (USB 3.1 Gen 1), WAN Ethernet 10/100/1000 Mbps, LAN Ethernet 10/100 Mbps; - număr minim de interfețe pentru conectarea camerelor: 6; - temperatură de funcționare: 0°C + 40°C; - puterea sursei de alimentare: minim 12V/3A; - soft compatibil cu Windows 10 sau o versiune ulterioară; - garanție: minim 24 de luni.	- compatibil cu echipamentul propus la poziția 2.1; - echivalent cu modelul Transcend TS-DPD6C; - încărcarea bateriei, descărcarea înregistrărilor video simultan a minim 6 camere; - dimensiuni: maxim 450mm x 110mm x 55mm; - număr minim de interfețe pentru conectarea dispozitivului de încărcare: USB Tip-A (USB 3.1 Gen 1), WAN Ethernet 10/100/1000 Mbps, LAN Ethernet 10/100 Mbps; - număr de interfețe pentru conectarea camerelor: 6; - temperatură de funcționare: 0°C + 40°C; - puterea sursei de alimentare: 12V/3A; - soft compatibil cu Windows 10 sau o versiune ulterioară; - garanție: 24 de luni.
--	---	-------	------------------------------------	--	--






"EXIMOTOR" SA

Rețea de magazine auto

	Dispozitiv de stocare a datelor	Dispozitiv de stocare a datelor	China	Telox Communications Co.,Ltd	- compatibil cu echipamentul propus la poziția 2.2; - sistem de operare Windows licențiat (instalat pe suport de tip SSD); - dispozitiv optic DVD-RW; - procesor: minim generația 12; - memorie RAM: minim 8 GB, minim DDR 4; - capacitate de stocare: minim 8 TB; - garanție: minim 24 luni.	- compatibil cu echipamentul propus la poziția 2.2; - sistem de operare Windows licențiat (instalat pe suport de tip SSD); - interfață USB DS-03; - procesor: generația 12; - memorie RAM: 8 GB, DDR 4; - capacitate de stocare: 8 TB; - garanție: 24 luni.	
Total lot							

Semnat: Numele, Prenumele: Socolova Natalia În calitate de : Director
Ofertantul : Eximotor SA , Adresa : mun.Chisinau , str.Albisoara 38A, MD2005



Adresa juridică: RM, mun. Chișinău, MD-2024, str. Aerodromului 15/6
Adresa poștală: RM, mun. Chișinău, MD-2005, str. Albisoara 38A
tel. 0 22 407-747; fax. 0 22 407-956
e-mail: director@coleso.md
www.coleso.md



c/f 1002600034712
TVA 0603690
BC "ProCredit Bank" SA
c/d 2251130060160201
BIC: PRCBMD22

Specificații de preț

[Acest tabel va fi completat de către ofertant în coloanele 5,6,7,8 și 11 la necesitate, iar de către autoritatea contractantă – în coloanele 1,2,3,4,9,10]

	Numărul procedurii de achiziție: <u>ocds-b3wdp1-MD-1755001280422</u> din <u>04/09/2025</u>
	Obiectul de achiziției: <u>Echipament de monitorizare video portabil</u>

Cod CPV	Denumirea bunurilor/serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)	Discount %
1	2	3	4	5	6	7	8	9	10	11
	Bunuri/servicii							Termen de livrare pina la 01.12.2025, Locul livrarii Administratia Nationala a Penitenciarelor, mun. Chisinau, str.Titulescu 35,Livrarea din contul ofertantului		
32333000-6	Lotul 1									
	Camera body(in set cu licenta)	Buc.	28	465 000,00	558 000,00	465 000,00	558 000,00			
	Fixator magnetic p/u camera body	Buc.	28							
	Fixator Klick Fast pentru camera body	Buc.	28							
	Controler de agregare și management	Buc.	1							
	Total lot 1					465 000,00	558 000,00			
Lotul 2	Buc.									
32333000-6	Cameră body	Buc.	100	845 000,00	1 014 000,00	845 000,00	1 014 000,00			
	Dispozitiv pentru încărcare acumulator și descărcare arhivă	Buc.	16							
	Dispozitiv de stocare a	Buc.	2							

	datelor								
	Total lot 2					845 000,00	1 014 000,00		
	TOTAL					1 310 000,00	1 572 000,00		

Semnat: _____ Numele, Prenumele: Socolova Natalia În calitate de: Director

Ofertantul: Eximotor Sa Adresa: mun.Chisinau , str. Aerodromului 15/6

+

REPUBLICA



MOLDOVA

CERTIFICAT DE ÎNREGISTRARE

SOCIETATEA PE ACȚIUNI "EXIMOTOR"
ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT

Numărul de indentificare de stat - codul fiscal
1002600034712

Data înregistrării

12.06.1995

Data eliberării

20.01.2005

Iovu Galina, registrator de stat

*Funcția, numele, prenumele persoanei
care a eliberat certificatul*

G. Iovu
semnătură

MD 0011311





I.P. "AGENȚIA SERVICII PUBLICE"

Departamentul înregistrare și licențiere a unităților de drept

Extras

**din Registrul de stat al persoanelor juridice
nr. 166541 din 03.02.2025**



Denumirea completă: **SOCIETATEA PE ACȚIUNI "EXIMOTOR".**

Denumirea prescurtată: **"EXIMOTOR" S.A.**

Forma juridică de organizare: **Societate pe acțiuni.**

Numărul de identificare de stat și codul fiscal: **1002600034712**

Data înregistrării de stat: **12.06.1995**

Sediu: **MD-2024, strada Aerodromului 15, ap. 6, mun. Chișinău, Republica Moldova.**

Genurile de activitate:

1. Comerț cu autoturisme și autovehicule ușoare (sub 3,5 tone);
2. Comerț cu alte autovehicule;
3. Întreținerea și repararea autovehiculelor;
4. Comerț cu ridicata de piese și accesorii pentru autovehicule;
5. Comerț cu amănuntul de piese și accesorii pentru autovehicule;
6. Comerț cu motociclete, piese și accesorii aferente; întreținerea și repararea motocicletelor;
7. Comerț cu ridicata al aparatelor electrice de uz gospodăresc, al aparatelor de radio și televizoarelor;
8. Comerț cu ridicata al altor bunuri de uz gospodăresc;
9. Comerț cu ridicata al mașinilor agricole, echipamentelor și furniturilor;
10. Comerț cu ridicata al mașinilor-unelte;
11. Comerț cu ridicata al mașinilor pentru industria minieră și construcții;
12. Comerț cu ridicata al altor mașini și echipamente;
13. Comerț cu ridicata al deșeurilor și resturilor;
14. Comerț cu ridicata nespecializat;
15. Comerț cu amănuntul în magazine nespecializate, cu vânzare predominantă de produse nealimentare;
16. Repararea mașinilor;
17. Repararea echipamentelor electrice;
18. Repararea și întreținerea altor echipamente de transport;
19. Repararea altor echipamente;
20. Colectarea deșeurilor nepericuloase;
21. Colectarea deșeurilor periculoase;
22. Lucrări de construcții a clădirilor rezidențiale și nerezidențiale;
23. Comerț cu amănuntul al articolelor și aparatelor electrocasnice, în magazine specializate;
24. Comerț cu amănuntul al mobilei, al articolelor de iluminat și al articolelor de uz casnic n.c.a., în magazine specializate;
25. Comerț cu amănuntul al echipamentelor sportive, în magazine specializate;
26. Comerț cu amănuntul al jocurilor și jucăriilor, în magazine specializate;
27. Comerț cu amănuntul al altor bunuri noi, în magazine specializate;
28. Comerț cu amănuntul prin standuri, chioșcuri și piețe al altor produse;
29. Comerț cu amănuntul prin intermediul caselor de comenzi sau prin Internet;
30. Comerț cu amănuntul efectuat în afara magazinelor, standurilor, chioșcurilor și piețelor;
31. Transporturi rutiere de mărfuri;
32. Depozitări;
33. Activități de servicii anexe pentru transporturi terestre;
34. Alte activități poștale și de curier;
35. Alte intermediieri financiare n.c.a.;
36. Închirierea și exploatarea bunurilor imobiliare proprii sau închiriate;
37. Activități de consultanță pentru afaceri și management;
38. Activități ale agențiilor de publicitate;



39. Servicii de reprezentare media;

Capitalul social: **600000 Lei**

Administrator(i): **SOCOLOVA NATALIA.**

Beneficiari efectivi: **SOCOLOVA NATALIA.**

Prezentul extras este eliberat în temeiul art. 34 al Legii nr.220/2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de 03.02.2025

Specialist coordonator

Aurelia Racu

tel. 022-207839





BC „MOLDINDCONBANK” S.A.

Sucursala „Corporate”

Republica Moldova, MD 2001
mun. Chișinău, str. Tighina, 25
Tel. : (373 22) 62-45-44

Data 19. IUN. 2025

Nr. 41-09/261

Республика Молдова, MD 2001,
мун. Кишинэу, ул. Тигина, 25
Тел. : (373 22) 62-45-44

CERTIFICAT

B.C. „Moldindconbank” S.A. confirmă că "EXIMOTOR" S.A. IDNO 1002600034712 la data de 18.06.2025 deține următoarele conturi bancare:

Nr.	IBAN	Valuta
1	MD38ML000000022512092160	MDL
2	MD38ML000000022512092160	USD
3	MD38ML000000022512092160	EUR
4	MD38ML000000022512092160	RUB



_____ (semnătura reprezentantului Băncii)

Paulina Danoi (NP)

Director Sucursala (functia)

Executor - Elena Dumbravanu (12930), Sucursala Corporate
Tel.- 080011111
Data/ora - 18.06.2025 / 17:30
CCF4




User Manual for Digital Evidence Management System

Contents

I. DEMS Overview.....	3
II. Functional Overview	4
2.1 Data Collection	4
2.2 Device Identification.....	4
2.3 Breakpoint Data Collection	4
2.4 Time Calibration.....	4
2.5 Data Query.....	4
2.6 Data Browsing	4
2.7 Data Deletion	5
2.8 Remote Download	5
2.9 Cleaning Policy	5
III. Front-end Data Collection Interface.....	5
3.1 Registration of Body Cameras.....	5
3.2 Data Collection	6
3.3 System Setup	6
3.4 Back-end Management System	7
IV. Operations on the Back-end Management System	8
4.1 Administrator login	8
4.2 System Administration.....	8
4.2.1 User Management.....	8
4.2.2 Role Management	9
4.2.3 Operation Log	10
4.2.4 System Settings.....	10
4.3 Evidence Management.....	11
4.3.1 Data Management.....	11
4.3.2 Evidence Type Management.....	12
4.4 Performance Evaluation	12
4.4.1 User Assessment.....	12
4.4.2 Group Assessment	13
4.4.3 Classification and Assessment.....	13
4.5 Statistical Analysis	13
4.6 Site Management.....	14

I. DEMS Overview

The DEMS(Digital Evidence Management System), which is divided into 2 parts: the Front-end Data Collection Interface and Back-end Management System, is specifically designed for the collection of audio and video data from body-worn cameras and the management of corresponding evidence. Built on the Windows platform, it utilizes both B/S and C/S architectures and can be deployed across various organizational levels. The platform enables comprehensive management of body-worn cameras, supporting functions such as data uploading, storage, publishing, and downloading, with access rights customized for different user roles.



II. Functional Overview

2.1 Data Collection

When a camera is connected and added, the Docking Station automatically collects pictures, audio, video, and log files stored on the device. It also supports concurrent and simultaneous data collection from multiple law enforcement devices.

2.2 Device Identification

When a camera is connected, the system automatically detects the device via the corresponding port and retrieves essential information such as the device number, police ID, and other relevant details. If the body camera is unregistered, the station prompts the user to complete the device registration. After the user registers the device and reconnects the camera, data collection is initiated automatically.

2.3 Breakpoint Data Collection

In the event of a power failure, system crash, or accidental disconnection of the Docking Station, all stored data will remain intact. Upon the next normal startup and connection, the system will automatically resume data collection and collect the previously stored data.

2.4 Time Calibration

When the camera is connected to the Docking Station, its system time will be automatically synchronized with the system time of the Docking Station.

2.5 Data Query

Users can log in to their accounts to query the pictures, audio, video and other files imported from the Back-end Management System.

2.6 Data Browsing

Users can log into their accounts to view images, audio, video, and other files collected from the recorder to the Docking Station.

2.7 Data Deletion

The administrator can delete images, audio, video, and other files collected from the camera to the docking station.

2.8 Remote Download

After logging into the Back-end Management System through a web browser, PC users on the LAN can download images, audio, and video files stored on the docking station, provided they have the necessary permissions.

2.9 Cleaning Policy


Users can customize the data cleaning methods on the Docking Station, specifying criteria such as time period, file size, and file type to determine which files should be cleaned.

III. Front-end Data Collection Interface

3.1 Registration of Body Cameras


To register cameras, please follow the below steps:

- A. Download the registration file: https://mega.nz/file/fKImSYLC#1q-TPGbwvCilW0k-_79lr6l14igY3B2isRZ96f-DwRk
- B. Open it and edit the User ID and Device ID:



***Note:** The user and device information entered here must be consistent with the user information in the backend (see 4.2.1; user information can be modified in the backend system).


C. Save the contents and copy the file to the internal storage of the camera



After the above steps, the camera was successfully registered.

3.2 Data Collection

If there are recorded files on the body-worn camera, the data will be automatically uploaded when the camera is registered and inserted. Simultaneously, the camera will begin charging, and the data will be cleared automatically once the upload is complete, as shown in the figure below.



3.3 System Setup

During the operation of the Docking Station, the system administrator can enter the password "123456" to modify the system password, background address (defaulting to the local address 127.0.0.1), system name, and other related settings.

Return

Alarm Switch: Disable

Priority Collection Slot: 3

System Password:

Backend IP Address:

System Name:

Maintenance Information:

Keypad

Turn Off

Upgrade

Save

3.4 Back-end Management System

By clicking the "E" icon on the Front-end Data Collection Interface, the user accesses the electronic evidence management system, where daily personnel information maintenance and data viewing tasks are performed. The default administrator account is "admin," with the password set to "admin." The admin account is used by the system administrator for basic information maintenance and configuration tasks, as shown in the figure below.



IV. Operations on the Back-end Management System


4.1 Administrator login

The system administrator can set up and manage all functions within the system by logging into the platform using the ADMIN account.

4.2 System Administration



4.2.1 User Management

Click "System Management" > "User Management," select the root node unit, and click "Create" to create a new organizational unit. Additional departments can be added under this unit by entering the name of the corresponding unit in the pop-up dialog box. In the Group interface on the left, select the appropriate group, and in the user management interface on the right, click "Create" to add a new user. Enter the relevant details in the pop-up dialog box and click "OK" to add the user.




The screenshot displays the TELUX User Management interface. On the left, there is a sidebar with a tree view showing the organizational structure, including 'HUN' and 'HUN1'. The main area shows a table of users with columns for Office Number, Device ID, Full Name, Group Name, Group No., Role Name, Device Status, and Description. The table contains 7 rows of user data. At the bottom, there is a pagination bar showing 'Page 1 of 1' and 'Displaying 1 - 7 of 7'.

Office Number	Device ID	Full Name	Group Name	Group No.	Role Name	Device Status	Description
1001	1001	User1	HUN	1	user	activation	
1002	1002	User2	HUN	1	user	activation	
1003	1003	User3	HUN	1	user	activation	
1004	1004	User4	HUN	1	user	activation	
1005	1005	User5	HUN	1	user	activation	
1006	1006	User6	HUN	1	user	activation	
1007	1007	User7	HUN	1	user	activation	



4.2.2 Role Management

Click "Role Management" and then click "Create" to define user groups with different roles for the system. Each user group can be selected and assigned specific permissions based on actual needs.



4.2.3 Operation Log

Click "Operation Log" to view the log of user activities within the system.

TELOX

Media Data

Evaluation

Station

System

User

Role

OptLog


Config

4.2.4 System Settings

Click on "System Settings" to configure system functionality, including options such as evidence deletion period, upload time, and other settings.

4.3.2 Evidence Type Management


Users can create custom categories for evidence types based on the specific needs of their law enforcement scenarios.



4.4 Performance Evaluation


4.4.1 User Assessment

This function allows you to manage the assessment of specific users' enforcement activities within the user unit, including the number of documents and recordings. The assessment data can be exported to an Excel report.



4.4.2 Group Assessment


This function allows you to evaluate the enforcement activities of a user unit or department. The evaluation data can be exported to an Excel report.



Group Name	Officer	Video Duration	Quantity	Video	Photo	Audio
HLN	8	0Second	42	31	8	3

4.4.3 Classification and Assessment

This function allows the assessment of the law enforcement types for a user group or specific department. It enables the analysis of specific law enforcement categories and the corresponding volume of cases.




Group Name	Officer Number	Full Name	Law enforcement dt	routine	emergency
HLN	1001	User1	0	0	0

4.5 Statistical Analysis

This function allows statistical analysis of the enforcement volume across different staff members and organizations. Analysis can be performed based on equipment, enforcement type, and time period, with results exportable to Excel reports.

4.6 Site Management

The stand-alone docking station does not require this function module. This function is used for managing subordinate docking stations when multiple stations are used within a local area network or dedicated network. It enables centralized data management and operations through a professional management server.





CP680

Push-to-Talk Body Worn Camera

Quick Start Guide

Meet the product

Component introduction



Operation of Keys

- Long press: Press and hold a button, and release it after the preprogrammed period.
- Short press: Press a button and release it quickly.
- Press and hold: Keep pressing a button.

For more functions and detailed operation guide, please visit our website at <http://www.telox.com>, check online or download the matched instruction book.

Telox

Telo Communication (Shenzhen) Co., Ltd.

Product hotline: +86 755 86950766

Email: sales@telox.com

More information:

www.telox.com

LED indicator

Indicator signs	Interpretation
Shining red	1. Executing transmission of voice signal or emergency alarm signal 2. Charging 3. Power-off (last for 7 seconds) 4. Recording audio 5. TF card storage space is full (last for 2 seconds)
Shining green	1. Power-on 2. The battery is fully charged 3. Executing reception of voice signal or emergency alarm signal
Shining orange	1. Executing transmission of [PTT] button voice signal
Flashing orange quickly	1. The storage capacity of the TF card is less than 2GB (last for 2 seconds)
Flashing red slowly	1. Recording video (flash once every 1 second) 2. The battery is low (flash once every 5 seconds)

Preparation before use

Install battery

①**Warning: Please DO use the standard or optional battery of our company.**


It may cause fire or explosion if using batteries from other manufacturers or mistake with the positive and negative poles of batteries.

The specific steps of installing battery are as follows. If you need to remove the battery, please turn the device off first, and follow the operation steps in reverse order. (Missing battery loading steps)




Insert Nano SIM card(12mm*9mm)

After Open the lid of Nano SIM card slot, unlock according to the instruction, insert the SIM card and lock, and then cover the SIM card lid back. As shown in the picture below.



Installing belt clip

The specific steps of installing belt clip are as follows. If you need to remove the belt clip, please follow the operation steps in reverse order.



Charging

If the LED indicator flashes red once every 5 seconds, it indicates that the battery is low and needs to be charged in time. During charging, you can get to know the charging status through the LED indicator. For details, please refer to “LED Indicator”.



Introduction

Power-on/off

Power-on

In the off state, long press the power button (for 3 seconds) to turn it on.

Power-off

In the on state, long press the power button (for 5 seconds) to turn it off.

Video recording

Ordinary recording

When not recording, press the [Record Video] button or click the recording button on the screen, there will be a voice prompt of "Start video recording" and the LCD touch screen displays the recording time. During recording, press the [Record Video] button or click the recording button on the screen, there will be a voice prompt of "Video saved successfully" and the recording ends.

Audio recording

When not recording, press the [Record Audio] button or click the recording button on the screen, there will be a voice prompt of "Start audio-recording" and the LCD touch screen displays the recording time. During audio recording, press the [Record Audio] button or click the recording button on the screen, there will be a voice prompt of "Audio saved successfully" and the recording ends.

Photo taking

Press the [Photo] button to take a photo.

Emergency alarm

Activate emergency alarm

In the event of an emergency, long press the [Alarm] button for 3 seconds to activate the emergency alarm and seek help from the Command and Dispatch Centre.

Deactivate emergency alarm

When the emergency alarm is on, short press the [PTT] button to deactivate the emergency alarm.

PTT talkback

Transmit and receive to (half-duplex) duplex voice calls. Press and hold the [PTT] button and speak to the microphone. After talking, please release the PTT button to receive.

RED Statement

1. Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.
2. The product shall be connected to a USB interface of version USB2.0 or higher.
3. Adapter shall be installed near the equipment and shall be easily accessible.
4. The plug considered as disconnect device of adapter. 
5. The device complies with RF specifications when the device used at 25mm from front of your face, 5mm from your body and 0mm from your body with back splint.
6. The operating temperature of the EUT can't exceed 40°C and shouldn't be lower than - 20°C.

Hereby, Telo Communication (Shenzhen) Co, Ltd declares that this product is in compliance with essential requirements and other relevant provisions of Directive 2014/53/EU. This product is allowed to be used in all EU member states.

Frequency Bands:

GSM 900: 880 MHz to 915 MHz
GSM1800: 1710 MHz to 1785 MHz
WCDMA Band I: 1920 MHz to 1980 MHz
WCDMA Band VIII: 880 MHz to 915 MHz
LTE Band 1: 1920 MHz to 1980 MHz
LTE Band 3: 1710 MHz to 1785 MHz
LTE Band 7: 2500 MHz to 2570 MHz
LTE Band 8: 880 MHz to 915 MHz
LTE Band 20: 832 MHz to 862 MHz
LTE Band 28: 703 MHz to 733 MHz
Bluetooth: 2402~2480 MHz
WLAN 802.11b/g/n: 2412 to 2472MHz
WLAN 802.11n: 2422 to 2462MHz
GPS: 1575.42MHz
NFC: 13.56MHz
BDS: 1561.098MHz
GLONASS: 1602 MHz

Max power:

GSM 900: 33.74dBm
GSM 1800: 31.53dBm
WCDMA 900: 23.98dBm
WCDMA 2100: 24.15dBm
LTE Band 1: 24.34dBm
LTE Band 3: 24.63dBm
LTE Band 7: 24.56dBm
LTE Band 8: 24.24dBm
LTE Band 20: 24.46dBm
LTE Band 28: 24.34dBm

BT BDR+EDR: 6.16dBm

BT BLE: -7.56dBm

2.4G WIFI: 16.11dBm

Modulation Mode:

GSM: GMSK for GSM/GPRS; GMSK and 8PSK for EDGE

WCDMA: WCDMA: QPSK; HSDPA:QPSK/16QAM; HSUPA:BPSK

LTE: QPSK/16QAM

BT BDR + EDR: GFSK(1Mbps), $\pi/4$ -DQPSK(2Mbps),8-DPSK(3Mbps)

BT BLE: GFSK(1Mbps)

2.4GWIFI:

802.11b(DSSS): CCK, DQPSK, DBPSK

802.11g(OFDM): BPSK, QPSK,16-QAM,64-QAM

802.11n(OFDM): BPSK, QPSK,16-QAM,64-QAM

GPS: GMSK

NFC: ASK

BDS: QPSK

GLONASS: FDMA

Antenna Specification:

GSM/WCDMA/LTE: FPC Antenna

Bluetooth: FPC Antenna

WLAN: FPC Antenna

GPS: FPC Antenna

NFC: Coil Antenna



Appendix - Photographs of EUT Constructional Details

Model: CP680

Photo 1



Photo 2





Photo 3



Photo 4





Photo 5



Photo 6





Photo 7



Photo 8





Photo 9




Photo 10





Photo 11



Photo 12





Photo 13



Photo 14





Photo 15



Photo 16





Photo 17




Photo 18






Photo 19




Photo 20






Photo 21




Photo 22





Photo 23



Photo 24





Photo 25



Photo 26






Photo 27




Photo 28






Photo 29




Photo 30






Photo 31



Photo 32





MD-2005 mun.Chișinău, str. Albișoara, 38
Tel. (022) 820-770, Email: am@am.gov.md

CONFIRMARE

privind înregistrarea în „Lista producătorilor” de produse
supuse reglementărilor de responsabilitate extinsă a producătorului
(echipamente electrice și electronice)

În scopul plasării pe piață a produselor de echipamente electrice și electronice, în conformitate cu prevederile art. 12 alin. (5) și alin. (14) lit. b) din Legea nr. 209 din 29.07.2016 privind deșeurile, și punctele 46 – 50 din Regulamentul privind deșeurile de echipamente electrice și electronice, aprobat prin Hotărârea Guvernului nr. 212 din 07.03.2018, se emite numărul de înregistrare

MD2023-6-EEE-003

pentru EXIMOTOR SA, IDNO: 1002600034712, cu adresa juridică: mun. Chișinău, str. Albișoara 38A.

Numărul de înregistrare este valabil începând cu data de 13.06.2023 până la data de 13.06.2026.

**Director adjunct
Vladimir POSTICA**

Digitally signed by Postica Vladimir
Date: 2023.06.13 08:35:27 EEST
Reason: MoldSign Signature
Location: Moldova





"EXIMOTOR" SA

Rețea de magazine auto

Declarație capacitatea operatorului economic

Subsemnata, Eximotor S.A., în calitate de participant la procedura de achiziție publică cu numărul ocds-b3wdp1-MD-1755001280422 din 04/09/2025, organizată de Administrația Națională a Penitenciarelor, Confirmam:

Capacitatea de a substitui produsul defectat în cel mult 14 zile pentru bunurile propuse în lotul nr.1

Prezenta declarație este emisă în scopul susținerii ofertei noastre și rămâne valabilă pe întreaga perioadă contractuală prevăzută..

Data: 02.09.2025

Semnatura:



Telox Communications Co., Limited

Telox Communications Co., Limited
Address: 13th Floor, Building B, Union R&D Center, Bao'an District, Shenzhen
China, 518133

Date: September 2, 2025

MANUFACTURER'S AUTHORIZATION

To whom it may concern,

We, Telox Communications Co., Limited, manufacturer of POC (Push-to-Talk) and body-worn camera equipment CP680, hereby authorize Eximotor SA (operating under the brand name Coleso.md) with business office at Office No. 6, 15 Aerodromului Street, Chişinău Municipality, Republic of Moldova. as an authorized supplier of Telox CP680 in Moldova.

We assure that our products are of good quality and provide after-sale service pursuant to the warranty policy of Telox.

Yours sincerely,

Eva Zhang
Sales Manager
Telo Communication (Shenzhen) Co., Ltd

Label



36mm

20mm



TELOX



Model:CP680

S/N: CP680000001



IMEI 1:8612XXXXXXXXXXXX



IMEI 2:8612XXXXXXXXXXXX



6/F, No.42 Liuxian 1st Road, Bao'an
District, Shenzhen, China

Made in China





CERTIFICATE *of* EXAMINATION



[Certificate Validation](#)

NOTIFIED BODY EU-TYPE EXAMINATION CERTIFICATE

LING99-EU / 18 Oct 2024 / Rev A

Radio Equipment Directive (RED) 2014/53/EU

MiCOM Labs Inc., Notified Body Number 2280 declares, on the basis of the assessment of the tests and the technical documentation provided by the applicant that the following product complies with the essential requirements of the above noted Directive.

Product Name:
Push-to-talk BWC

Approval Holder Name:
Telo Communication (Shenzhen) Co., Ltd




Gordon Hurst, Product Certifier

This Certificate is Issued under the Authority of:
MiCOM Labs Inc., 575 Boulder Court, Pleasanton, California 94566, USA

Notified Body Number: 2280



Notified Body EU-Type Examination Certificate

LING99-EU / 18 Oct 2024 / Rev A

for Radio Equipment Directive (RED) 2014/53/EU

Product Name:

Push-to-talk BWC

Product Model Numbers: **CP680**

Brand Name: **Telox**

Approval Holder: Telo Communication (Shenzhen) Co., Ltd, 13th Floor, Building B, Union RSD Center, No. 287 Guangshen Road (Xixiang Section), Xixiang Street, Bao'an District, Shenzhen, China

Product Manufacturer: Telo Communication (Shenzhen) Co., Ltd, 13th Floor, Building B, Union RSD Center, No. 287 Guangshen Road (Xixiang Section), Xixiang Street, Bao'an District, Shenzhen, China

Standards

Group	Name
Article 3.1(a) Health & Safety	EN IEC 62368-1:2020+A11:2020
	EN 50566:2017+A1:2023
	EN IEC/IEEE 62209-1528: 2021
	EN 50663: 2017
	EN 62479: 2010
Article 3.1(b) Electromagnetic Compatibility	EN 301 489-1 V2.2.3
	EN 301 489-3 V2.1.1
	EN 301 489-17 V3.2.4
	EN 301 489-19 V2.1.1
	EN 301 489-52 V1.2.1
	EN 55032:2015/A11:2020
	EN 55035:2017/A11:2020
	EN IEC 61000-3-2:2019+A1:2021
Article 3.2 Effective Use of Spectrum	EN 61000-3-3:2013+A1:2019+A2:2021
	EN 301 511 V12.5.1
	EN 301 908-1 V15.2.1
	EN 301 908-2 V13.1.1
	EN 301 908-13 V13.2.1
	EN 300 328 V2.2.2
	EN 303 413 V1.2.1
	EN 300 330 V2.1.1



Notified Body EU-Type Examination Certificate

LING99-EU / 18 Oct 2024 / Rev A

for Radio Equipment Directive (RED) 2014/53/EU

Annex 1 to EU-Type Examination

EU-Type examination on the essential requirements Article 3

Article 3.1 - a) Health and Safety	Assessed
Article 3.1 - b) Electromagnetic compatibility	Assessed
Article 3.2 - Effective use of radio spectrum	Assessed
Article 3.3 - a) interworks with Accessories/Chargers	Not Applicable
Article 3.3 - b) interworks with Radio Networks	Not Applicable
Article 3.3 - c) can connect to interfaces	Not Applicable
Article 3.3 - d) does not harm the network, misuse network resources	Not Applicable
Article 3.3 - e) privacy protections	Not Applicable
Article 3.3 - f) fraud protections	Not Applicable
Article 3.3 - g) emergency services access	Not Applicable
Article 3.3 - h) assist users with disabilities	Not Applicable
Article 3.3 - i) integrity of software	Not Applicable
Article 3.4 - Subject to common charger requirements	Not Applicable

Note 1: Article 3.4 Dates of Application

This aspect of the EU-Type Examination Certificate does not become legally applicable until the dates indicated below;-

28th December 2024 – Date of Applicability for handheld mobile phones, tablets, digital cameras, headphones, headsets, handheld videogame consoles, portable speakers, e-readers, keyboards, mice, portable navigation systems, earbuds.

28th April 2026 – Date of Applicability for laptops.

Description of Apparatus

Company Name	Telo Communication (Shenzhen) Co., Ltd
Certification No.	LING99-EU
Issue Date / Rev	18 Oct 2024 / Rev A
Equipment Description	Push-to-talk BWC
Hardware Version	N/A
Firmware Version	CP680_INT_V1_20240802



Notified Body EU-Type Examination Certificate

LING99-EU / 18 Oct 2024 / Rev A

for Radio Equipment Directive (RED) 2014/53/EU

Emission Information

Technology	Frequency MHz		Emission Designator	RF Power		Field Strength
	From	To		Max	Type	
BT BDR/EDR	2402	2480	F1D,G1D	6.16dBm	EIRP	--
BT BLE	2402	2480	F1D	-7.56dBm	EIRP	--
2.4G WIFI	2412	2472	G1D,D1D	16.11dBm	EIRP	--
GSM 900	880	915	GXW,G7W	33.74dBm	Conducted	--
GSM 1800	1710	1785	GXW,G7W	31.53dBm	Conducted	--
WCDMA 900	880	915	F9W	23.98dBm	Conducted	--
WCDMA 2100	1920	1980	F9W	24.15dBm	Conducted	--
LTE Band 1	1920	1980	G7D,W7D	24.34dBm	Conducted	--
LTE Band 3	1710	1785	G7D,W7D	24.63dBm	Conducted	--
LTE Band 7	2500	2570	G7D,W7D	24.56dBm	Conducted	--
LTE Band 8	880	915	G7D,W7D	24.24dBm	Conducted	--
LTE Band 20	832	862	G7D,W7D	24.46dBm	Conducted	--
LTE Band 28	703	748	G7D,W7D	24.34dBm	Conducted	--
NFC	13.56	13.56	--	--	--	-20.4dBuA/m @10m

Technical Construction File Details: (Documents Reviewed)

Technical Report(s):

Article 3.1(a) Health & Safety:

TR_LGT24H167HA01

TR_LGT24H167SA01

Article 3.1(b) Electromagnetic Compatibility:

TR_LGT24H167EM01

TR_LGT24H167EM02

Article 3.2 Effective Use of Spectrum:

TR_LGT24H167RF04

TR_LGT24H167RF03

TR_LGT24H167RF02

TR_LGT24H167RF06

TR_LGT24H167RF01

TR_LGT24H167RF05

Supporting Documentation:

Service Agreement

Letter of Authorization

EU Application

EU Declaration of Conformity

Block Diagram

BOM or Parts List

External Photographs

Internal Photographs

Label and its Location

Operational Description

PCB Layout

Risk Assessment Report

Schematics

Test Setup - EU

User Manual

Scope

This EU-Type Examination Certificate is given in respect of compliance of radio spectrum use Article 3 Paragraph 2 of the RED Directive 2014/53/EU. The scope of the evaluation and this certificate relates only to those items identified in 'Annex 1 to EU - Type Examination Certificate' for the specific product and Certificate number referenced above.

EU Type Examination was performed according to Module B: EU-type examination procedure per Annex III the Directive on the essential requirements in Article 3, for the specific product and Certificate Number referenced above.

This EU Type Examination Certificate is based upon the review of the Technical Documentation and supporting evidence for the adequacy of the technical design solution, it is only valid in conjunction with the attached Annexes. The scope of this statement relates to a single sample of the apparatus identified above and of the submitted documents only.



Annex 2 to EU-Type Examination Obligations of the Applicant

Ref RED 2014/53/EU Article 10 - Obligations of manufacturers

1. When placing their radio equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the essential requirements set out in Article 3.
2. Manufacturers shall ensure that radio equipment shall be so constructed that it can be operated in at least one Member State without infringing applicable requirements on the use of radio spectrum.
3. Manufacturers shall draw up the technical documentation referred to in Article 21 and carry out the relevant conformity assessment procedure referred to in Article 17 or have it carried out. Where compliance of radio equipment with the applicable requirements has been demonstrated by that conformity assessment procedure, manufacturers shall draw up an EU declaration of conformity and affix the CE marking.
4. Manufacturers shall keep the technical documentation and the EU declaration of conformity for 10 years after the radio equipment has been placed on the market.
5. Manufacturers shall ensure that procedures are in place for series production to remain in conformity with this Directive. Changes in radio equipment design or characteristics and changes in the harmonised standards or in other technical specifications by reference to which conformity of radio equipment is declared shall be adequately taken into account.

When deemed appropriate with regard to the risks presented by radio equipment, manufacturers shall, to protect the health and safety of end-users, carry out sample testing of radio equipment made available on the market, investigate, and, if necessary, keep a register of complaints, of non-conforming radio equipment and radio equipment recalls, and shall keep distributors informed of any such monitoring.

6. Manufacturers shall ensure that radio equipment which they have placed on the market bears a type, batch or serial number or other element allowing its identification, or, where the size or nature of the radio equipment does not allow it, that the required information is provided on the packaging, or in a document accompanying the radio equipment.
 7. Manufacturers shall indicate on the radio equipment their name, registered trade name or registered trade mark and the postal address at which they can be contacted or, where the size or nature of radio equipment does not allow it, on its packaging, or in a document accompanying the radio equipment. The address shall indicate a single point at which the manufacturer can be contacted. The contact details shall be in a language easily understood by end-users and market surveillance authorities.
 8. Manufacturers shall ensure that the radio equipment is accompanied by instructions and safety information in a language which can be easily understood by consumers and other end-users, as determined by the Member State concerned. Instructions shall include the information required to use radio equipment in accordance with its intended use. Such information shall include, where applicable, a description of accessories and components, including software, which allow the radio equipment to operate as intended. Such instructions and safety information, as well as any labelling, shall be clear, understandable and intelligible.
- The following information shall also be included in the case of radio equipment intentionally emitting radio waves:
- (a) frequency band(s) in which the radio equipment operates;
 - (b) maximum radio-frequency power transmitted in the frequency band(s) in which the radio equipment operates.
9. Manufacturers shall ensure that each item of radio equipment is accompanied by a copy of the EU declaration of conformity or by a simplified EU declaration of conformity. Where a simplified EU declaration of conformity is provided, it shall contain the exact internet address where the full text of the EU declaration of conformity can be obtained.
 10. In cases of restrictions on putting into service or of requirements for authorisation of use, information available on the packaging shall allow the identification of the Member States or the geographical area within a Member State where restrictions on putting into service or requirements for authorisation of use exist. Such information shall be completed in the instructions accompanying the radio equipment. The Commission may adopt implementing acts specifying how to present that information. Those implementing acts shall be adopted in accordance with the advisory procedure referred to in Article 45(2).



11. Manufacturers who consider or have reason to believe that radio equipment which they have placed on the market is not in conformity with this Directive shall immediately take the corrective measures necessary to bring that radio equipment into conformity, to withdraw it or recall it, if appropriate. Furthermore, where the radio equipment presents a risk, manufacturers shall immediately inform the competent national authorities of the Member States in which they made the radio equipment available on the market to that effect, giving details, in particular, of the noncompliance, of any corrective measures taken and of the results thereof.

12. Manufacturers shall, further to a reasoned request from a competent national authority, provide it with all the information and documentation in paper or electronic form necessary to demonstrate the conformity of the radio equipment with this Directive, in a language which can be easily understood by that authority. They shall cooperate with that authority, at its request, on any action taken to eliminate the risks posed by radio equipment which they have placed on the market.

Ref RED 2014/53/EU Article 11 - Authorised representatives

1. A manufacturer may, by a written mandate, appoint an authorised representative.

The obligations laid down in Article 10(1) and the obligation to draw up technical documentation laid down in Article 10(3) shall not form part of the authorised representative's mandate.

2. An authorised representative shall perform the tasks specified in the mandate received from the manufacturer. The mandate shall allow the authorised representative to do at least the following:

(a) keep the EU declaration of conformity and the technical documentation at the disposal of national market surveillance authorities for 10 years after the radio equipment has been placed on the market;

(b) further to a reasoned request from a competent national authority, provide that authority with all the information and documentation necessary to demonstrate the conformity of radio equipment;

(c) co-operate with the competent national authorities, at their request, on any action taken to eliminate the risks posed

Article 19 General principles of the CE marking

1. The CE marking shall be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008.

2. On account of the nature of radio equipment, the height of the CE marking affixed to radio equipment may be lower than 5 mm, provided that it remains visible and legible.

Article 20 Rules and conditions for affixing the CE marking and the identification number of the notified body

1. The CE marking shall be affixed visibly, legibly and indelibly to the radio equipment or to its data plate, unless that is not possible or not warranted on account of the nature of radio equipment. The CE marking shall also be affixed visibly and legibly to the packaging.

2. The CE marking shall be affixed before the radio equipment is placed on the market.

3. Member States shall build upon existing mechanisms to ensure correct application of the regime governing the CE marking and shall take appropriate action in the event of improper use of that marking.