

7MF0340-1ML01-5AF2-Z A00+E01+Y01



SITRANS P320 Pressure transmitter Differential pressure and flow PN160 HART (4...20 mA) Measuring cell filling: Silicone oil Maximum measuring span: 1600 mbar (643 inH<sub>2</sub>O) Oval flange, fastening thread: 7/16-20 UNF (IEC 61518) Diaphragm: Stainless steel 316L/1.4404, measuring cell: Stainless steel 316L/1.4404; Sensor Differential pressure: process flange: Stainless steel 316/1.4408 Die-cast aluminum housing Dual chamber device no Ex 2 x M20 x 1.5 With display (lid with glass window) Cable gland and sealing plug attached, plastic General approval without Ex approval: World (CE, UKCA, RCM, CSA, EAC, FM, KCC) Measuring range setting: Lower range value (max. 5 characters). Upper range value (max. 5 characters). Unit (mbar. bar. kPa. MPa. psi ...) Example: -0.5 ... 10.5 psi

**Notes**

Please enter text for every Y option (using the Configurator).

Image similar

List Price (w/o VAT)	Show prices
<b>Customer Price</b>	Show prices
Service & Support (Manuals, Certificates, FAQs...)	Download

**Product**

Article Number (Market Facing Number)	7MF0340-1ML01-5AF2-Z A00+E01+Y01
Product Description	SITRANS P320 Pressure transmitter Differential pressure and flow PN160 HART (4...20 mA) Measuring cell filling: Silicone oil Maximum measuring span: 1600 mbar (643 inH <sub>2</sub> O) Oval flange, fastening thread: 7/16-20 UNF (IEC 61518) Diaphragm: Stainless steel 316L/1.4404, measuring cell: Stainless steel 316L/1.4404; Sensor Differential pressure: process flange: Stainless steel 316/1.4408 Die-cast aluminum housing Dual chamber device no Ex 2 x M20 x 1.5 With display (lid with glass window) Cable gland and sealing plug attached, plastic General approval without Ex approval: World (CE, UKCA, RCM, CSA, EAC, FM, KCC) Measuring range setting: Lower range value (max. 5 characters). Upper range value (max. 5 characters). Unit (mbar. bar. kPa. MPa. psi ...) Example: -0.5 ... 10.5 psi
Product family	for gauge pressure (pressure series)
Product Lifecycle (PLM)	PM300:Active Product
Notes	Please enter text for every Y option (using the Configurator).

**Price data**

Price Group / Headquarter Price Group	8P1
List Price (w/o VAT)	Show prices
Customer Price	Show prices
Metal Factor	None

**Delivery information**

Export Control Regulations	ECCN : 3A991X / AL : N
Factory Production Time	20 Day/Days
Net Weight (kg)	4.000 Kg
Package size unit of measure	Not available
Quantity Unit	1 Piece
Packaging Quantity	1

**Additional Product Information**

EAN	Not available
UPC	Not available
Commodity Code	9026201090
LKZ_FDB/ CatalogID	F101-1
Product Group	4770
Group Code	R3P0
Country of origin	France
Compliance with the substance restrictions according to RoHS directive	Since: 2018.09.17
Product class	C: products manufactured / produced to order, which cannot be reused or re-utilised or be returned against credit.
WEEE (2012/19/EU) Take-Back Obligation	Yes
REACH Art. 33 Duty to inform according to the current list of candidates	

**Classifications**

	Version	Classification
eClass	12	27-20-06-14
eClass	6	27-20-06-14
eClass	7.1	27-20-06-14
eClass	8	27-20-06-14
eClass	9	27-20-06-14
eClass	9.1	27-20-06-14

ETIM	7	EC002990
ETIM	8	EC002990

---

;