

Spare Parts For Trucks & Trailers




**TruckExpert**

[www.Lkwexpert.com](http://www.Lkwexpert.com)





Spare Parts For Trucks & Trailers







**MAN**





Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
26.280	D=Ø120 h=110	Hava Filtre Körüğü	81.96420.0170	<b>120 33 001</b>
				
26.281 26.321	D=Ø130 d=Ø120 h=100	Hava Filtre Körüğü	81.96420.0156	<b>120 33 004</b>
				
26.210 26.240 26.321	D1=Ø68 D2=Ø36 d=Ø13 h=20	Radyatör Takožu	81.96210.0243 81.96210.0248	<b>141 33 006</b>
				
26.281 SR 240 SL 200	D=Ø30 h=20 M=8	Hava Filtre Egsoz Takožu	81.96210.0096 88.96210.0802	<b>400 33 016</b>
				
19.372 19.422 26.270	D=Ø30 h=20 M8x1.25	Radyatör Takožu	81.96210.0289 83.96210.0508	<b>120 33 006</b>
				
520 19.190 20.190	D=Ø40 h=30 8x1.25 A=70	Radyatör Takožu	81.96020.0056 81.96020.7000 51.96210.0002	<b>141 33 001</b>
				







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>141 33 009</b> 	81.96210.0026	Radyatör Takozu	D=Ø40 h=30 L=22 M 8x1.25	M 2000
<b>141 33 002</b> 	81.96210.0301 81.96210.0052	Radyatör ve Egsoz Takozu	D=Ø40 h=30 M8x1.25 A=55	575 590 26.230
<b>141 33 011</b> 	81.96210.0615	Radyatör ve Egsoz Takozu	D=Ø40 h=30 M 8x23	LION'S CITY LION'S REGIO
<b>469 33 061</b> 	81.96210.0101	Egsoz Askı Takozu	D=Ø50 h=40 M 10x25 A55	19.190 20.190 22.190
<b>469 33 010</b> 	81.96210.0130	Egsoz Askı Takozu	D=Ø50 h=45 M 10 x 34 A70	19.240 26.240
<b>375 33 062</b> 	81.96210.0610	Lastik Takoz	D=Ø50 h=30 M 10 x 20	LION'S CITY SL

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
13.192 15.168 16.168	D=Ø50 h=30 M 10 x 25	Lastik Takoz	81.96210.0602 81.96210.0127 81.96210.0153	<b>469 33 009</b> 
19.422	D=Ø50 h=30 M 10 x 25	Egsoz Takozu	81.96210.0119	<b>469 33 016</b> 
26.240 26.280 32.240	D=Ø50 h=45 M 10x25 A45	Lastik Takoz Basınç Regülatörü	81.96210.0132	<b>400 33 018</b> 
LION'S CITY N 90	D=Ø30 h=15 M 8x22	Lastik Takoz	81.96210.0220	<b>375 33 066</b> 
	D1=Ø40 D2=Ø32 d=Ø25 h=14	Debriyaj Çatal Burcu	81.91710.0314	<b>703 02 005</b> 
	D=Ø50 h=42 M12x1.5	Debriyaj Çatal Makara ve Pimi	81.95801.0175	<b>211 00 101</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>211 33 501</b> 	81.91020.0775	Debriyaj Çatal Mili TGA	d=Ø12.5 L=156 Ax=126.5	
<b>211 33 010</b> 	81.30560.6021	Debriyaj Çatal Mili Tamir Tk	Ø40 Ø32 Ø25 14	
<b>211 44 005</b> 	81.30560.6022 81.30560.6019	Debriyaj Çatal Tamir Takımı	Ø40 Ø32 Ø25 14	
<b>242 33 001</b> 	81.96420.0142 81.96420.0308	Vites Körüğü (Büyük)		19.190 22.190 26.281
<b>242 33 005</b> 	81.96420.0324	Vites Körüğü	D=Ø230 d=Ø32	19.372 19.422 26.270
<b>242 33 007</b> 	81.32616.0004 81.32616.0008 81.32616.0011 81.32616.0013	Vites Kolu Toz Lastiği	L=80 M14x1.5	12.153

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
19.372 19.422 26.230	D=Ø242 h=80	Vites Kolu Toz Lastiği	81.32616.0006 81.32616.0007	<b>242 33 006</b>
	D=Ø32 d=Ø16 h=6	Vites Kolu Bağlantı Lastiği	81.90713.0014	<b>242 33 004</b>
	D=Ø20	Vites Kolu Tamir Takımı	81.32670.6199 81.32605.6085	<b>252 33 006</b>
19.372 19.422 F 2000	D=Ø100 h=73 M 16x1.5	Şanzıman Takozu	81.96210.0388	<b>246 33 004</b>
	L=80 M14x1.5	Planet Taşıyıcı Civatası	81.90010.0067	<b>245 00 007</b>
NL LION'S CITY	Ø50 Ø51 223	Dingil Tamir Takımı	81.44205.6023	<b>298 09 419</b>















Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>298 09 421</b> 	81.44205.6013	Dingil Tamir Takımı	Ø49.5 Ø50 223	16.170 192 / 200 / 240 280 / 281 / 290 291 / 321 / 331 360
<b>298 09 709</b> 	81.44205.6030 81.44205.6037	Dingil Tamir Takımı	D=Ø53 L=235	LIONS CENTROLINER TGA
<b>298 09 712</b> 	81.44205.6033	Dingil Tamir Takımı	D=Ø42 L=202	TGL TGM L 2000
<b>707 01 003</b> 	81.44208.0010	Kapak	D=Ø55 T=5	
<b>707 01 001</b> 	81.90711.0941 81.90711.0870	Kapak	D=Ø58 T=5	
<b>707 01 002</b> 	81.44208.0009	Kapak	D=Ø68 T=5	









Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	L=28 M12x1	Ayna Mahruti Civatası (Küçük Defransiyel)	06.02819.0002 81.90001.0165	<b>312 00 117</b> 
	D=Ø26 d=Ø22 h=24.5	İstavroz Mil Sarı Burç (Küçük Defransiyel)	81.93020.0846	<b>312 00 035</b> 
	D=Ø49 d=Ø44 h=35	Beyin Boru Dişli Burcu (Küçük Defransiyel)	81.93020.0679 81.93020.0681	<b>312 00 108</b> 
	D=Ø57 d=Ø50 h=41	Beyin Boru Dişli Burcu (Büyük Defransiyel)	81.93020.0569 81.93020.0574 81.93020.0450	<b>312 00 115</b> 
	D=Ø64 d=Ø60 h=55	Beyin Boru Dişli Burcu (Küçük Defransiyel)	81.93020.0678 81.93020.0680	<b>312 00 116</b> 
	D=Ø75 h=52,5	Beyin Boru Dişli Burcu (Büyük Defransiyel)	81.93020.0573 81.93020.0568	<b>312 00 126</b> 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>309 00 004</b> 	81.35710.0045 81.35710.0093 81.35710.0102	Kovan Keçe Yatak	D=Ø145 d=Ø110 h=32	
<b>309 00 005</b> 	81.35710.0044 81.35710.0094	Kovan Keçe Yatak	D=Ø145 d=Ø115 h=32	
<b>309 33 001</b> 	06.56341.4254	Kovan Cer Lastığı	D=Ø255 T=5	
<b>361 33 201</b> 	06.33719.0057 06.33719.0058 06.33719.0061	S Kam Mil Rulmanı	D=Ø52 h=20	
<b>361 77 005</b> 	06.36959.0011 06.36959.0014 06.36959.0018 81.93430.0004	S Kam Mil Rulmanı	D=Ø62 h1=20 h2=25	
<b>348 33 501</b> 	81.51901.6006	S Kam Mil Tamir Takımı	Ø52 Ø42 20	





Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	Ø42 Ø62 20 25	S Kam Mil Tamir Takımı	81.51901.6005	<b>361 33 502</b> 
	D=Ø30 L=102	Fren Pabuç Pimi	81.50212.0032 81.50212.0036	<b>349 00 039</b> 
	D=Ø12 L=72	Fren Pabuç Pimi	83.50211.0000 81.50211.0018 81.50211.0028	<b>349 00 501</b> 
	D=Ø12 L=95	Fren Pabuç Pimi	81.50211.0016 81.50211.0027	<b>349 00 502</b> 
	Ø20 Ø52 39.3 76	Fren Pabucu Makara Seti	81.50213.6006 S 81.50213.6005 S	<b>349 44 009</b> 
	D=Ø30 L=102	Fren Pabucu Perno Tamir Tk	81.50212.0036 S	<b>349 00 021</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>372 00 033</b> 	81.43220.6202	Bugi Burcu (Takım)	D=Ø67 d=Ø17 B=43 h=24 Ax=100	F 2000 TGA TGS
<b>372 00 042</b> 	81.43270.6089	Bugi Burcu (Takım)	D=Ø67 d=Ø19 B=47 h=24 Ax=115	F 2000
<b>372 33 050</b> 	81.43220.6335S2	Bugi Burcu (Takım)	D=Ø67 d=Ø80 M14 x 1,5	
<b>372 33 026</b> 	81.43220.6108 81.43220.6132	Bugi Burcu (Takım)	D=Ø72 d=Ø19 B=47 h=30 Ax=130	EL 222 NG 262 NG 312
<b>372 00 013</b> 	81.43230.6051 81.43230.6068 81.43270.6064	Bugi Burcu (Takım)	D=Ø72 d=Ø19 B=47 h=24 Ax=130	F 2000 F 90 M 2000
<b>372 00 034</b> 	81.43220.6244	Bugi Burcu (Takım)	D=Ø75 d=Ø17 B=52 h=24 Ax=115	TGA







Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø75 d=Ø19 B=52 h=24 Ax=115	Bugi Burcu (Takım)	81.43270.6119	<b>372 00 049</b> 
416 417 HDH	D=Ø75 d=Ø19 B=48 h=24 Ax=115	Bugi Burcu (Takım)	81.43270.6191	<b>372 44 034</b> 
EL NG NL	D=Ø75 d=Ø19 B=48 h=24 Ax=130	Bugi Burcu (Takım)	81.43230.6061	<b>372 00 016</b> 
M 2000 TGS	D=Ø75 d=Ø19 B=52 h=24 Ax=130	Bugi Burcu (Takım)	85.43220.6002	<b>372 00 043</b> 
F 2000	D=Ø75 d=Ø23 B=52 h=24 Ax=152	Bugi Burcu (Takım)	81.43270.6100	<b>372 00 037</b> 
EL LION'S COACH NG	D=Ø85 d=Ø19 B=58 h=30 Ax=130	Bugi Burcu	81.43220.6055 81.43220.6073 81.95302.0037 81.95302.0059 06.29020.0206	<b>372 00 009</b> 


Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>372 00 030</b> 	81.43220.6250	Bugi Burcu (Takım)	D=Ø85 d=Ø19 B=58 h=24 Ax=130	TGA 41.360
<b>372 00 048</b> 	81.43270.6127	Bugi Burcu (Takım)	D=Ø85 d=Ø19 B=58 h=30 Ax=130	
<b>372 00 012</b> 	81.43220.6203	Bugi Burcu (Takım)	D=Ø85 d=Ø21 B=54 h=30 Ax=130	LION'S STAR ÜL
<b>372 33 040</b> 	81.95302.0041 81.95302.0042	Bugi Burcu (Takım)	D=Ø85 d=Ø21 h=30 Ax=130	
<b>372 00 032</b> 	81.43270.6126	Bugi Burcu (Takım)	D=Ø85 d=Ø23 B=58 h=24 Ax=130	TGA TGS TGX
<b>372 00 026</b> 	81.43270.6105	Bugi Burcu (Takım)	D=Ø85 d=Ø25 B=58 h=24 Ax=130	F 2000 TGA TGS

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS TGX	D=Ø85 d=Ø25 B=58 h=24 Ax=130	Bugi Burcu (Takım)	81.43220.6285	<b>372 33 033</b> 
	D=Ø85 d=Ø25 B=58 h=24 Ax=152	Bugi Burcu (Takım)	81.43270.6101 81.43270.6109 81.43270.6139	<b>372 44 037</b> 
F 2000	D=Ø85 d=Ø21 d1=Ø26 B=58 h=24 Ax=130	Bugi Burcu (Takım)	81.95302.0077	<b>372 33 010</b> 
	D=Ø85 d=Ø23 Ax=152	Bugi Burcu (Takım)	81.43270.6057S	<b>372 33 035</b> 
F 2000 F90	D=Ø90 d=Ø23 B=58 h=35 Ax=152	Bugi Burcu (Takım)	81.95301.6133	<b>372 33 028</b> 
LION'S COACH LION'S STAR ÜL	D=Ø95 d=Ø19 B=53.5 h=35 Ax=145	Bugi Burcu (Takım)	81.43315.0009 81.43315.6040	<b>375 33 045</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>372 00 011</b> 	81.43270.6040 81.43270.6045	Bugi Burcu (Takım)	D=Ø95 d=Ø21 B=61 h=24 Ax=152	SG SL SÜ
<b>372 00 028</b> 	81.43270.6079	Bugi Burcu (Takım)	D=Ø95 d=Ø23 B=61 h=35 Ax=152	TGA
<b>372 00 018</b> 	81.43270.6110	Bugi Burcu (Takım)	D=Ø100 d=Ø25 B=74 h=24 Ax=152	E 2000 F 2000 TGA
<b>372 33 008</b> 	81.43220.6204	Bugi Burcu İçi Konik (Takım)	D=Ø95 B=53.5 h=73 M24x2	S 2000
<b>372 00 020</b> 	81.43220.6108 81.43220.6132	Bugi Burcu ( Tamir Takımı)	D=Ø72 d=Ø19 Ax=130	S 2000 19.423
<b>372 00 027</b> 	81.95301.6133 S	Bugi Burcu ( Tamir Takımı)	D=Ø90 d=Ø23 Ax=152	16.168 18.220









Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
M 2000 M 90	D=Ø72 h=45 M20x1.5	Bugi Burcu ( Tamir Takımı)	81.43270.6065	<b>372 00 024</b> 
19.423 19.463 19.464	D=Ø90 h=60 M24x1.5	Bugi Burcu ( Tamir Takımı)	81.43270.6080	<b>375 33 040</b> 
14.170 16.168	D=Ø90 d =60 M=24X1.5	Bugi Burcu ( Tamir Takımı)	81.95301.6132	<b>372 00 023</b> 
19.422	D=Ø47 d=Ø21 Ax=101	Denge Kolu Burcu	81.96210.0511	<b>400 33 006</b> 
S 2000	D=Ø47.5 d=Ø19 Ax=99	Denge Kolu Burcu	81.96210.0452	<b>375 33 026</b> 
TGA TGS TGX	D=Ø53 d=Ø17 Ax=68	Lastik Metal Burç	81.96210.0609	<b>375 33 087</b> 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>375 97 003</b> 	36.96210.0006	Burç	D=Ø64 d=Ø19 Ax=124	
<b>375 33 028</b> 	81.43271.0080	Denge Kolu Burcu	D=Ø65 d=Ø15 Ax=100	F90 Series
<b>375 33 013</b> 	81.43271.0028 81.43271.0087	Denge Kolu Burcu	D=Ø65 d=Ø19 Ax=130	M90 SERIES
<b>375 33 010</b> 	81.43271.0082 81.43281.0027	Denge Kolu Burcu	D=Ø65 d=Ø21 Ax=125	F90 SERIES
<b>375 33 051</b> 	81.43220.6177 81.43220.6179 81.43220.6224	Denge Kolu Burcu	D=Ø67 d=Ø15 Ax=80	S 2000
<b>375 00 020</b> 	81.43635.0003	Denge Kolu Burcu	D=Ø73 d=Ø19 Ax=100	TGA TGS TGX

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø75 d=Ø21 Ax=125	Denge Kolu Burcu	81.43271.0046 81.43271.0079 81.43271.0083	<b>375 33 011</b> 
S 2000	D=Ø67 h=83	Denge Kolu Burcu	81.43220.6177	<b>375 33 050</b> 
SL 200 SR 240 SG 220	D=Ø68 d=Ø42 h=68	Ön Takım Burcu	81.43271.0056 81.43271.0074	<b>373 33 002</b> 
SL 200 SL 240 SR 240	D=Ø75 d=Ø55 h=83	Ön Takım Burcu	81.43271.0033	<b>374 33 001</b> 
SG 220 S 2000	D=Ø68 d=Ø58 h=80	Ön Takım Burcu	81.44204.0020 81.44204.0021	<b>373 33 011</b> 
12.153 G 90	D=Ø37.5 d=Ø14 h=51	Denge Kolu Burcu	81.96020.0286	<b>375 33 049</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>375 33 088</b> 	85.43722.0007	Lastik Metal Burç	D=Ø42.5 d=Ø14 h=35	TGL TGM
<b>375 33 001</b> 	81.43271.0008 81.43271.0029	Denge Kolu Burcu	D=Ø45 d=Ø16 h=42	16.280 19.280 26.230
<b>375 33 016</b> 	81.43722.0022	Denge Kolu Burcu	D=Ø45 d=Ø16 h=47	19.372 19.422 22.360
<b>375 33 090</b> 	81.96210.0450	Denge Kolu Burcu	D=Ø47 d=16 h=47	22.360 24.242
<b>374 33 003</b> 	81.96210.0618	Denge Kolu Burcu	D=Ø48 d=Ø18 h=40	
<b>375 33 047</b> 	81.43722.0059	Denge Kolu Burcu	D=Ø50 d=Ø16 h=47	S 2000 Fortuna







Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
19.422	D=Ø64 d=Ø24 h=44	Denge Kolu Burcu	81.43722.0047	<b>375 33 036</b> 
19.422 24.462	D=Ø65 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0021	<b>375 33 015</b> 
19.422 19.423 33.423	D=Ø67 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0039	<b>375 33 032</b> 
19.422 19.423 33.423	D=Ø68 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0063	<b>375 33 044</b> 
19.422 24.462 33.272	D=Ø75 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0019 81.43722.6051	<b>375 33 014</b> 
	D=Ø78 d=Ø30 h=78	Ön Takım Burcu	082192400 36.96210.0007	<b>372 97 002</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>400 33 017</b> 	81.96210.0063	Şaft Askı Burcu	D=Ø34.5 d=Ø16 h=43	520 19.190 20.190
<b>375 33 085</b> 	81.43722.0085	Denge Kolu Burcu	D=Ø96 d=Ø24 L=95	TGA TGS TGX
<b>374 33 002</b> 	81.43704.0081 81.43704.0094	Denge Kolu Lastigi	D=Ø55 d=Ø35 h=51	
<b>375 33 052</b> 	81.43722.0053	Denge Kolu Lastigi	D=Ø56 d=Ø39 h=60	12.153
<b>375 33 064</b> 	81.43722.0052	Denge Kolu Lastigi	D=Ø56 d=Ø34 h=60	L 2000 M 2000
<b>375 33 089</b> 	85.43704.0005	Denge Kolu Lastigi	d=Ø26 h=66 L=46	







Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS LION'S	D=Ø76 d=Ø52 h=50	Denge Kolu Burcu	81.43704.0077	<b>375 33 053</b> 
TGA TGM TGS	D=Ø76 d=Ø46 h=50	Denge Kolu Burcu	81.43704.0078	<b>375 33 057</b> 
TGA	D=Ø75 d=Ø42 h=51	Denge Kolu Burcu	81.43704.0079	<b>375 33 059</b> 
TGA TGS TGX	D=Ø88 d=Ø60 h=60	Denge Kolu Burcu	81.43722.0083	<b>375 33 063</b> 
19.464	D=Ø64 d=Ø45 h=51	Denge Kolu Burcu	81.43704.0074	<b>375 33 038</b> 
S 2000	D=Ø84 d=Ø50 h=72	Denge Kolu Burcu	81.43722.0068 81.43722.0069 81.43722.0080	<b>375 33 039</b> 


Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>375 33 030</b> 	81.43722.0040 81.43722.0041 81.43722.0042	Denge Kolu Burcu	D=Ø82 d=Ø55 h=70	33.372 F 2000 F 90
<b>375 33 017</b> 	81.43704.0060	Denge Kolu Burcu	D=Ø77 d=Ø55 h=60	19.422
<b>375 33 008</b> 	81.43704.0061	Denge Kolu Burcu	D=Ø78 d=Ø60 h=60	19.422 19.463 F 9024.462
<b>375 00 036</b> 	81.43271.0081	Denge Kolu Burcu	D=Ø93 d=Ø56 h=70	
<b>375 33 022</b> 	81.96210.0479	Denge Kolu Burcu	D=Ø123 h=45	S 2000
<b>375 33 023</b> 	81.43704.0025	Denge Kolu Burcu	D=Ø80 d=Ø55 h=80	19.422



Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
G 90 L 2000 M 2000	D=Ø71 d=Ø46 h=80	Denge Kolu Burcu	81.43704.0029	<b>375 33 024</b> 
LION LION'S STAR	D=Ø80 d=Ø55 h=80	Denge Kolu Burcu	81.43704.0026	<b>375 33 025</b> 
	Ø48 Ø18 40	Denge Kol Tamir Takımı	81.96210.0618 S	<b>375 33 501</b> 
	ID=Ø16 h=335 L=939	Denge Kolu	81.43715.0100 81.43715.6064	<b>398 05 854</b> 
	ID=Ø18 D=Ø36 L=112	Denge Kolu	81.43715.0162 81.43715.0165	<b>398 13 233</b> 
		Denge Kolu	81.43715.0102 81.43715.6024 81.43715.6066	<b>398 33 002</b> 




Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>375 33 093</b> 	81.43718.0043	Denge Kepi	$\varnothing 15 \times 87$ 119x54 $\varnothing 70/48$	
<b>375 33 094</b> 	81.43718.0044	Denge Kepi	$\varnothing 15 \times 86,5$ 118,5x53 $\varnothing 69,5/68$	
<b>375 00 026</b> 	81.96210.0552 81.96210.0539 81.96210.0540	Poliüretan Takoz	$D1 = \varnothing 120$ $D2 = \varnothing 100$ $d = \varnothing 15$ $h = 85$ M 12x1.5	TGA TGS TGX
<b>375 33 079</b> 	85.96020.0004	Poliüretan Takoz	$D = \varnothing 53$ $d = \varnothing 22$ $h = 42$	TGA TGS TGX
<b>375 33 082</b> 	85.96210.0025	Poliüretan Takoz	$D = \varnothing 68$ $d = \varnothing 17$ $h = 72$	TGL
<b>375 33 083</b> 	85.96210.0008 85.96210.0009	Poliüretan Takoz	$D = \varnothing 98$ $d = \varnothing 30$ $h = 25$	L 2000

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS TGX	D=Ø52,5 d=Ø22 h=42	Poliüretan Takoz Tamir Takımı	85.96020.0004 S	<b>375 33 084</b> 
19.190	D=Ø42.5 d=Ø24 h=36	Amortisör Lastiği	81.43706.0008	<b>400 33 019</b> 
	D=Ø150 d=Ø121 h=100	Makas Takozu	81.96210.0507 81.96210.0508	<b>372 33 043</b> 
	D=Ø20 h=20	Lastik Takozu	81.96101.0739 81.96101.0690	<b>399 33 024</b> 
19.372 19.472 26.281	D=Ø96 d=Ø19 h=96	Destek Takozu	81.96020.6006 81.96020.0172 81.96020.0136 81.96020.0110	<b>375 00 016</b> 
19.422 33.372	D=Ø100 h=130	Makas Takozu	81.96020.6008 81.96020.0266 83.96020.0501 83.96020.6501	<b>399 33 009</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>399 33 010</b> 	81.43407.0109	Makas Dayama	A=110	19.422
	81.43407.0509	Takozu	B=84	26.281
	81.43407.5003		h=13	
	83.43407.0509			
<b>400 33 005</b> 	81.43400.6484	Makas Dayama	A=80	TGA
	83.96020.0506	Takozu	B=105 h=13	TGS TGX
<b>399 33 017</b> 	85.43407.0004	Makas Takozu	A=90 B=70 h=12	N SERIES
<b>399 44 004</b> 	85.43407.0003	Makas Takozu	A=90 B=70 h=18.5	
<b>400 00 016</b> 	81.41304.0008	Makas Burcu	D=Ø30	
	81.43420.0014		d=Ø25	
	81.41304.0043		L=77	
<b>400 33 042</b> 	81.43420.0000	Makas Burcu	D=Ø30 d=Ø25 L=87	

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø36 d=Ø30 L=77	Makas Burcu	81.41304.0032 81.41304.0041	<b>400 33 043</b> 
	D=Ø36 d=Ø30 L=87	Makas Burcu	81.41304.0044	<b>400 33 044</b> 
	D=Ø36 d=Ø30 L=97	Makas Burcu	81.43420.0012 81.43420.0038 81.43420.0040	<b>400 33 045</b> 
	D=Ø42 d=Ø35 L=95	Makas Burcu	81.41304.0000 81.41304.0015	<b>400 33 049</b> 
	D=Ø46 d=Ø40 L=97	Makas Burcu	81.41304.0031 81.41304.0037	<b>400 33 046</b> 
	D=Ø48 d=Ø40 L=95	Makas Burcu	81.41304.0001	<b>400 33 050</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>400 33 047</b> 	81.41304.0020	Makas Burcu	D=Ø48 d=Ø42 L=95	
<b>400 33 048</b> 	81.41304.0029 81.41304.0035 81.41304.0050	Makas Burcu	D=Ø48 d=Ø44 L=95	
<b>400 33 004</b> 	81.96020.0231 81.96020.0250 81.96020.0252	Makas Burcu	D=Ø50 d=Ø16 L=95	M 2000 G 90
<b>400 33 007</b> 	81.43722.0051 81.43722.0078 81.43722.0079	Makas Burcu	D=Ø57 d=Ø20 L=84	12.153
<b>400 33 025</b> 	81.43722.0091	Makas Burcu	D=Ø62 d=Ø24 L=95	TGA TGS TGX
<b>400 33 026</b> 	81.43722.0087	Makas Burcu	D=Ø65 d=Ø24 L=100	TGA TGS TGX

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA 410 TGA 460	D=Ø65 d=Ø24 L=95	Makas Burcu	81.43722.0070 81.96210.0616	<b>400 33 008</b> 
E 50 T 01 T 32	D=Ø70 d=Ø24 L=105	Makas Burcu	81.43722.0045 81.43722.0062	<b>400 33 015</b> 
S 2000	D=Ø70 d=Ø24 L=95	Makas Burcu	83.43722.0001 81.43722.0044 81.43722.0061	<b>400 33 014</b> 
	D=Ø25 L=130	Makas Pimi	81.41306.0070 81.41306.0087 81.41306.0090	<b>400 33 028</b> 
	D=Ø25 L=143	Makas Pimi	81.41306.0058 81.41306.0072 81.41306.0081	<b>400 33 029</b> 
	D=Ø25 L=143	Makas Pimi	81.41306.0055 81.41306.0067 81.41306.0071 81.41306.0080 81.41306.0084	<b>400 33 030</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>400 33 039</b>	81.41303.0082	Makas Pimi	D=Ø30 L=126	
				
<b>400 33 031</b>	81.41306.0095	Makas Pimi	D=Ø30 L=142	
				
<b>400 33 032</b>	81.41306.0088	Makas Pimi	D=Ø30 L=143	
				
<b>400 33 033</b>	81.41306.0089	Makas Pimi	D=Ø30 L=145	
				
<b>400 33 034</b>	81.41306.0092 81.91001.0453	Makas Pimi	D=Ø30 L=160	
				
<b>400 33 035</b>	81.41306.0001 81.41306.0074 81.41306.0075 81.41306.0085	Makas Pimi	D=Ø30 L=162	
				








Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø30 L=162	Makas Pimi	81.41306.0096	<b>400 33 037</b> 
	D=Ø30 L=164	Makas Pimi	81.41306.0097	<b>400 33 036</b> 
	D=Ø40 L=161	Makas Pimi	81.91020.0255 81.91020.0327	<b>400 33 038</b> 
TGA TGX TGS	10 176 152,5	Makas Dayama Takoðu	81.41401.0055	<b>400 33 009</b> 
		Makas Üst Kulađı (Kalın Tırnak)	81.41320.0092	<b>402 33 001</b> 
		Makas Üst Kulađı (İnce Tırnak)	81.41320.0089	<b>402 33 024</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>402 33 002</b> 	81.43240.0099 83.43240.0500	Makas Alt Kulađı		
<b>402 33 003</b> 	81.41320.0065 83.41320.0500 83.41320.0502	Makas Üst Kulađı		
<b>399 33 014</b> 	81.96210.0554 81.96210.0547	Makas Takozu (Sađ)	h=133	TGA
<b>399 33 019</b> 	81.96210.0555 81.96210.0548	Makas Takozu (Sol)	h=133	TGA
<b>400 33 012</b> 	81.96210.0554 S 06.01494.4935 06.01494.4933	Makas Tamir Takımı (Sađ)	L1=260 L2=240 h=133 M 20x2	TGA
<b>400 33 020</b> 	81.96210.0555 S 06.01494.4935 06.01494.4933	Makas Tamir Takımı (Sol)	L1=260 L2=240 h=133 M 20x2	TGA







Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	L=260 M 20x2	Makas Baęlantı Civatası	06.01494.4935	<b>400 33 010</b>
	L=240 M 20x2	Makas Baęlantı Civatası	06.01494.4933	<b>400 33 011</b>
	L=135 M 24x2	Makas Baęlantı Civatası	06.02839.0025	<b>402 33 057</b>
	d=Ø24 L1=185 L2=158 T=14 Ax=115	Makas Baęlantı Kulaęı	81.41303.0080	<b>402 33 055</b>
	L1=194 L2=74 T=25.5 Ax=116 M 24x2	Makas Baęlantı Kulaęı	81.41303.0079	<b>402 33 056</b>
		Makas Baęlantı Kulaęı Takım	81.41303.0079 S	<b>402 33 058</b>

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>402 33 059</b> 	81.41303.0079 S1	Makas Baęlantı Kulaęı Takım		
<b>375 33 061</b> 	81.96210.0603	Kep Kaldırma Silindir Burcu	D=Ø88 d=Ø60 h=60	
<b>469 33 019</b> 	81.96101.0638	Şoför Mahalli Ayar Plastięi	D=Ø70 d=Ø32 h=4	19.372 19.422
<b>469 33 018</b> 	81.90712.0844 81.90713.0909	Şoför Mahalli Ayar Plastięi	D=Ø65 d=Ø33 h=6	19.372 19.422
<b>469 33 012</b> 	81.96210.0400	Şoför Mahalli Takoðu	D=Ø50 d=Ø16 h=29	19.372 19.422 24.242
<b>469 33 020</b> 	81.96210.0437 81.96210.0424	Şoför Mahalli Takoðu Ön	D=Ø70.5 d=Ø16 h=68	19.422 19.293 19.403







Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø119 d=Ø25 h=41 L=135 Ax=107	Şoför Mahalli Takoza Ön	81.96210.0393 83.96210.0512	<b>469 33 007</b> 
12.153	22 95	Şoför Mahalli Takoza	85.96210.0007 85.96210.0012	<b>469 33 029</b> 
520 19.190 20.190	D=Ø100 h=56 M 16x1.5	Şoför Mahalli Takoza (Arka)	81.96210.0001 81.96210.0002	<b>469 33 001</b> 
26.281	D=Ø130 h=92 M 16x1.5	Şoför Mahalli Takoza	81.96210.0339 83.96210.0500	<b>469 33 005</b> 
19.372 19.422	D=Ø60 d=Ø15 h=18	Şoför Mahalli Takoza	81.96210.0407 81.96210.0362	<b>469 33 013</b> 
	Ø30 Ø47 18	Kabin Tamir Takımı	06.36950.0210	<b>469 33 054</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>375 33 072</b> 	81.96210.0536	Poliüretan	D=Ø50	30.364
		Takoz	h=36	32.310
			M10x1.5	33.464
<b>375 33 091</b> 	81.96210.0515	Poliüretan	D=Ø50	33.373
	81.96210.0482	Takoz	h=37 M10x1.5	
<b>375 33 071</b> 	81.41723.0067	Burç	D=Ø43 d=Ø25.5 h=25	TGA
<b>375 33 041</b> 	85.90710.0014	Dayama Pulu	D=Ø75 d=Ø42 h=51	TGS TGA TGX
<b>469 33 022</b> 	81.96210.0462	Kabin Kilit	D=Ø34	19.372
	81.96210.0369	Takozu	d=Ø14 h=42	19.422 26.230
<b>469 33 044</b> 	81.61851.6023	Kabin Kilit Takozu	D=Ø34 d=Ø16 h=30	


Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø57 d=Ø35 h1=22 h2=25	Kabin Rulmanı	81.93430.0016	<b>469 33 201</b> 
	D=Ø47 d=Ø30 h1=18 h2=22	Kabin Rulmanı	81.93430.0008 81.93430.0009 81.93430.0010 06.36950.0510	<b>702 01 010</b> 
12.153	D=Ø53 d=Ø16 h=58	Kabin Takozu	85.96210.0021	<b>469 33 031</b> 
12.153	D=Ø60 d=Ø16 h=80	Kabin Takozu	85.96210.0019	<b>469 33 030</b> 
TGA TGS TGX	D=Ø63.5 D2=Ø60 d=Ø16.5 h=80	Kabin Tamir Takımı	85.96210.0019 S	<b>469 33 064</b> 
TGA 33.362 TGA 33.423 TGA 33.460	D=Ø60 d=Ø16.5 h=80	Kabin Tamir Takımı	81.41715.6014	<b>469 33 039</b> 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<p><b>469 33 087</b></p> 	81.96210.0407 S	Kabin Tamir Takımı	D=Ø70.5 d=Ø16.5 h=68	
<p><b>469 33 088</b></p> 	81.96210.6095	Kabin Tamir Takımı	D=Ø47 d=Ø30 h=18	
<p><b>469 33 503</b></p> 	81.41700.6096	Kabin Tamir Takımı	D=Ø57 d=Ø35 h1=22 h2=25	
<p><b>469 33 032</b></p> 	81.96210.0437S	Kabin Tamir Takımı	D=Ø70.5 d=Ø16.5 h=68	F 2000 19.273 F 2000 19.293 F 2000 19.314
<p><b>469 33 035</b></p> 	81.96210.0400 S1	Kabin Tamir Takımı	D=Ø50 d=Ø16 h=29	F 2000 19.273 F 2000 19.293 F 2000 19.314
<p><b>469 33 034</b></p> 	81.96210.0400 S	Kabin Tamir Takımı	D=Ø64 d=Ø16 h=29	F 2000 19.273 F 2000 19.293 F 2000 19.314



Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS TGX	D=Ø60 d=Ø16.5 h=80	Kabin Tamir Takımı	81.41715.6013	<b>469 33 037</b> 
	Ø60 4	Termostad Lastigi	06.56341.2122 51.06901.0109 51.96501.0035 64.96501.0040 85.50001.0230	<b>144 33 001</b> 
26.281 26.230 26.231	A=81 B=62 h=12	Debriyaj Pedal Lastigi	81.30511.0000	<b>208 33 011</b> 
	A=70 B=75 h=11	Pedal Lastiđi	81.48227.0006	<b>469 33 086</b> 
26.240 26.280 26.281	L=125	Akü Kapađı Mandalı	81.97101.0000	<b>463 33 001</b> 
	L=125	Geniř Depo Lastiđi	81.41820.0096	<b>465 00 021</b> 

# MAN

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
<b>463 33 002</b>	81.66410.0226	Çamurluk Lastiđi		TGA 18.410 TGA 18.460
				
<b>375 33 058</b>	81.66440.0192	Çamurluk Lastiđi		TGA TGS TGX
