



Pirmax

"iyi yařama engel yok"



PRODUCT CATALOGUE

Piruz Sağlık Hizmetleri İnşaat Tekstil Kuyumculuk İthalat İhracat Sanayi Ticaret Limited Şirketi

PIRUZ SAĞLIK HİZMETLERİ is a company that has been operating mainly in sales and marketing in the medical sector since 2006. In order to produce the products that it has marketed in order to use its years of experience and knowledge in production, it established its production center in 2019 and Piruz Sağlık Hizmetleri has gained the identity of a manufacturing company since this date.

With a structure that cares about quality and scientific support in production, it has created a structure that increases its success graphic every day in production. Also the quality of the health care industry with products produced in Turkey, self-development, which aims to protect human health, is committed to the development and production of its product.

We support our production with in-service trainings for continuous improvement in our team working in the production phase. We use the necessary systems for our production by following the developments in technology and automation technology step by step. Piruz Sağlık Hizmetleri, which has EN ISO 9001: 2000 and EN ISO: 13485: 2000 quality certificates, aims to be a pioneer in production.

Our Mission

To provide products with international standards aimed at protecting human health and providing treatment in domestic and foreign markets; to grow continuously and in a balanced way, to satisfy our customers satisfaction and expectations from the health sector, to respect the environment and the society; to provide all our health institutions, with our high technology products which we produced, with our well-equipped and trained staff with excellent service quality.

Our Vission

To keep the customer satisfaction at the highest level in order to be the best in the services we provided; the rise in the quality of life and the use of the latest technologies in related fields and providing the follow-up; an understanding of its ongoing road non-stop every day that add new values; Instead of quality products and services to a "specific customer", quality products and services for "everyone" to act and develop partnerships with each passing day working; aims to keep employee satisfaction at the highest level as well as occupational safety; We aim to be a company that aims to be an example to other company with to be one step ahead of the other companies in its field.



PRODUCT LIST

▶ POWER WHEELCHAIR	4
▶ MANUAL WHEELCHAIR	5-6
▶ PEDIATRIC MANUAL WHEELCHAIR	7
▶ ROLLATOR/WALKER / CANE / CRUTCHES / KANEDYEN	8
▶ AIRPORT AND HOSPITAL POWER WHEELCHAIR / SPARE PART	9
▶ GLOVES	10
▶ RESPIRATORY DEVICES	11
▶ AIR MATTRESS / AIR AND GEL CUSHION	12
▶ INFUSION SET/ URINE BAG / PATIENT BAD	13
▶ STERILE and NON-STERILE DISPOSABLE PRODUCTS	14-15



POWER WHEELCHAIR

Standard

Aluminum

Heavy Duty



PA200

PA201

PA202

PA203

PA207

PA208

PA210

PA303

	PA200	PA201	PA202	PA203	PA207	PA208	PA210	PA303
Chassis	Foldable When The Battery Is Removed	Foldable When The Battery Is Removed	Foldable When The Battery Is Removed	Foldable When The Battery Is Removed	Foldable With Battery	Full Reclining	With Shock Absorber	Seated
Max Forward Speed	6-8 km/h	6-8 km/h	6-8 km/h	6-8 km/h	6-8 km/h	6-8 km/h	6-8 km/h	6-8 km/h
Max Driving Gradient	12°	12°	12°	12°	12°	12°	12°	10°
Max Driving Range	25±5km	25±5km	25±5km	25±5km	25±5km	25±5km	25±5km	25±5km
Weight Capacity	100-120 kg	120-135 kg	120-135 kg	120-165 kg	100-120 kg	120-135 kg	125-145 kg	150-165 kg
Tire Sizes	8"x2"(Front) 12.5"x2.25"(Rear)	8"x2"(Front) 12.5"x2.25"(Rear)	8" or 10"(Front) 12.5"or 14"(Rear)	8" or 10"(Front) 12.5"or 14"(Rear)	8"x2"(Front) 12.5"x2.25"(Rear)	8"x2"(Front) 10"(Rear)	8"x2"(Front) 12.5"x2.25"(Rear)	10"x2.25"(Front) 14"x3"(Rear)
Brake System	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake
Batteries	Gel 12V28AH*2	Gel 12V32AH*2	Gel 12V35AH*2	Gel 12V40AH*2	Lithium 24V, 20AH	Gel 12V32AH*2	Gel 12V35AH*2	Gel 12V40AH*2
Charger	DC24V3A	DC24V5A	DC24V5A	DC24V3A	DC24V3A	DC24V5A	DC24V5A	DC24V5A
Charging Time	6-8h	6-8h	6-8h	6-8h	5h	6-8h	6-8h	10-12h
Motor	24V/250W*2 pcs	24V/320W*2 pcs (Taiwan)	24V/320W*2 pcs (Taiwan)	24V/400W*2 pcs or 450W*2pcs	24V/250W*2 pcs	24V/320W*2 pcs (Taiwan)	24V/320W*2 pcs (Taiwan)	24V/340W*2 pcs
Motor Controller	24V/35A	24V/50A (China B.) (PG From UK is Option)	24V/50A (China B.) (PG From UK is Option)	24V/50A (China B.) (PG From UK is Option)	24V/50A	24V/50A (China B.) (PG From UK is Option)	24V/50A (China B.) (PG From UK is Option)	24V/50A (China B.) (PG From UK is Option)
Weight without battery	49kg	59kg	60kg	65kg	24kg	65kg	72kg	51kg

MANUEL WHEELCHAIR

Standard

Specific

Aluminum



PM110

PM210

PM930

PM931

PM9067

PM9070

	PM110	PM210	PM930	PM931	PM9067	PM9070
Frame	Electrostatic Painted Steel	Electrostatic Painted Steel	Electrostatic Painted Steel	Electrostatic Painted Steel	Aluminum	Aluminum
Front wheel	8"x1.25" solid castor	8"x1.25" solid castor	8"x 2" solid castor	8"x 2" solid castor	6"x1.25" solid castor	8"x 2" solid castor
Rear wheel	24" solid rear wheel	24" solid rear wheel	24" solid rear wheel	24" solid rear wheel	24" solid rear wheel	24" solid rear wheel
Seat Weight	18" (46 cm)	18" (46 cm)	18" (46 cm)	18" (46 cm)	18" (46 cm)	18" (46 cm)
Weight Capacity	120-135 kg	120-135 kg	120-135 kg	120-135 kg	100-120 kg	120-135 kg
Armrest	Fixed, PVC	Fixed, PVC	Reclining and Removable, PU	Reclining and Removable, PU	Height Adjustable and Removable, PU	Reclining and Removable, PU
Footrest	Fixed	Removable, Side opening, Foldable and Height adjustable	Removable, Side opening, Foldable and Height adjustable	Removable, Side opening, Foldable and Height adjustable	Removable, Foldable and Height adjustable and Angle adjustable	Removable, Side opening, Foldable and Height adjustable
Seat, Backside	Plaid nylon upholstery (flame retardant)	Black Leather	Black nylon upholstery (flame retardant)	Black nylon upholstery (flame retardant)	Black nylon upholstery (flame retardant)	Black nylon upholstery (flame retardant)
Backrest	Fixed	Fixed	Fixed	Foldable	Foldable	Fixed
Other	Calf Strap, Reflector, Hand Brake, Safety Belt	Calf Strap, Reflector, Hand Brake, Safety Belt	Calf Strap, Reflector, Hand Brake, Safety Belt	Calf Strap, Reflector, Hand Brake, Safety Belt, Companion Brake, Seat Cushion	Calf Strap, Reflector, Hand Brake, Safety Belt	Calf Strap, Reflector, Hand Brake, Safety Belt, Companion Brake, Seat Cushion

MANUEL WHEELCHAIR

Cerebral

Tetraplegia

Commode



PM321



PM500



PM220



PM230



PM240

	PM321	PM500	PM220	PM230	PM240
Frame	Aluminum	Aluminum	Electrostatic Painted Steel	Electrostatic Painted Steel	Electrostatic Painted Steel
Front wheel	6"x1.25" solid castor	6"x1.25" solid castor	8"x1.25" solid castor	5" solid castor	8"x 2" solid castor
Rear wheel	16" solid rear wheel	16" solid rear wheel	24" solid rear wheel	5" solid rear wheel	24" solid rear wheel
Seat Weight	18" (46 cm)	18" (46 cm)	18" (46 cm)	18" (46 cm)	18" (46 cm)
Weight Capacity	100-120 kg	100-120 kg	120-135 kg	100-120 kg	120-135 kg
Armrest	Height Adjustable and Removable, PU	Height Adjustable and Removable, PU	Removable, PVC	Removable, PVC	Fixed, PVC
Footrest	Removable, Foldable and Height adjustable and Angle adjustable	Removable, Foldable and Height adjustable and Angle adjustable	Removable, Side Opening and Foldable	Removable, Foldable and Height adjustable and Angle adjustable	Removable
Seat, Backside	Black nylon upholstery (flame retardant)	Black nylon upholstery (flame retardant)	Black Leather	Black Leather	Black Leather
Backrest	Angle adjustable	Angle adjustable	Fixed	Angle adjustable	Fixed
Other	Calf support, Reflector, Hand brake, X Type Safety belt, Head support, Front and side support	Calf support, Reflector, Hand brake, X Type Safety belt, Head support, Front and side support	Calf Strap, Closet	Calf support, Hand brake, Head support, and Closet	Calf Strap, Hand Brake, Closet

PEDIATRIC MANUAL WHEELCHAIR

Standard



PM111

Specific



PM9031C

Cerebral



PM320

Aluminum



PM250

	PM111	PM9031C	PM320	PM250
Frame	Electrostatic Painted Steel	Electrostatic Painted Steel	Aluminum	Aluminum
Front wheel	6"x1.25" solid castor	6"x1.25" solid castor	6"x1.25" solid castor	8"x 2" solid castor
Rear wheel	24" solid rear wheel	22" solid rear wheel	16" solid rear wheel	22" solid rear wheel
Seat Weight	14" (36 cm)	14" (36 cm)	14" (36 cm)	14" (36 cm)
Weight Capacity	100-120 kg	90-105 kg	100-120 kg	120-135 kg
Armrest	Fixed, PVC	Reclining and Removable, PU	Height Adjustable and Removable, PU	Reclining and Removable, PU
Footrest	Fixed	Removable, Side opening, Foldable and Height Adjustable	Removable, Foldable and Height Adjustable and Angle Adjustable	Removable, Side opening, Foldable and Height Adjustable
Seat, Backside	Plaid nylon upholstery (flame retardant)	Black nylon upholstery (flame retardant)	Black nylon upholstery (flame retardant)	Black nylon upholstery (flame retardant)
Backrest	Fixed	Fixed	Angle adjustable	Foldable
Other	Calp Strap, Reflector, Hand brake, Safety belt	Calp Strap, Reflector, Hand brake, Safety belt	Calp Support, Reflector, Hand brake, X type Safety belt, Head support, front and side support	Calp Support, Reflector, Hand brake, Safety belt, Companion brake, Seat cushion

ROLLATOR / WALKER / CRUTCHES / KANEDYEN / CANE

Rollator

Reverse Walker

Walker



PW30

PW40

PW50

PW60

PW70

PM809

Frame

Foldable,
Aluminum

Foldable,
Aluminum

Foldable,
Aluminum

Foldable,
Aluminum

Foldable,
Aluminum

Foldable,
Aluminum

Wheel

8" solid castor

Non-sleep wheel

-

-

2" solid castor

2" solid castor

Other

Brake, Height
Adjustable, Seat
Area

Reverse using,
Height Adjustable

Height
Adjustable

Height
Adjustable,
Bronze Colour

Height
Adjustable

Seat
Area

CRUTCHES
PB10(S), PB11(M) PB12(L)



Aluminum, 9 Section Height Adjustable,
Soft and comfort design, non-slip rubber

CANE
PB70



Foldable, Comfort design,
Color option

KANEDYEN
PB60



Aluminum, Height Adjustable,
Soft and comfort design

CLOSET RISER
PB6500, PB6600



120 kg Capacity, Height Adjustable, Foldable Chair Design,
Solid Wheel or without wheel, Removable Closet

AIRPORT AND HOSPITAL POWER WHEELCHAIR / SPARE PART

AIRPORT POWER WHEELCHAIR

- For Hospital And Airport Using
 - 260 kg Carrying Capacity
- Max. Forward Speed 6 Km/h Speed
 - Max. Driving Angle 12°
 - Fixed Armrest
 - Foldable Footrest
- Leather Covered Sponge Back And Waist Support For Companion Driver
- Leather Covered Cushion And Head Support
 - Luggage Carrying Area
 - Warning Light
 - DC 24 V, 5A Charger
 - 24 V 500 Watt*2 Pcs Motor
 - 24V /70 A Pg Joistic



SPARE PART

- Air and Solid Rear Wheels
- Air and Solid Front Wheels
 - 24 V DC Motors type
 - Battery types
 - 24 V DC Joystick
 - Chargers
- Customized Sponge Cushion
 - Footplate
- PU and PVC type arm pad
 - Plastic Parts
 - Motor brushes
 - Brakes





Pirmax

"iyi yaşama engel yok"

GLOVES

LATEX POWDERED
EXAMINATION GLOVE

LATEX POWDER FREE
EXAMINATION GLOVE

NITRILE POWDER FREE
BLUE AND BLACK
EXAMINATION GLOVE

VINYL POWDER FREE
EXAMINATION GLOVE

STERILE, POWDERED
LATEX SURGICAL GLOVE

STERILE, POWDER FREE
LATEX SURGICAL GLOVE



OXYGEN CONCENTRATOR / NEBULIZER

OXYGEN CONCENTRATOR

Model	Oxygen Purity	Flow Range	Max. Noise	Input Voltage	Output Pressure	Power(a)	Weight	Size(mm)	Dimension Of Box
KSOC_5 5L	93±3%	0-5L	≤52dB	220V/110V	30-70kPa	≤360 VA	18 kgs	380x320x590	465x375x655
KSOC_5 10L	90±3%	0-10L	≤60dB	220V/110V	30-70kPa	≤730 VA	24 kgs	400x320x635	465x390x700


- America PSA technology offer nature oxygen
- France Imported molecular sieve bed
- Reliable and durable oil free compressor
- Available 24 hours continuous working
- Self-diagnostic system with error code indication
- Optional dual flow and flow splitter for multi people use



Functions: Power off alarm, Overload protection, High/Low pressure alarm, Temperature alarm, Error code indication, Nebulizer, Oxygen purity alarm

SPA Oxygen Concentrator

Oxygen concentrator can not be only for medical use, but also for healthcare and beauty SPA



COMPRESSOR NEBULIZER - BC68002

- Durable Piston Compressor
- Fast and Efficient Respiratory Therapy
- ideal for all ages
- Elegant design
- Power Supply: 220V/50Hz

Includes both
**Adults &
Kids Mask**

- Working Compressor Pressure: > 10 PSI, Max > 40 PSI
- Compressor free air flow: ≥ 10 L/min
- Maximum nebulization rate: ≥ 0.35 ml/min
- Particular size rate: 0.5 0.8
- Size: 28x18x10 cm μ



AIR MATTRESS / AIR AND GEL CUSHION


AIR MATTRESS

Pump:

- Simple, reliable, easy to use.
 - Aluminum engine coating
- Quiet pump, low vibration, low temperature
 - Pressure settings key
- Fixed hangers for easy mounting on the bed


Mattress:

- A-B alternating wavy swelling provides superior healing therapy
- Made of tough, harmless high quality vinyl



AIR CUSHION

- Size: 43*43 cm
 - Portable
 - Repairable
 - Washable
- Adjustable Shape
 - Skin Protection
- 160 kg Capacity
- 7 cm without load
- Breathable Fabric
- Comfortable Cushion



GEL CUSHION

- Size: 40*40 cm
- High Density Sponge
 - Cell Gel
- 160 kg Capacity
- Breathable Fabric
- Comfortable Cushion



INFUSION SET/ URINE BAG / PATIENT BAD

INFUSION SETS

INFUSION SET (LUER LOCK) / INFUSION SET (LUER SLIP)

- Infusion set includes below parts;
- With filter, with air-vent(Blue cap), with roller-clamp, with latex ball, with PVC transparent luer lock / luer slip, with needle 21gx1.5", with PVC tubing long 1.55m
- Packing: pe bag, 25pcs/polybag, 500pcs/ctn,



URINE BAG

- Sterile Urine bag
 - 2000ML,
 - Pull-Push valve,
- Packing: pe bag, 250pcs / box



PATIENT BAD

- 2,3,4 and 5 motor options
 - hand remote control
- Head tip foot and auto-contour positions with control assist
 - Cross-lockable plastic wheels
 - Stainless steel hook serum rack
 - Electrostatic painted metal parts
- Plastic impact buffer • IPX4 electronic system
 - 150 kg lifting capacity
- Inflatable plastic head tip and foot removable heads
 - Lockable movable side metal rails
 - 100 cross brake lockable wheel



MATTRESS

- Breathable and liquid-tight fabric
 - Nonflammable sheath
 - Washable cover
 - Anti-bacterial
- Changeable and zippered
 - 22 DNS PU sponge





"iyi yaşama engel yok"

STERILE and NON-STERILE DISPOSABLE PRODUCTS

COVERALL



- Disposable Medical Protective Non Woven Coverall
- Elastic wrists, waist, ankles to ensure a better fit and freedom of movement.
- Made of high quality polypropylene to provide protection for use in non-hazardous environments for working and includes a multitude of comfort features.
- COMMON USES; in clinics, hospitals, laboratories, workshops, construction sites, painting, commercial and household inspections, keeping off insulation etc

SURGICAL CLOTHING and DRAPES



- The sterile surgical clothing and drapes pack is developed according to the requirements of operation.
- It contains all necessary surgical items to meets your surgery needs.

STERIL and NON-STERIL GOWN



- SS Gown
- SMS Gown
- Sterile or Non-Sterile
- Customized according to your specification

FFP2 MASK

- CE certificate and test reports Spunbond And Meltblown Material
- Protection Of Medical And Related Sta_ Against Respiratory Infectious Diseases
- Basic Protection For Medical And Related Personnel, Which Protect Against _e Spread Of Blood ,Body Fluids And Splashes During Invasive Procedure.



BODY BAG

- Usage/Application: Dead Body Holding
- Size: Customized
- Bag Type: Dead Body Bag
- Material: Non-Woven
- Handle Available: Yes



3 PLAY MASK

- Material PP Non-Woven+ Melt blown+ PP Non-Woven
- Earloop Polyester and polyurethane
- Applied Standard En14683



SURGICAL HEAD CAP

- Customized according to your specification





Pirmax

"iyi yaşama engel yok"



TURKEY

📍 Factory: Organize Sanayi Bölgesi Mah. 22 Nolu Cd. No:20
Merkez / KİLİS / TURKEY

📍 Center: 23 Nisan Mah. 82020 Nolu Sk. Parkline Sarkıcı Parkline No.2 GA/0
Şahinbey / Gaziantep / TURKEY

☎ Phone: +90 342 341 10 74 📠 Fax: +90 342 360 63 52

✉ info@piruz.com.tr 🌐 www.piruz.com.tr