

## **MEDISEPT**

Perfect disinfection

## Perfect disinfection

Catalogue 2022



#### **MEDISEPT - European company for You!**

#### Who are we?

MEDISEPT is a European producer of comprehensive solutions in the field of hygiene and disinfection in the medical standard. We have been operating on the market for over 28 years, providing solutions for the professional sector, including health care, industry and cleaning companies.

#### Why is it worth to choose MEDISEPT products?

All our products are a response to the requirements of the medical market and meet the highest world quality standards. Biocides offered by our company are manufactured to the same quality standards as medical disinfectant products. MEDISEPT products guarantee high efficiency and an unique attractive price alternative while maintaining incomparable quality.

#### The offer of MEDISEPT

We offer the highest quality disinfectants which for years have been able to effectively fight pathogenic microorganisms. They can also help to maintain personal safety both in the hospital environment and in public institutions. All MEDISEPT products are a complementary offer developed in accordance with the system of norms and certificates regulating the standards on the professional market.

## Standards and certification Quality Management System for medical devices

All MEDISEPT disinfection products and cleaning agents are manufactured in accordance with the ISO 13485¹ quality assurance system for medical devices certified by TUV Nord². Each product is tested according to the latest harmonized standards confirming the microbiological effectiveness against the declared microorganisms³.







<sup>1</sup> EN ISO 13485 is the international standard that defines the requirements for quality management systems, the fulfillment of which is a decisive factor that builds the trust of customers in the medical sector. Thanks to the constant monitoring of all key processes in the company, we guarantee the highest standards of production and service to our customers not only in the medical industry, but also in other market segments.

<sup>2</sup> Meeting legal requirements means that a medical device is designed, manufactured and monitored at every stage of the product life cycle. The release of each lot for sale is preceded by the control of quality parameters, and its fulfillment is confirmed by a lot analysis certificate. Placing on the market is carried out on the basis of suitable marketing authorizations and registration in appropriate offices of a given country.

<sup>3</sup> The effectiveness of disinfectants is confirmed by a set of tests defined in the EN 14885 standard, carried out only in accredited research laboratories.

#### Index

	INTRODUCTION	2
	MEDISEPT - European company for You!	2
8		
(8)	PRODUCTS FOR DISINFECTION	5 - 35
(*)	Discover the line of disinfection products	6
	How to read labels?	6
	The main features of the packaging	7
	Benefits, advantages and profits of MEDISEPT disinfection products	8
	Surface disinfection without chlorine and alcohol	9
	SURFACE DISINFECTION	10 - 20
	Velox Oxy ETA NEW	10
	– A ready-to-use sporicidal preparation for disinfection and cleaning of non- invasive equipment and small surfaces in high-risk areas	
	Velox Top AF  – Spray for surfaces cleaning and disinfection	11
	Velox Spray – Spray for surfaces cleaning and disinfection	12
	Velox Duo Wipes - Alcoholic wipes for cleaning and rapid disinfection of small surfaces and medical equipment	13
	Velox Foam Extra - Foam for cleaning and quick disinfection of sensitive surfaces of non-invasive medical devices	14
	Velox Wipes NA - Alcohol-free wipes for cleaning and disinfecting sensitive surfaces of non-invasive medical equipment	15
	MEDISEPT Wipes for hand and surface disinfection - High-quality wipes for disinfecting hands and all small surfaces	16
	MEDISEPT Dry Wipes / Dry Wipes Box - Dry wipes for soaking with disinfecting/cleaning agent	17
	Quatrodes Forte - Concentrate for surfaces cleaning and disinfection	18
	Quatrodes Extra - Concentrate for surfaces cleaning and disinfection	19
	Quatrodes Unit NF - Concentrate for cleaning and disinfection of suction devices	20
(A)	INSTRUMENT DISINFECTION	21 - 25
	Viruton Forte - Concentrate for cleaning and disinfection of surgical instruments	21
	Viruton Extra - Concentrate for cleaning and disinfection of surgical instrument	22
	Viruton Pulver - Powder for cleaning and disinfecting tools, endoscopes, incubators and other surfaces of medical devices	23
	Viruton Bohr - Ready-to-use formula for cleaning and disinfection of rotary instruments	24
	Viruton Pre	25



HAND DISINFECTION AND HAND CARE	26- 35
Velodes Skin NEW - Liquid for hygienic and surgical hand disinfection	26
Velodes Soft - Liquid for hygienic and surgical hand disinfection	27
Velodes Gel - Gel for hygienic and surgical hand disinfection	28
Velodes Silk - Liquid for hygienic and surgical hand disinfection and for surface disinfection	29
MEDISEPT Wipes for hand and surface disinfection - High-quality wipes for disinfecting hands and all small surfaces	30
Velodes Scrub - Antibacterial emulsion for hygienic hand washing	31
Velodes Soap - Emulsion for hand and body washing	32
Velodes Soap Foam - Foam for hand-washing	33
Velodes Cream  – Protective hand cream	34
Velodes Cream Aloe Vera  – Moisturizing hand cream	35



DISPENSERS	36-40
Elbow dispenser for closed-system	36
Dispenser in stainless steel	37
ABS-plastic wall-mounted dispenser 1 L	38
Automatic, stand-alone E28 dispenser	39
Hand washing technique	40
Hand disinfection technique	41
How to use a doser	42
Higiene plan	43

## Key:



Broad microbicidal spectrum



Dosage



Cosmetic product





## Products for disinfection








Surface

Instrument

Hand



## Discover MEDISEPT disinfection products

We present a line of preparations for disinfecting surfaces, tools and hands, intended for both medical and non-medical use. Disinfectants remove harmful microorganisms, bacteria, viruses or tuberculosis mycobacteria. Preparations not only eliminate the risk, but also help to protect the surface and tools. Hand disinfectants, in addition to providing protection against microorganisms, affect their regeneration processes. We offer ready-to-use liquids as well as powders or concentrates for disinfection. MEDISEPT's offer includes both products for everyday cleaning of surfaces and tools, as well as alcohol-free sprays and wipes that allow the neutralization of microorganisms in any place.



#### How to read labels?

All MEDISEPT product's labels contain four sections of pictograms always arranged in the same order. Concentrates have the additional field with dosing instructions. Each section is designed to visually convey the most important information about the product.







## 1. Section: product form

Pictograms informing about the form of the product. It can be spray, foam, powder, liquid, emulsion, concentrate or wipes.

## 2. Section: distinguishing feature

Pictograms indicating the use of the product, disinfection, quick disinfection, washing or care.

## 3. Section: destiny

Pictograms indicating the type of surfaces the product is intended for.

## Grapefruit scent

#### 4. Section: fragrance

Pictograms and description on the background of the color corresponding to the smell of the product.

#### Dosage:

 $0.5\% \rightarrow 5$  ml in 995 ml of water 15 min.  $1\% \rightarrow 10$  ml in 990 ml of water 15 min.

#### 5. Section: dosing

This section provides dosing guidance for each concentration and time.

## The main features of the packaging



## **Colour-coding of products**

Target areas:

SURFACES INSTRUMENTS HANDS

Intended use category:

DISINFECTION CARE / WASHING

## Back to the Index

## 10 benefits, advantages and profits of MEDISEPT disinfection products

Marketing authorization issued by the relevant institutions.



Full microbiological effectiveness (viruses, bacteria, fungi, mycobacteria) performed in accredited laboratories



Dermatologically ingredients safe for skin in long term contact and pleasant fragrance





Experience in creating safe formulations



4

Production quality control according to ISO standard



Experience in developing procedures, hygiene plans for all industries





Material tolerance confirmed by utility tests



7

Full range of disinfectant products: for hands, surfaces and instruments in various forms of use











Many years of experience in working with hospitals and isolation wards - Knowledge of medical procedures



10





## Back to the Index

## Disinfection of surfaces without chlorine and alcohol



Non-alcoholic preparations, based on active substances such as QAV, amines have a microbicidal effect against enveloped viruses, which include SARS-CoV-2 virus.

## Benefits of non-alcoholic products









#### Efficiency and economy

Specially designed for large area disinfection - 5L of concentrate is sufficient for up to  $20.000 \ m^2$ 

#### Safety

They do not cause irritating fumes - i. e. in the case of alcohol and chlorine - therefore can be used over large areas in the presence of people. They act on the full spectrum: viruses, bacteria, fungi, mycobacteria

#### Do not damage the surface

Suitable for disinfecting alcohol-sensitive surfaces such as wood, acrylic, leather, plastics. They are approved for material tolerances for medical devices

## Methods of application of non-alcoholic disinfection



Spraying of the surface with the sprayer



Floor cleaning with a mop



Wiping the surface with a cloth







## Velox® Oxy ETA

A ready-to-use sporicidal preparation for disinfection and cleaning of non- invasive equipment and small surfaces in high-risk areas

#### **Product features:**

- Full sporocidal activity in 15 min. (C. difficile, B. substilis).
- Full fungicidal acitvity in 30 sec. (A. brasilliensis, C. albicans).
- Active against enveloped viruses (Vaccinia, HIV, HBV, HCV, SARS-CoV-2) in 30 sec and non-enveloped viruses (Noro) in 15 sec.

#### Directions for use:

Spray the surface from the distance of about 20-30 cm, ensuring it is fully covered. Remove the excess of the preparation using e.g. a disposable towel. Surface does not require rinsing with water. Before disinfecting particularly sensitive surfaces (e.g. natural leather), it is recommended to perform the test on a non-visible part of the surface. For professional use only. Do not mix with other cleaning products or disinfectants. Read the information leaflet before use.

#### Application:

Velox® Oxy ETA is recommended for the disinfection of small surfaces of medical equipment, including treatment beds and chairs, patient cabinets, medical and operating equipment, incubators, rehabilitation equipment, as well as dental tips, units, treatment lamps, worktops, prosthetic trays,

prostheses and impressions. Velox® Oxy ETA shows high material tolerance - it can be used for disinfecting surfaces made of ABS plastics, upholstery materials, including natural leather, rubber, silicone and other alcoholresistant surfaces.



Spray



Active against Noro, Spores





Hairdressing and beauty tools

#### Ingredients:

active substance in 100 g of the product: 72 g Ethanol (CAS: 64-17-5), 7.2 g Propan-2-ol (CAS: 67-63-0), 3 g hydrogen peroxide (CAS: 7722-84-1)

#### Symbo

SSE-ALKGOT-ML779  $\rightarrow$  1 L SSE-ALKGOT-ML526  $\rightarrow$  5 L

Effectiveness	EN 14885	High organic load
Bacteria (including MRSA)	EN 13727	15 sec.
bacteria (including MNSA)	EN 16615	30 sec.
Fungi (C. albicans)	EN 13624	15 sec.
rungi (C. aibicans)	EN 16615	30 sec.
Fungi (A. brasiliensis)	EN 13624	30 sec.
Enveloped viruses (Vaccinia, HIV, HBV, HCV, SARS-CoV-2)	EN 14476	30 sec.
Noro virus	EN 14476	15 sec.
Spores (B. subtilis)	EN 13704	10 min.
Spores (C. difficile, ribotype R027)	EN 17126	15 min.



Neutral scent



Grapefruit scent





Logistic details					
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet		
1 L	12	32	384		
5 L	1	96	96		

## Velox® Top AF

#### Spray for surfaces cleaning and disinfection

#### **Product features:**

- Acitve in 30 sec. against Bacteria, Fungi, Tuberculosis, enveloped viruses, Adeno, Rota.
- Recommended for small surfaces of medical equipment, chairs, beds, or other difficult to access surfaces, as well as food related objects.
   Also recommended for disinfection of dental tips before sterilization and of prosthesis and silicone impressions.
- Free from aldehyde and phenol, does not discolour disinfected surfaces
- High material tolerance to ABS and upholstery materials Famed opinion.
- Registration: medical device and biocidal product.

#### Directions for use:

Spray the surface from the distance of 30 cm covering the whole disinfected area. Spread the liquid using disposable towels and allow to dry. The surface does not need rinsing with water, dries out completely and does not leave smudges. Do not use on alcohol sensitive surfaces (i.e. acrylic glass). For professional use only.

#### Application:

Alcohol based formulation designed for rapid disinfection of small surfaces of medical equipment, chairs, beds, or other difficult to access surfaces, as well as food related objects. It is destined for usage in gastronomy, nursing homes, sanatoriums, gyms, fitness and SPA centres, hairdressing, massage and beauty salons, tattoos parlours, kindergartens and schools. Also

recommended for disinfection of dental tips before sterilization and of prosthesis and silicone impressions. The product has a bactericidal, yeastcidal, mycobacterial and limited virucidal activity. Free from aldehyde and phenol, does not discolour disinfected surfaces



эргау



Active against Tbc, Rota, Adeno



Active against enveloped Viruses, Adeno, Rota, Bacteria, Fungi, Tuberculosis in 30 sec.



#### Ingredients:

40 g propan-2-ol (CAS: 67-63-0), 20 g ethanol, 0.39 g amine, n-C10-16-alkyltrimethylenedio-, reaction products with chloroacetic acid, 0.25 g didecyldimethylammonium chloride

#### Symbo

SSE-43-ALKGOT-ML924  $\rightarrow$  1 L grape SSE-43-ALKGOT-ML931  $\rightarrow$  5 L grape SSE-43-ALKGOT-ML082  $\rightarrow$  1 L neutral SSE-43-ALKGOT-ML099  $\rightarrow$  5 L neutral

Effectiveness	EN 44005	Conditions	
Effectiveness	EN 14885	clean	dirty
	EN 1276	30 sec.	60 sec.
Bacteria (including MRSA)	EN 13697	30 sec.	60 sec.
	EN 13727	30 sec.	
Fungi (C. albicans)	EN 1650	30 sec.	60 sec.
rungi (C. aibicans)	EN 13624	30 sec.	
Tuberculosis (M. terrae)	EN 14348	30 sec.	60 sec.
Enveloped viruses (HIV, HBV, HCV, Vaccinia, Influenza, Ebola, BVDV, SARS-CoV-2)	DVV/RKI	30 sec.	30 sec.
Rota virus	EN 14476	30 sec.	
Adeno virus	EN 14476	60 sec.	

Packaging units: 1 L spray bottle, 5 L canister

#### Available scents:



Neutral scent



Tea tonic





Logistic details					
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet		
1 L	12	32	384		
5 L	1	96	96		

## Velox® Spray

#### Spray for surfaces cleaning and disinfection

#### **Product features:**

- For disinfection of small surfaces of medical equipment: beds and treatment chairs, medical and surgical equipment, rehabilitation equipment.
- Designed for all non-medical surfaces e.g. in gastronomy, hairdressing and for surfaces having contact with food.
- Active already in 15 sec. against Fungi and in 30 sec. against Bacteria, Tuberculosis and viruses (including Rota, Noro).
- Does not leave streaks nor stains.
- Dual use product.

#### Directions for use:

Spray the surface from the distance of about 30 cm, ensuring it is fully covered. Leave it for 30 seconds. In case of disinfecting surfaces having contact with food, rinse them with drinking water. Other surfaces do not require rinsing with water.

#### Application:

Alcoholic liquid for rapid disinfection of small areas in the medical area, nursing homes, sanatoriums, fitness and SPA centres, hairdressers, massage and beauty salons, kindergartens and schools. The product is suitable for surfaces having and not-having contact with food. It can be used for disinfecting surfaces, such as table tops, tables, handles, for hairdressing and cosmetics equipment and accessories. The product is recommended also for disinfection of non-invasive medical devices such as

treatment chairs and medical equipment. Velox® Spray is also recommended for the disinfection of dental handpieces (before sterilisation), prosthetic trays and silicone dental impressions. Velox® Spray has bactericidal, yeasticidal cidal against tuberculosis, limited virucidal activity (against Rotavirus, Norovirus) and cidal against enveloped viruses (including Vaccinia, BVDV, HIV, HBV, HCV, SARS-CoV-2).









#### Ingredients:

active substance in 100 g of the product: 63.7 g ethanol, 6.3 g propan-2-ol

#### Symbo

SSE-ALKGOT-ML703 → 1 L tea tonic SSE-ALKGOT-ML710 → 5 L tea tonic SSE-ALKGOT-ML680 → 1 L neutral SSE-ALKGOT-ML697 → 5 L neutral

Effectiveness	EN 44005	Conditions	
Effectiveness	EN 14885	clean	dirty
	EN 13727	30 sec.	30 sec.
Bacteria (including MRSA)	EN 16615	30 sec.	30 sec.
	EN 13697	30 sec.	60 sec.
	EN 13624	15 sec.	15 sec.
Fungi (C. albicans)	EN 16615	30 sec.	30 sec.
	EN 13697	30 sec.	
Mycobacteria tuberculosis (M. terrae)	EN 14348	30 sec.	30 sec.
Enveloped viruses (Vaccinia, HIV, HBV, HCV, Herpes simplex, Ebola, SARS-CoV-2)	EN 14476	30 sec.	60 sec.
BVDV	EN 14476	30 sec.	30 sec.
Rota virus	EN 14476	30 sec.	60 sec.
Noro virus	EN 14476	30 sec.	30 sec.

Packaging units: 1 L spray bottle, 5 L canister







Logistic details					
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet		
Box	12	80	960		
Refill	12	112	1344		
Flow pack	15	63	945		

## Velox® Duo Wipes Tea tonic

#### Alcoholic wipes for cleaning and rapid disinfection of small surfaces and medical equipment

#### **Product features:**

- Active in 30 secs against Bacteria, Fungi, Tuberculosis, enveloped viruses, Adeno and Rota viruses.
- Recommended for medical equipment, rehabilitation equipment, dental handpieces, patient beds, cabinets, tabletops.
- For disinfection of medical devices surfaces having contact with food.
- 2 Non-woven wipes 13 x 20 cm, 23 g/m².
- Dermatologically tested.

#### Directions for use:

Take a wipe out of the package and wipe the surface. Wait 30 seconds. In dirty conditions operating time against enveloped viruses and Rota virus is extended up to 60 seconds. In case disinfecting surfaces having contact with food, rinse them with potable water. Other surfaces do not require rinsing with water. Close the package tightly. After opening the package, use the wipes within 21 days. Do not use if the wipe is dry. Do not use on surfaces sensitive to alcohol (e.g. acrylic glass). For professional use only.

#### Application:

Wipes for cleaning and rapid disinfection of small surfaces in medical field, nursing homes, sanatoriums, fitness and SPA centres, hairdressing, massage and beauty salons, kindergartens and school. The product is suitable for surfaces having contact with food. Recommended for small surfaces of medical equipment: operating beds and chairs, beds, medical

and surgical equipment and disinfection of dental tips before sterilisation process, prosthetic spoons and silicon moulds. The wipes disinfect surfaces killing in 30 seconds bacteria, fungi, mycobacteria, enveloped viruses (such as Vaccinia, BVDV, SARS-CoV-2, HIV, HBV, HCV), Rota and Noro viruses.



IM-DEZ-ML595 → refill

Wipes



Active against B, F, Tbc, V in 30 secs



Non-invasive medical devices



# Ingredients: 100 g of soaking agent contains: etanol, propan-2-ol Symbol IM-DEZ-ML410 → flow pack IM-DEZ-ML588 → box

Effectiveness		Conditions	
Effectiveness	EN 14885	clean	dirty
Bacteria (including MRSA)	EN 13727	30 sec.	30 sec.
bacteria (including /////////	EN 16615	30 sec.	30 sec.
Fungi (C. albicans)	EN 13624	15 sec.	15 sec.
ruigi (C. aibicais)	EN 16615	30 sec.	30 sec.
Mycobacteria tuberculosis (M. terrae)	EN 14348	30 sec.	30 sec.
Enveloped viruses (HIV, HBV, HCV, Vaccinia, SARS-CoV-2, Herpes simplex, Ebola)	EN 14476	30 sec.	60 sec.
BVDV virus	EN 14476	30 sec.	30 sec.
Rota virus	EN 14476	30 sec.	60 sec.
Noro virus	EN 14476	30 sec.	30 sec.

Packaging units: 50 pcs. flow pack., 100 pcs. box, 100 pcs. refill Dimensions: 19 x 15cm 50 g/m.², 13 x 20cm 23 g/m²







#### Foam for cleaning and quick disinfection of sensitive surfaces of non-invasive medical devices

#### **Product features:**

- Alcohol-free for surfaces sensitive to alcohol.
- Ready-to-use foam.
- Active in 1 min. against Bacteria, Fungi, Viruses and TBC in 5 min.
- High material tolerance to ABS and upholstery materials Famed opinion.
- Pleasant, citrus scent.
- Recommended for disinfection of various surfaces of medical equipment made of glass, porcelain, metal, rubber, plastic and acrylic glass. Also for treatment chairs, rehabilitation equipment and incubators.

#### Directions for use:

The product has a double, foam and spray head. Application in foam is recommended. Spray the surface from a distance of 20-30 cm, making sure it is fully covered. Remove the excess foam with a disposable paper towel. The surface does not need to be rinsed with water. Before disinfecting particularly sensitive surfaces (e.g. natural leather), it is recommended to perform the test on a non-visible part of the surface. For professional use only.

#### Application:

Velox® Foam Extra is recommended for cleaning and disinfection of a wide range of non invase medical equipment surfaces made of glass, porcelain, metal, rubber, plastic and acrylic glass. It may be used in hospitals at intensive care units and surgery theatres for disinfection of medical devices, rehabilitation equipment, treatment chairs, incubators, ultrasound heads

and lamps. Free from aldehydes and phosphates, does not discolour the surfaces and has a pleasant, fresh scent. The product is suitable for medical equipment surface having contact with food. Velox® Foam Extra has been approved by Famed - a medical equipment manufacturer, for high ABS and upholstery materials tolerance.





Active against Tbc in 5 min.





Alcohol-free product

#### Ingredients:

active substances in 100 g of the product: 0.15 g N- (3-aminopropyl) -N- dodecylpropane-1,3-diamine, 0.14 g Poli (oxy-1,2-ethanedyl), alpha. - [2- (didecylmethylamino) ethyl]-.omega.-hydroxy-, propanoate (salt)

#### Symbo

SSE-GOT-ML405 → 1 L SSE-GOT-ML412 → 5 L

Effectiveness	EN 14885	Conditions	
Effectiveness		clean	dirty
Pactoria (including AADSA)	EN 16615	60 sec.	3 min.
Bacteria (including MRSA)	EN 13727	60 sec.	60 sec.
Funci (C. albicana)	EN 13624	60 sec.	60 sec.
Fungi (C. albicans)	EN 16615	60 sec.	60 sec.
Tuberculosis (M. terrae)	EN 14348	5 min.	10 min.
Enveloped viruses (HIV, HBV, HCV, Influenza, Ebola, Vaccinia, BVDV, Herpes simplex, SARS-CoV-2)	EN 14476	60 sec.	60 sec.







## Velox® Wipes NA

#### Alcohol-free wipes for cleaning and disinfecting sensitive surfaces of non-invasive medical equipment

#### **Product features:**

- Active in 1 min. against Bacteria, Fungi, enveloped viruses and in 5 min. against Tuberculosis.
- For surfaces sensitive to alcohol.
- Destined for disinfection of various medical equipment surfaces made
- of glass, porcelain, steel, rubber, plastic and acrylic glass, operating chairs, rehabilitation equipment, incubators.
- Recommended for ultrasound lamps and heads.
- 2 Non-woven wipes 13 x 20 cm, 23 g / m<sup>2</sup>.

#### Directions for use:

Place the refill in the box. Take a tissue out of the box and wipe a surface to be cleaned and disinfected. Close the lid. After opening the package, use the tissues within 30 days. Do not use if a tissue is dry. The surface does not need to be rinsed with water. Before applying on particularly sensitive surfaces, test the wipes on a non-visible area. For professional use only.

#### Application:

Velox® Wipes NA are recommended for disinfecting surfaces of non-invasive medical equipment made of plastic, acrylic glass, stainless steel, metal, aluminium, rubber and porcelain. Suitable for disinfection of medical appliances, rehabilitation equipment, treatment chairs, incubators, the heads of ultrasound machines and lamps in intensive care units and

operating theatres. Free from alcohol, aldehydes and phosphates, the wipes do not discolour the surfaces. The product has a pleasant scent. The product is suitable for medical equipment surface having contact with food. Tested and recommended by Famed - a leading European producer of top quality hospital equipment.



Wipes



Active in 1 min. against B, F, V



Non-invasive medical devices



Alcohol-free product

#### Ingredients:

100 pieces of tissues contain: 173 g of saturated formulation 100 g contains: 0.15 g N- (3-aminopropyl) -N-dodecylpropane-1,3-diamine, 0.14 g Poli (oxy-1,2-ethanedyl), alpha .- [2-(didecylmethylamino) ethyl] - omega. hydroxy, propanoate (salt)

#### Symbol

SSE-GOT-ML993  $\rightarrow$  box SSE-GOT-ML986  $\rightarrow$  refill

Effectiveness	EN 4400E	Conditions	
Effectiveness	EN 14885	clean	dirty
Bacteria (including MRSA)	EN 16615	60 sec.	3 min.
Bacteria (including MK3A)	EN 13727	60 sec.	60 sec.
Fungi (C. albicans)	EN 13624	60 sec.	60 sec.
rungi (C. aibicans)	EN 16615	60 sec.	60 sec.
Mycobacteria tuberculosis (M. terrae)	EN 14348	5 min.	10 min.
Enveloped viruses (HIV, HBV, HCV, Ebola, Influenza, Vaccinia, BVDV, Herpes simplex, SARS-CoV-2)	EN 14476	60 sec.	60 sec.

Packaging units: 100 pieces box, 100 pieces refill Non-woven wipes: 13 x 20 cm, 23 g/m<sup>2</sup>







	Logis	tic details	
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet
Flow Pack	15	63	945

## MEDISEPT Wipes for hand and surface disinfection

#### High-quality wipes for disinfecting hands and all small surfaces

#### **Product features:**

- Tested in accordance with new standards for disinfectants.
- Hygienic disinfection in 30 sec. (soaking liquid tested in acc. with EN 1500).
- ▶ High quality, non-woven fabric: 50 g/m.².
- ▶ The capacity of one wipe is 0.5 m with a double rubbing.\*
- Wipe dimensions: 19 x 15 cm.
- \* The test was carried out based on the methodology of the EN 16615 standard for a four-field test, on a porous surface, at 24  $^\circ$  C

#### Directions for use:

Take a wipe out of the package and wipe hands or surface. Close the package tightly. After opening, use the wipes within 21 days. Do not use if the wipe is dry. Do not use on areas sensitive to alcohol.

#### Application:

MEDISEPT Wipes are high-quality alcoholic wipes designed for hygienic hands disinfection and any small alcohol-resistant surfaces. They are recommended for surfaces such as tabletops, knobs, handles, seating

surfaces, medical equipment, and accessories made of plastic, stainless steel, porcelain and ABS plastic. Due to its intended use on the skin, the product contains care-substance additives which moisturize the hands.



50 pcs







#### Ingredients:

60 g - Propan-2-ol, 0.5 g - d-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13- tetraazatetradecanediamidine (2:1)

#### Symbol

IM-DEZ-ML976  $\rightarrow$  flow pack

Effectiveness	EN 14885	Time
Bacteria (including MRSA)	EN 13727	30 sec.
Bacteria, fungi (C. albicans)	EN 13624	30 sec.
Fungi (C. albicans)	EN 16615	30 sec.
M. Tuberculosis (M. terrae)	EN 14348	30 sec.
Enveloped viruses (HIV, HBV, HCV, Influenza A, B, C, Vaccinia, BVDV, Herpes simplex, Ebola, SARS-CoV-2)	EN 14476	30 sec.
Rota Virus	EN 14476	45 sec.
Hygienic disinfection**	EN 1500	30 sec.

\*\* test performed on saturated formulation, 1 tissue contains approx. 3.56 ml of disinfecting liquid

Packaging units: 50 pcs. flow pack with self-adhesive closing

Dimensions: 19x15cm, 50 g/m.<sup>2</sup>



	Logistic details						
Capacity Pcs / Box No. of boxes Pcs / Pallet / Europallet							
Вох	1	240	240				
Refill	24	28	672				

## MEDISEPT Dry Wipes MEDISEPT Dry Wipes Box

#### Dry wipes for soaking with disinfecting / cleaning agent

#### **Product features:**

- The porous structure of the wipes with a grammage of 45 g/m<sup>2</sup> perfectly absorbs the agent and guarantees its ideal distribution on the cleaned surface.
- The thick unwoven cloth does not scratch the surface.
- Non-dusting and lint-free white wipes.
- Very enduring and resistant to detergents and solvents.
- Recommended soaking: 1 litre per bucket allous for effective disinfection of 2 m² surface with one wipe
- The wipe size is 16 x 30 cm.
- The optimal number of wipes (100 pcs) allows their effective use for up to 30 days (solution-storage time).

#### Application:

Prepare the soaking liquid according to the recommendations on the product's label. To soak the wipes in the liquid, follow the instructions as shown in the pictograms below. Wipe the surface with a damp wipe and leave it to dry for the time recommended by the soaking-liquid's manufacturer. Clean the bucket and lid before re-use with the soaking solution. Using the liquid-soaked wipes does not require protective gloves

#### Directions for use:

MEDISEPT Dry Wipes are designed for soaking with a ready-to-use product or utility solution of concentrate with water. Formulated for cleaning and disinfecting various surfaces of non-invasive medical devices.

The wipes may be used in healthcare facilities, surgeries, nursing homes, and other areas, according to the intended use of the soaking agent.



100 pcs



For small and large surfaces



Durable and convenient bucket



Non-dusting and lint-free white wipes

polypropylene (50%), cellulose (50%)

#### Symbo

IM-DEZ-ML035 → bucket
IM-DEZ-ML059 → refill

Products recommended	Ingredients:	Packaging units:	
Velox Spray neutral	Ethanol, Propan-2-ol	1 L spray bottle, 5 L canister	
Velox Spray tea tonic	Ethanol, Propan-2-ol	1 L spray bottle, 5 L canister	
Velox Top AF neutral	Propan-2-ol, Ethanol, Amine, QAV	1 L spray bottle, 5 L canister	
Velox Top AF grapefruit	Propan-2-ol, Ethanol, Amine, QAV	1 L spray bottle, 5 L canister	
Velox Foam Extra	Amine, QAV	1 L spray bottle, 5 L canister	
Quatrodes Extra	Amine, QAV	1 L bottle with doser, 5 L canister	
Quatrodes Forte	Amine, OAV	1 L bottle with doser 5 L canister	

The compatibility of products with the wipes has been confirmed by microbiological-efficiency test using the four-field test according to the EN 16615 standard.

#### Packaging units

bucket with wipes for soaking insert, 100 pcs supplementary insert for the bucket, 100 pcs Wipe grammage: 45 g/m<sup>2</sup>

Dimensions: 16 x 30cm

Bucket material: HDPE with high-resistance to chemicals











## Quatrodes® Forte

#### Concentrate for surfaces cleaning and disinfection

#### **Product features:**

- Concentration from 0.5% in 15 min.
- Active against Bacteria, Fungi, Mycobacteria, enveloped viruses, Adeno, Polio.
- Recommended for units, beds and treatment chairs, operating tables, medical equipment, floors.
- Does not require rinsing with water.

- For disinfecting surfaces having contact with food.
- ▶ 1 L of concentrate = 200 L of working solution.
- Registration: medical device and biocidal product.

#### Directions for use:

Prepare a working solution by diluting the concentrate with water in a desired proportion. The choice of concentration depends on the desired spectrum and duration of operation. In order to obtain a concentration of 1% dilute 10 ml of the concentrate in 990 ml of water. Disinfected surfaces do not require rinsing with water. Do not combine with other detergents nor disinfectants. For professional use only.

#### Application:

Quatrodes® Forte is a liquid concentrate for simultaneous cleaning and disinfection of surfaces in the medical area (units, operating chairs and beds, operating tables, medical equipment, floors, walls), in gastronomy nursing homes, sanatoriums, gyms, fitness and SPA centres, hairdressing, massage and beauty salons and solariums (for disinfecting sunbeds),

tattoos parlours, kindergartens and schools. The product is suitable for surfaces having contact with food. Product has a bactericidal, mycobactericidal, yeast- and virucidal effect. The substance can be used on all floor and above floor surfaces (doors, tabletops, cabinets, tables) and for cleaning and disinfecting hairdressing accessories.



Concentrate







Concentration from 0.5% n 15 min.

#### Ingredients:

Active substances in 100 g of the product: 3.76 g of N- (3-aminopropyl) -N-dodecylpropane-1,3-diamine (CAS: 2372-82-9), 3.39 g of Poly (oxy-1,2-ethanedyl), alpha. [2- (didecylmetyloamino) ethyl] - omega.-hydroxy-, propanoate (salt) (CAS: 94667-33-1), 0.75 g 2-aminoethanol (CAS: 441-43-5)

#### Symbol

SSE-GOT-ML306 → 1 L SSE-GOT-ML039 → 5 L

Effectiveness	EN 4400E	Time	
Effectiveness	EN 14885	15 min.	30 min.
	EN 13727	0,5%*, 1%	
Bacteria (including MRSA)	EN 14561	1%	0,5%
	EN 13697	1%*	
	EN 13624	0,5%	
Fungi (C. albicans)	EN 14562	1%	0,5%
	EN 13697	1%*	
Mycobacteria (M. terrae, M. avium)	EN 14348, EN 14563	4%	1%
Enveloped viruses (Vaccinia, BVDV, HBV, HIV, HCV, Herpes simplex, Influenza A, Ebola, SARS-Cov-2)	EN 14476	0,5%	
Adeno virus	EN 14476	1%	
Polio virus	EN 14476	4%	











	Logistic details				
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet		
1 L	12	32	384		
5 L	1	96	96		

### Quatrodes® Extra

#### Concentrate for surfaces cleaning and disinfection

#### **Product features:**

- Concentration from 0.5% in 15 min.
- Active against Bacteria, Fungi, Mycobacteria, enveloped viruses (incl. Vacinnia, BVDV, SARS-CoV-2), Adeno, Polio.
- Recommended for dental and medical equipment made of ABS and acrylic, units, beds and treatment chairs, tabletops, floors, operating tables
- High material tolerance to ABS and upholstery materials Famed

#### opinion.

- Free from aldehydes and phenols, which doesn't discolour the disinfected surfaces.
- 1 L of concentrate = 200 L of working solution.
- Registration: medical device and biocidal product.

#### Directions for use:

Prepare a working solution by diluting the concentrate with water in a desired proportion. The choice of concentration depends on the desired spectrum and duration of operation. In order to obtain 0,5% concentration, dilute 5 ml of the concentrate in 995 ml of water. Disinfected surfaces do not require rinsing with water. When disinfected surfaces are to be made contact with food, rinse them with drinking water. Do not combine with other detergents nor disinfectants. For professional use only.

#### Application:

Quatrodes® Extra is a liquid concentrate for simultaneous cleaning and disinfection of surfaces in the medical area (units, operating chairs and beds, operating tables, medical equipment, floors, walls), in gastronomy, nursing homes, sanatoriums, gyms, fitness and SPA centres, hairdressing, massage and beauty salons and solariums (for disinfecting sunbeds),

tattoos parlours, kindergartens and schools. The The product is suitable for surfaces having contact with food. substance can be used on all floor and above floor surfaces (doors, tabletops, cabinets, tables) aas well as for cleaning and disinfecting hairdressing accessories.



Concentrate



e against V, Tbc, o, Polio Medical and non-medical



#### Ingredients:

Active substance in 100 g of the product: 11.5 g N- (3-aminopropyl) -N- dodecylpropane-1,3-diamine (CAS: 2372-82-9), 3.12 g Poly (oxy-1,2-ethanedyl), alpha. [2- (didecylmetyloamino) ethyl] - omega.-hydroxy-, propanoate (salt) (CAS: 94667-33-1), 1.25 g Didecyldimethylammonium chloride (CAS: 7173-51-5)

#### Symbol

SSE-GOT-ML344 → 1 L SSE-GOT-ML351 → 5 L

Effectiveness	EN 4400E	Time	
Effectiveness	EN 14885		30 min.
Bacteria (including MRSA)	EN 13727	0,25%*, 0,5%	
bacteria (including /wksA)	EN 14561	1%	0,5%
Fungi (C. albicans)	EN 13624	0,25%*, 0,5%	
ruigi (C. aibicaiis)	EN 14562	1%	0,5%
Mycobacteria (M. terrae, M. avium)	EN 14348	0,5%*, 1%	0,5%
Mycobacteria (M. terrae, M. avium)	EN 14563	1%*, 2%	0,5%
Enveloped viruses (including HBV, HIV, HCV, Vaccinia, BVDV, Herpes simplex, influenza A, B, C, Ebola, SARS-CoV-2)	EN 14476	0,5%	
Adeno virus	EN 14476	0,5%*	0,5%
Polio virus	EN 14476	1%	0,5%*









## Quatrodes® Unit NF

#### Concentrate for cleaning and disinfection of suction devices

#### **Product features:**

- Concentration from 1% in 15 min.
- Active against Bacteria, Fungi, Mycobacteria, enveloped viruses.
- Recommended for suction systems, dental unit bowls, amalgam
- For disinfection of a closed circuit in hydromassage tubs.
- It prevents biofilm from forming.

#### Directions for use:

The concentrate should be diluted with water. In order to obtain 2% concentration, dilute 20 ml of the product in 980 ml of water.

IN SUCTION SYSTEM: Introduce the solution to the suction system, depending on the degree of soiling, once or twice a day. Suck the whole product, turn the device and leave it for at least 15 minutes. After disinfection, rinse the suction system with water. Rinsing can be carried out after the recommended

IN HYDROMASSAGE TUB: Before the first use, rinse the device with water to remove any possible residues of other product. Fill the tub with clean, cold water to the level above of the nozzles. Add 200 ml of the product for every 10 L of water. Turn the hydromassage system on for 15 minutes. After use, empty the tub and rinse with water. Do not combine with other agents. Do not use the product during the patient's healing bath.

#### Application:

The concentrate is designed for simultaneous cleaning and disinfection of suction systems, amalgam separators and dental unit bowls. The product does not foam. Used daily, it prevents biofilm from forming. It can also be used to disinfect closed circuit in hydromassage tubs that are medical devices. For professional use only.









Concentration

Ingredients:	

4.4 g dioctyl-dimethylammonium chloride (CAS: 5538-94-3), 0.6 g dodecyl-dimethyl-benzylammonium chloride (CAS: 85409-22-9)

SSE-GOT-ML164 → 1 L

Effectiveness	EN 4400E	Time			
Effectiveness	EN 14885	15 min.	30 min.	60 min.	
Bacteria (including MRSA)	EN 13727	1%			
Fungi (C. albicans)	EN 13624	1%*			
	EN 13624	2%	1%		
Tuberculosis (M.terrae)	EN 14348			4%	
Enveloped viruses (HBV, HIV, HCV, Ebola, Vacinnia, Influenza, Herpes simplex, SARS-CoV-2)	EN 14476	2%			







	Logistic details				
<b>Ca</b> pacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet		
1 L	12	32	384		
5 L	1	96	96		

### Viruton® Forte

#### Concentrate for cleaning and disinfection of surgical instruments

#### **Product features:**

- Concentration from 0.5% in 15 min.
- Active against Bacteria, Fungi, Tuberculosis, enveloped Viruses, Adeno and Polio.
- For tools made of steel, nickel, copper, aluminum.
- Cleans and flushes blood, protein and secretions.

- Anticorrosion properties and high material tolerance Chirmed opinion (instruments manufacturer).
- Recommended for endoscopes Vimex opinion (endoscopes manufacturer).
- For ultrasonic cleaners.

#### Directions for use:

Prepare working solution by diluting the concentrate with water. The level of dilution depends on a desired spectrum and duration of action. In order to obtain a concentration of 1% dilute 10 ml of the concentrate in 990 ml of water. Instruments shall be immersed in the solution immediately after use. All parts and holes must be completely filled in and covered by the solution. Once disinfected, rinse the instruments with water and dry. The uncontaminated working solution is active 14 days. For hygiene reasons, it is recommended to exchange the working solution on a daily basis. Do not combine with other detergents nor disinfectants. For professional use only.

#### Application:

Viruton® Forte is a higly effective concentrate for simultaneous cleaning and disinfection of surgical and rotary instruments. It shows a very good cleaning properties and wide microbiological effectiveness within a short period of time\*. It has been designed for manual instrument disinfection and disinfection in ultrasonic cleaners. The product has anti-corrosion

properties and a high material tolerance. Viruton® Forte is recommended for instruments made of stainless steel, nickel, copper, aluminum, rubber, porcelain, glass and plastics.

\* Designed for manual instrument disinfection and, as well as in ultrasonic cleaners.



Concentrate



Active against B, F, V Tbc, Adeno, Polio



Instruments



Ingredients: 100 g contains: 3.76 g of N-(3-aminopropyl) -N-dodecylpropane-1,3-diamine (CAS: 2372-82-9), 3.39 g of Poly (oxy- 1,2-ethanedyl), alpha. [2 (didecylmethylamino) ethyl] - omega.-hydroxy-, propanoate (salt) (CAS: 94667-33-1), 0.75 g 2-aminoethanol (CAS: 141-43-5)

SSE-GOT-ML276 → 1 L SSE-GOT-ML283 → 5 L

Effectiveness	EN 44005	Time	
Effectiveness	EN 14885	15 min.	30 min.
	EN 13727	0,5%*, 1%	
Bacteria (including MRSA)	EN 14561	1%	0,5%
	EN 13697	1%*	
	EN 13624	0,5%	
Fungi (C. albicans)	EN 14562	1%	0,5%
	EN 13697	1%*	
Mycobacteria (M. terrae, M. avium)	EN 14348, EN 14563	4%	1%
Enveloped viruses (Vaccinia, BVDV, HBV, HIV, HCV, SARS, Herpes Simplex, Influenza A, Ebola, SARS-CoV-2)	EN 14476	0,5%	
Adeno Virus	EN 14476	1%	
Polio Virus	EN 14476	4%	









#### Viruton® Extra

#### Concentrate for cleaning and disinfection of surgical instrument

#### **Product features:**

- Concentration from 0.5% in 15 min.
- Active against: Bacteria, Active against Fungi, Mycobacteria, enveloped viruses, Adeno, Polio.
- ▶ The protease enzyme ensures excellent cleaning properties.
- For instruments made of steel, nickel, copper, aluminum.
- Designed for manual disinfection, as well as in ultrasonic cleaners.
- Recommended for endoscopes Vimex opinion.
- Anticorrosion properties and high material tolerance Chirmed opinion.
- 1 L concentrate = 200 L working solution.

#### Directions for use:

Prepare a working solution by diluting the concentrate with water to a desired concentration. The level of dilution depends on a desired spectrum and duration of action. In order to obtain 0.5% concentration, dilute 5 ml of the concentrate with 995 ml of water. Immerse the instruments in the solution immediately after use. All parts and holes must be completely filled in covered by the solution. Once disinfected, reuse the instruments with water and dry. After disinfection rinse the instruments with water and dry them. The unconta-minated working solution is active for 14 days. For hygiene reasons, it is recommended to exchange the working solution on a daily basis. Do not combine with other detergents or disinfectants. For professional use only.

#### Application:

Viruton® Extra is a highly effective concentrate for simultaneous cleaning and disinfecting surgical and rotary instruments. It contains an enzyme - protease, which provides excellent cleaning properties. Designed for manual disinfection, as well as in ultrasonic cleaners. The product presents anti-corrosion properties and high a material compatibility. It is

recommended for instruments made of stainless steel, nickel, copper, aluminum, rubber, porcelain, glass and plastic. Has a positive opinion of Chirmed - instruments manufacturer and Vimex-manufacturer of endoscopes.



Concentrate





Contains protease



Concentration from 0.5%

#### Ingredients:

Ingredients: active substance in 100 g of the product: 11.5 g N- (3-aminopropyl) - N-dodecylpropane-1,3-diamine (CAS: 2372-82-9), 3.12 g Poly (oxy-1,2-ethanedyl), alpha. [2 (didecylmethylamino) ethyl] - omega-hydroxy-, propanoate (salt) (CAS: 94667-33-1), 1.25 g Didecyldimethylammonium chloride (CAS: 7173-51-5)

#### Symbol

SSE-43-GOT-ML382 → 1 L SSE-43-GOT-ML399 → 5 L

Effectiveness	Tiveness EN 1400E		Time		
Effectiveness	EN 14885	15 min.	30 min.	60 min.	
El El		0,5%			
Bacteria (including MRSA)	EN 14561	1%	0,5%	0,5%	
Funci (C. albicano)	EN 13624	0,5%			
Fungi (C. albicans)	EN 14562	1%	0,5%		
Fungi (A. Brasiliensis)	EN 13624			1,5%	
AA L	EN 14348	0,5%*, 1%	0,5%	0,5%	
Mycobacteria (M. terrae, M. avium)	EN 14563	1%*, 2%	0,5%	0,5%	
Enveloped viruses (Vaccinia, BVDV, HBV, HIV, HCV, Herpes simplex, Influenza A, B, C, Ebola, SARS-CoV-2)	EN 14476	0,5%			
Adeno virus	EN 14476	0,5%*	0,5%	0,5%	
Polio virus	EN 14476	1%	0,5%*	0,5%*	

\* clean conditions

Packaging units: 1 L bottle with doser, 5 L canister







#### Viruton® Pulver

#### Powder for cleaning and disinfecting tools, endoscopes, incubators and other surfaces of medical devices

#### Directions for use:

Refer to the dispensing table and measure required amount of tap water. Add the correct amount of powder, using the attached measuring cup, stir the solution. Cover the container and leave it for 15 minutes to activate. Afterwards, stir the solution again. Using warm water will speed up the dissolution of the powder. Small amounts of residue on the bottom of the container ensure the stability of the solution in time. Change the solution daily. Test strips available to confirm the activity of the working solution. Seal the container tightly after use. Do not immerse wet tools in the powder. Do not use on disposable instruments. Follow the instructions of the manufacturer of the tools and equipment. Do not use the product if the packaging is damaged. Store below 25 ° C. Protect against moisture. Cleaning and disinfection of tools and endoscopes: Immerse the instruments in the solution, thoroughly covering all parts and channels of the equipment. After a defined disinfection time (10 min. or 30 min., depends on chosen concentration), rinse the instruments with drinking water (preferably sterile distilled water or demineralized water). Do not exceed the recommended disinfection time\*. The product is not intended for tools made of aluminum, copper and brass. Can be used for undamaged chromed and nickel-plated tools. Surface cleaning and disinfection: Spray the surfaces of medical equipment with 0.5% solution or wipe them with a cloth and leave to take action for 30 minutes. Incubators washing and disinfection: detailed instructions available.

#### Application:

Viruton® Pulver is a modern generation preparation for cleaning and highlevel disinfection of invasive and non-invasive medical devices. It is recommended for surgical and dental instruments and all kinds of endoscopes, surgical probes, ventilator tubes and other anesthetic equipment. It can also be used for the disinfection of surfaces of medical equipment, such as incubators. It is recommended for manual disinfection, in ultrasonic cleaners, automatic washers and endoscope cleaning baths.

The product does not require an activator. Uncontaminated solution is stable up to 30 hours. The innovative formula contains four enzymes (protease, lipase, amylase and mannase) responsible for removing organic contaminants, such as blood, protein, fats and secretions. The composition of surfactants prevents the powder from dusting and guarantees excellent washing properties.







Active washing



Concentration from 1% in 10 min.

#### Ingredients:

sodium percarbonate (CAS: 15630-89-4), TAED (CAS: 10543-57-4), enzymes, organic acids, non-ionic surfactants, corrosion inhibitors

#### Symbol

SSE-GOT-ML218 → 1 Kg SSE-GOT-ML225 → 5 Kg

Effectiveness	EN 4400E	Time			
Effectiveness	EN 14885	10 min.	15 min. 30 (C)	30 min.	60 min.
	EN 13727			0,5%	
Bacteria (S. aureus, P. aeruginosa, E. hirae, MRSA)	EN 14561	1%		0,5%	
	EN 13697			0,5%	
Final (C. alkiana)	EN 13624			0,5%	
Fungi (C. albicans)	EN 14562	1%		0,5%	
Formal (A. Boratthamata)	EN 13624	1%			0,5%
Fungi (A. Brasiliensis)	EN 14562	2 1% 4 1% 2 2% 3 0,5%			
Mycobacteria (M. terrae, M. avium)	EN 14348		0,5%		
Tuberculosis (M. terrae)	EN 14563	1%			0,5%
Tuberculosis (M. avium)	EN 14563	1%			
Viruses (Polio, Adeno, Noro, HBV, HIV, HCV, Rota, Influenza A, B, C, Vaccinia, BVDV, Herpes simplex, Ebola, SARS-CoV-2)	EN 14476	2%		1%	
Spores (C. difficile)	EN 13704	1%*, 2%		0,5%	
Spores (B. subtilis)	EN 13704	1%*		0,5%	



	Logistic details				
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet		
1 L	12	32	384		
5 L	1	96	96		



#### Viruton® Bohr

#### Ready-to-use formula for cleaning and disinfection of rotary instruments

#### **Product features:**

- Active in 15 min. against Bacteria, Fungi, Mycobacteria, Adeno and Polio.
- Recommended for drills, bone cutters, abrasive and polishing tools, silicone rubbers, ceramic tiles and root canal treatment instruments.
- > Can be used by immersing in a tub or ultrasonic cleaner.
- Contains inhibitors of corrosion.
- For aluminum, steel, metal alloys.
- Exceptional cleaning properties.

#### Directions for use:

Place the instruments in the undiluted formula immediately after use. Carefully immerse all elements. After given period of time, take the instruments out, rinse with water and dry. In case of visible contamination, clean it with a brush and immerse the tools in the formula again. After drying, sterilize the instruments. Do not combine the product with other detergents nor disinfectants. For professional user only.

#### Application:

Viruton® Bohr is recommended for simultaneous cleaning and disinfection of precision rotary instruments and other invasive medical tools. Designed for drills and milling cutters made of steel, hard metals, diamonds, abrasive and polishing tools, such as silicone rubbers, ceramic tiles and root canal

treatment instruments. Viruton® Bohr contains inhibitors of corrosion which protect instruments made of steel and metal alloys. It has excellent cleaning properties also in case of dried organic residues. Instruments can be disinfected by immersion in a disinfection tub or in an ultrasonic cleaner.



Liquid



Active against B, F, V, Tbc Adeno, Polio



Rotary instruments



Active in 15 min.

#### Ingredients:

100 g contains: 0.15 g N- (3-aminopropyl)-N-dodecylpropane-1,3-diamin, 0.14 g Poli (oxy-1,2-ethanedyl), alpha42- (didecylmethylamino) ethyl ] - .omegahydroxy-, propanoate (salt)

#### Symbo

SSE-GOT-ML290  $\rightarrow$  1 L SSE-GOT-ML337  $\rightarrow$  5 L

Effectiveness	EN 14885	Clean and dirty conditions
Bacteria (including MRSA)	EN 13727	15 min.
Bacteria (including MNSA)	EN 14561	15 min.
Fungi (C. albicans)	EN 13624	15 min.
rungi (C. aibicans)	EN 14562	15 min.
Mycobacteria (M. terrae, M. avium)	EN 14348	15 min.
Mycobacteria (M. teriae, M. avium)	EN 14563	15 min.
Enveloped viruses (Vaccinia, BVDV, SARS, HBV, HIV, HCV, Herpes simplex, Influenza type A, Ebola, SARS-CoV-2)	EN 14476	15 min.
Adeno virus	EN 14476	15 min.
Polio virus	EN 14476	15 min.







#### Viruton® Pre

#### Pre-disinfecting and cleaning foam for surgical instruments

#### **Product features:**

- Active in 15 min. against Bacteria, Fungi, Mycobacteria, enveloped viruses, Adeno, Polio.
- Recommended for medical and surgical instruments and containers.
- Contains corrosion inhibitors.

- High material tolerance.
- Prevents organic residues from drying and effectively romoves dried ones.

#### Directions for use:

Place the tools immediately after use in the container and spray thoroughly with the undiluted product, making sure that all elements are covered with foam. After a certain period of time, remove the tools from the tray and rinse with water. Pre-disinfection process may take up to 48 hours. In case of visible contamination, clean the instruments with a brush and cover again with the foam. Once rinsed with water instruments shall be disinfected either manually or automatically. Do not combine with other detergents nor disinfectants. Use protective gloves. Do not use on instruments made of copper, brass nor zinc. For professional use only.

#### Application:

The product contains corrosion inhibitors and has a high material tolerance making it ideal for instruments made of stainless steel, galvanized steel, aluminium, plastic and rubber. The product has very good cleaning properties also in case of dried organic residues. Viruton® Pre prevents residues from drying during collection and transportation of instruments to

a place of proper disinfection. It has a pleasant scent and both bacteriostatic and bactericidal properties. Viruton® Pre has a broad biocidal spectrum and exceptional cleaning properties thanks to the innovative formula based on the synergy of surfactants and nano-micelle technology.







Instruments



100 g contains: 0,15 g N-(3aminopropylo)-N-dodecylopropane 1,3-diamine, 0,14 g Poly(oxy-1,2-etanodilo), alfa.-[2-(didecylmethyloamine) ethylo]-.omega.-hydroxy-,propanoate (salt)

SSE-GOT-ML443 → 1 L

Effectiveness	EN 14885	Dirty conditions
Bacteria (including MRSA)	EN 13727	15 min.
bacteria (including MN3A)	EN 14561	15 min.
Fungi (C. albicans)	EN 13624	15 min.
rungi (C. aidicans)	EN 14562	15 min.
Mycobacteria (M. terrae, M. avium)	EN 14348	15 min.
Mycobacteria (M. terrae, M. avium)	EN 14563	15 min.
Enveloped viruses (Vaccinia, BVDV, HBV, HIV, HCV, Ebola, SARS-CoV-2)	EN 14476	15 min.
Adeno virus	EN 14476	15 min.
Polio virus	EN 14476	15 min.







#### Velodes® Skin

#### Liquid for hygienic and surgical hand disinfection

#### **Product features:**

- Full virucidal acivity in 30 seconds (Polio, Adeno, Noro).
- Works in 30 sec. against fungi, bacteria, mycobacteria, enveloped viruses (SARS-CoV-2, HIV, HBV, HCV, influenza viruses, herpes, Ebola) and non-enveloped viruses (Adeno, Polio, Noro).
- Dermatologically tested.
- Thanks to additional protective substances, it protects the skin from drying.
- Biocidal product.

- Cidal ectiveness confirmed by tests according to the latest harmonized standards.
- Reduction of the risk of infection in situations requiring a high sanitary regime.
- A special skin moisturizing system cares for the epidermis and prevents the feeling of hand stickiness.
- The product is safe for skin prone to allergies.

#### Application:

HYGIENIC HAND DISINFECTION (according to EN 1500): rub 2 x 3 ml of the product in your hands for 30 seconds.

SURGICAL HAND DISINFECTION (according to EN 12791): rub 2 x 3 ml of the product in clean and dry hands for 90 seconds, during disinfection keep your hands moist with product.

#### Directions for use:

Ready-to-use, alcohol-based product designed for hygienic and surgical hand disinfection. The product has a bactericidal, cidal against tuberculosis, yeasticidal, virucidal activity (including: HBV, HIV, HCV, SARS-CoV-2, Adeno, Noro, Polio). The product is recommended for use in healthcare facilities, all

institutions and areas of life where it is advisable to maintain the highest hygiene standards, e.g. in hospitals, treatment and dental offices, hairdressers and beauty salons, veterinary salons, nursing homes and fitness clubs, gyms schools, offices, gastronomy.



Liquid



Full virucidal acivity in 30 seconds



Surgical disinfection in 90 sec.



Prolonged effect

#### Ingredients:

active substance in 100 g of the product: 80 g ethanol, 8 g propan-2-ol

#### Symbo

SSE-ALKGOT-ML892  $\rightarrow$  250 ml SSE-ALKGOT-ML516  $\rightarrow$  500 ml SSE-ALKGOT-ML042  $\rightarrow$  1 L SSE-ALKGOT-ML735  $\rightarrow$  5 L

Effectiveness	EN 14885	Time
Bacteria	EN 13727	15 sec.
Yeast-like fungi (Candida)	EN 13624	30 sec.
Fungi (A. brasiliensis)	EN 13624	30 sec.
Mycobacteria Tuberculosis (M. avium, M. terrae)	EN 14348	30 sec.
Enveloped viruses	EN 14476	30 sec.
Adeno virus	EN 14476	15 sec.
Noro virus	EN 14476	15 sec.
Polio virus	EN 14476	30 sec.

Packaging units: 250 ml bottle with atomizer, 500 ml bottle, 1L bottle, 5L canister



Logistic details				
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet	
250 ml	40	30	1200	
500 ml	24	40	960	
1 L	12	40	480	
1 L bag	6	80	480	
5 L	1	96	96	



### Velodes® Soft

#### Liquid for hygienic and surgical hand disinfection

#### **Product features:**

- ▶ Hygienic hand disinfection: 2 x 1,5 ml in 2 x 15 sec.
- Surgical hand disinfection: 2 x 1,5 ml in 2 x 45 sec.
- Prolonged bactericidal effect up to 3 hours.

- Active against Bacteria, Fungi, Mycobacteria, Viruses.
- Skin-friendly pH.
- Contains glycerine.

#### Directions for use:

Hygienic hand disinfection (according to EN 1500): rub  $2 \times 1,5$  ml of the product in your hands for  $2 \times 15$  seconds. Surgical hand disinfection (according to EN 12791): rub  $2 \times 1,5$  ml of the product in your hands for  $2 \times 45$  seconds. Keep the hands equally wet by adding more liquid. The product also has a prolonged surgical disinfection efect up to 3 hours. For professional use only.

#### Application:

Velodes® Soft is a ready-to-use, alcohol-based product designed for hygienic and surgical hand disinfection. It has a wide and confirmed disinfection properties against Bacteria, Mycobacteria, Fungi and some viruses. It has prolonged bactericidal effect. It deactivates enveloped viruses such as HIV, HBV, HCV, SARS-CoV-2 and Rota virus. The preparation shows prolonged effect of surgical disinfection for 3 hours. Dermatologically tested.



Liquid







Prolonged effect

#### Ingredients:

60 g propan-2-ol, 0.5 g chlorhexidine

#### Symbo

SSE-43-GOT-ML535  $\rightarrow$  250 ml SSE-43-GOT-ML542  $\rightarrow$  500 ml SSE-43-GOT-ML559  $\rightarrow$  1 L SSE-43-GOT-ML010  $\rightarrow$  1 L bag SSE-43-GOT-ML566  $\rightarrow$  5 L

Effectiveness	EN 14885	Time
Bacteria (including MRSA)	EN 13727	30 sec.
Fungi (C. albicans)	EN 1275	30 sec.
rungi (C. aibicans)	EN 13624	30 sec.
Mycobacterium (M. terrae, M. avium)	EN 14348	30 sec.
Enveloped viruses (Vaccinia, BVDV, HBV, HIV, HCV, Herpes simplex, Influenza A, B, C, Ebola, SARS-Cov-2)	EN 14476	30 sec.
Rota virus	EN 14476	45 sec.
Hygienic hand disinfection	EN 1500	2 x 1,5 ml in 2 x 15 sec.
Surgical hand disinfection	EN 12791	2 x 1,5 ml in 2 x 45 sec.







### Velodes® Gel

#### Gel for hygienic and surgical hand disinfection

#### **Product features:**

- ▶ Hygienic hand disinfection: 2 x 3 ml in 30 sec.
- Surgical hand disinfection: 2 x 3 ml in 3 min.
- Active against Rota and Noro viruses.

- Gentle pH.
- Contains glycerine for skin care.
- Dermatologically tested.

#### Directions for use:

HYGIENIC HAND DISINFECTION (according to EN 1500): 2 x 3 ml of the product to be rubbed for 30 seconds (2 x 15 sec.).

SURGICAL HAND DISINFECTION (according to EN 12791):  $2 \times 3$  ml of the product to be rubbed for 3 minutes ( $2 \times 90$  sec.).

Keep hands equally wet by adding more liquid.

#### Application:

Velodes® Gel is a gel designed for hygienic and surgical hand disinfection. It has a bactericidal, yeastcidal, mycobacterial and limited virucidal effect. It acts on enveloped viruses such as Vaccinia, BVDV, SARS-CoV-2, HIV, HBV,

HCV and Rota and Noro viruses. Gentle for hands, it contains glycerine for skin care. Special formula prevent hand stickiness. Dermatologically tested.



Gel



Active against Rota, Noro





urgical hand isinfection n 3 min.

63.7 g ethanol, 6.3 g propan-2-ol

#### Symbol

SSE-ALKGOT-ML754  $\rightarrow$  500 ml SSE-ALKGOT-ML942  $\rightarrow$  1 L bag SSE-ALKGOT-ML080  $\rightarrow$  5 L

Effectiveness	EN 44005	Cond	Conditions	
Effectiveness	EN 14885	clean 30 sec. 15 sec. 30 sec.	dirty	
Bakteria (including MRSA)	EN 13727	30 sec.	30 sec.	
Fungi (C. albicans)	EN 13624	15 sec.	15 sec.	
Mycobacteria Tuberculosis (M. terrae)	EN 14348	30 sec.	30 sec.	
Enveloped viruses (HIV, HBV, HCV, Influenza A, B, C, Vaccinia, SARS-CoV-2, Herpes simplex, Ebola)	EN 14476	30 sec.	60 sec.	
BVDV virus	EN 14476	30 sec.	30 sec.	
Rota virus	EN 14476	30 sec.	60 sec.	
Noro virus	EN 14476	30 sec.	30 sec.	
Hygienic hand disinfection	EN 1500	2 x 3 ml in	2 x 15 sec.	
Surgical hand disinfection	EN 14476	2 x 3 ml in	2 x 90 sec.	



Logistic details				
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet	
250 ml	40	30	1200	
500 ml	24	40	960	
1 L	12	40	480	
1 L bag	12	80	480	
5 L	1	96	96	



### Velodes® Silk

#### Liquid for hygienic and surgical hand disinfection and for surface disinfection

#### **Product features:**

- Active against Rota, Noro and SARS-CoV-2.
- Hygienic hand disinfection: 2 x 1,5 ml in 2 x 15 sec.
- Surgical hand disinfection: 2 x 1,5 ml in 3 min.

- > Skin friendly pH.
- Contains nurturer- glycerine.
- Dermatologically tested.

#### Directions for use:

HYGIENIC HAND DISINFECTION (according to EN 1500): 2 x 1,5 ml of the product to be rubbed for 30 seconds (2 x 15 sec.).

SURGICAL HAND DISINFECTION (according to EN 12791):  $2 \times 1,5 \text{ ml}$  of the product to be rubbed for 3 minutes ( $2 \times 90 \text{ sec.}$ ). Keep hands equally wet by adding more liquid.

SURFACE DISINFECTION: Spray the surface from the distance of approximately 30 cm and leave it to dry. Do not apply on alcohol-sensitive surfaces (e.g. acrylic glass). For professional use only.

#### Application:

Ready to use, alcohol - based liquid for hygienic and surgical hand disinfection in the medical field, the food sector, industrial and domestic environments and also in public utilities. For surfaces having and not having contact with food. Designed also for disinfection of non-invasive medical devices. The product has a bactericidal, yeasticidal and limited virucidal

activity (against Rotavirus, Norovirus), it also works against tuberculosis and enveloped viruses (including Vaccinia, BVDV, HIV, HBV, HCV, influenza and coronavirus). As a medical device for use by a professional user. Liquid form.



Liquid



Active against B, F, V, Tbc, Rota, Noro





#### Ingredients:

active substance in 100 g of the product: 63.7 g ethanol, 6.3 g propan-2-ol

#### Symbo

SSE-ALKGOT-ML533  $\rightarrow$  250 ml SSE-ALKGOT-ML540  $\rightarrow$  500 ml SSE-ALKGOT-ML557  $\rightarrow$  1 L SSE-ALKGOT-ML010S  $\rightarrow$  1 L bag SSE-ALKGOT-ML564  $\rightarrow$  5 L

Effectiveness	EN 4400E	Conditions	
Effectiveness	EN 14885	clean	dirty
Bacteria (including MRSA)	EN 13727	30 sec.	30 sec.
Fungi (C. albicans)	EN 13624	15 sec.	15 sec.
Mycobacteria Tuberculosis (M. terrae)	EN 14348	30 sec.	30 sec.
Enveloped viruses (HIV, HBV, HCV, Influenza A, B, C, Vaccinia, SARS-CoV-2, Herpes simplex, Ebola)	EN 14476	30 sec.	60 sec.
BVDV virus	EN 14476	30 sec.	30 sec.
Rota virus	EN 14476	30 sec.	60 sec.
Noro virus	EN 14476	30 sec.	30 sec.
Hygienic hand disinfection	EN 1500	2 x 1,5 ml i	n 2 x 15 sec.
Surgical hand disinfection	EN 12791	2 x 1,5ml ir	1 2 x 90 sec.







Logistic details					
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet		
Flow Pack	15	63	945		

## MEDISEPT Wipes for hand and surface disinfection

#### High-quality wipes for disinfecting hands and all small surfaces

#### **Product features:**

- > Tested in accordance with new standards for disinfectants.
- Hygienic disinfection in 30 sec. (soaking liquid tested in acc. with EN 1500).
- ▶ High quality, non-woven fabric: 50 g/m.².
- ▶ The capacity of one wipe is 0.5 m with a double rubbing.\*
- Wipe dimensions: 19 x 15 cm.
- \* The test was carried out based on the methodology of the EN 16615 standard for a four-field test, on a porous surface, at 24  $^{\circ}$  C

#### Directions for use:

Take a wipe out of the package and wipe hands or surface. Close the package tightly. After opening, use the wipes within 21 days. Do not use if the wipe is dry. Do not use on areas sensitive to alcohol.

#### Application:

MEDISEPT Wipes are high-quality alcoholic wipes designed for hygienic hands disinfection and any small alcohol-resistant surfaces. They are recommended for surfaces such as tabletops, knobs, handles, seating

surfaces, medical equipment, and accessories made of plastic, stainless steel, porcelain and ABS plastic. Due to its intended use on the skin, the product contains care-substance additives which moisturize the hands.









#### Ingredients

60 g - Propan-2-ol, 0.5 g - d-gluconic acid, compound with N,N''-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1)

#### Symbo

IM-DEZ-ML976  $\rightarrow$  flow pack

Effectiveness	EN 14885	Time
Bacteria (including MRSA)	EN 13727	30 sec.
Bacteria, fungi (C. albicans)	EN 13624	30 sec.
Fungi (C. albicans)	EN 16615	30 sec.
M. Tuberculosis (M. terrae)	EN 14348	30 sec.
Enveloped viruses (HIV, HBV, HCV, Vaccinia, Influenza A, B, C, BVDV, Herpes simplex, Ebola, SARS-CoV-2)	EN 14476	30 sec.
Rota Virus	EN 14476	45 sec.
Hygienic disinfection**	EN 1500	30 sec.

\*\* test performed on saturated formulation, 1 tissue contains approx. 3.56 ml of disinfecting liquid

Packaging units: 50 buc., de tip flow pack cu etichetă autocolantă

Dimensions: 19x15cm, 50 g/m.<sup>2</sup>











### Velodes® Scrub

#### Antibacterial emulsion for hygienic hand washing

#### **Product features:**

- Neutral pH for skin.
- Contains panthenol which gives the skin sensation of softness.
- Recommended for people with allergies for hand and body wash.
- Perfect for doctors, dentists, nurses and people with sensitive skin, who wash their hands frequently.
- Recommended for food industry and healthcare institutions.
- Contains properties unfavourable to bacterial growth tested according to EN 1499 norm.
- Dermatologically tested.
- Doesn't contains dyes or scented compositions.

#### Directions for use:

Apply a small amount of liquid on wet hands, rub to foam and rinse with water. Perform activities according to the WHO hand washing technique. Avoid contact with eyes.

#### Application:

Velodes® Scrub is a delicate emulsion for washing hands and the whole body. Perfect for doctors, dentists, nurses and people with sensitive skin, who wash their hands frequently. Product intended for hygienic hand washing, tested in accordance with EN 1499. Neutral pH, the content of glycerine and coconut oil derivative allows everyday use without causing irritation. It contains panthenol which gives anti-inflammatory effect and

accelerates skin regeneration. Gives the skin sensation of softness. It doesn't contains dyes or scented compositions. It has properties unfavourable to bacterial growth. The emulsion can be used in the food industry, healthcare facilities, schools, kindergartens and restaurants. Dermatologically tested.



Liquid





Glycerine and coconut oil

#### Ingredients:

aqua, sodium laureth sulfate, cocamidopropyl betaine, glycerin, sodium chloride, lauramine oxide, panthenol, benzalkonium chloride, methylchloroisothiazo-linone, methylisothiazolinone, citric acid.

#### Symbo

IM-DEZ-ML092-500ML → 500 ml IM-DEZ-ML078-5L → 5 L











## Velodes® Soap

#### Emulsion for hand and body washing

#### **Product features:**

- Intended for hand washing before surgical and after hygienic hand disinfection.
- Suitable for washing head and the entire body.
- Recommended for medical personnel exposed to skin maceration related to frequent hand washing.
- Protects the skin from drying.
- Skin-friendly pH.

- Does not contain soap.
- Suitable for people with allergies and intolerance to soap-based products.
- Recommended for washing patients in the prevention of bedsores.
- Dermatologically tested.

#### Directions for use:

Hand washing: apply a small amount of the emulsion on wet hands and spread until it foams, then rinse with water\*. Washing in the shower: spread the emulsion on wet skin and hair. Wash your body and rinse under running water. Washing in the bath: pour the emulsion into the bath filled with water. Wash your skin and hair, and then rinse under running water.

\*Perform activities according to the WHO hand washing technique.

#### Application:

Velodes\* Soap is an emulsion for washing hands before surgery and after hygienic hand disinfection. It can be also used for washing hands, hair and the whole body. The product does not contain soap so it can be used by people with allergies and intolerance to soap-based products. Thanks to skin-nourishing ingredients\*\*, it is particularly recommended for medical

personnel susceptible to skin maceration related to frequent hand washing. The emulsion is also recommended for patients with bedsores. Dermatologically tested.

\*\*such as glycerine and coconat oil.



Liqui







#### Ingredients:

anionic surfactants, amphoteric surfactants (coconut betaine), moisturizing substances (glycerol), fragrance composition



IM-DEZ-ML160-500ML  $\rightarrow$  500 ml IM-DEZ-ML146-5L  $\rightarrow$  5 L





Neutral scent



White flowers scent



Logistic details						
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet			
1 L bag	6	80	480			

## Velodes® Soap Foam

#### Foam for hand-washing

#### **Product features:**

- Mild liquid applied in the form of foam for hygienic hand washing.
- The liquid does not contain soap, so it can be used by people with allergies and intolerance to soap-based products.
- The liquid creates a white, durable and thick foam gently covering the washed hands.
- Due to the content of nourishing and moisturizing ingredients, it is recommended for medical personnel exposed to frequent maceration of the skin.
- Dermatologically tested.

#### Directions for use:

HAND WASHING: apply a small amount of the foam on wet hands, then rinse with water. Perform activities according to the WHO hand washing technique.

WASHING IN THE SHOWER: spread the foam on wet skin and hair. Wash your body and rinse under running water.

#### Application:

Velodes® Soap Foam is a gentle liquid applied in the form of foam for hygienic hand-washing. The product does not contain soap so it can be used by people with allergies and intolerance to soap-based products. The liquid creates white, durable and thick foam which gently covers washed

hands. Thanks to skin-nourishing and moisturizing ingredients, it is particularly recommended for medical personnel susceptible to skin maceration related to frequent hand washing. Dermatologically tested.



Foan



Hand washing and care

HAND DISINFECTION AND HAND CARE



Foam for hygienic hand washing

#### Ingredients:

Glycerin, Sodium C14-16 Olefin Sulfonate, Propylene Glycol, Cocamidopropyl Betaine, Lactic Acid, Methylchlorothothiazolinone, Methylsiothiazolinone.

#### Symbo

SSE-GOT-ML379-1L  $\rightarrow$  1 L bag neutral SSE-GOT-ML386-1L  $\rightarrow$  1 L bag flowers









Logistic details						
Capacity	Pcs / Box	No. of boxes / Pallet	Pcs / Europallet			
100 ml	50	72	3600			
500 ml	30	40	1200			

### Velodes® Cream

#### Protective hand cream

#### Product features:

- Gentle cream for hands and body skin care.
- Protects, moisturizes and regenerates.
- Nourishes dry, irritated and rough skin of the hands.
- Recommended for everyday use after frequent hand washing and after hygienic disinfection.
- Recommended for medical articulary personnel and people exposed to drying and maceration of the skin as a result of frequent washing and wearing gloves.
- Provides hands with silky softness.
- Absorbs quickly and brings an immediate feeling of comfort.
- Contains vitamin E, glycerine and olive oil.
- Does not contain parabens.
- Dermatologically tested.

#### Directions for use:

Apply a small amount of cream on clean, dry hands. Gently rub into skin of your hands and nails. Repeat the process after each hand washing.

#### Application:

Velodes® Cream is a gentle cream for hands and body skin care. Protects, moisturizes and regenerates. It nourishes dry, irritated and rough skin. It is recommended for everyday use after frequent hand washing and after hygienic disinfection. It is particularly recommended for medical personnel

and people exposed to drying and maceration of the skin as a result of frequent washing and wearing gloves. Provides silky hands softness. Quick absorption brings an immediate feeling of comfort. It does not contain parabens. Dermatologically tested.



Crean







#### Ingredients:

Aqua, Cetostearyl Alcohol, Glycerin, Glyceryl Stearate, Isopropyl Palmitate, Ceteareth-20, Cyclopentasiloxane, Paraffinum Liquidum, Phenoxyethanol (and) Ethylhexylglycerin, DMDM Hydantoin, Carbomer, Parfum, Citric Acid, BHT, Olea Europaea (Olive) Oil, Tocopheryl Acetate, Triethanolamine, Linalool, Citronellol, Alpha-Isomethyl Ionone, Geraniol, Limonene, Hexyl Cinnamal.

#### Symbol

MS-CHE-ML481-100ML  $\rightarrow$  100 ml MS-CHE-ML548-500ML  $\rightarrow$  500 ml











### Velodes® Cream Aloe Vera

#### Moisturizing hand cream

#### **Product features:**

- Perfectly moisturizes, nourishes and protects hand skin.
- The rich formula, containing glycerine, aloe extract, pro-vitamin B5 and vitamin E, makes hand skin soft and silky.
- It is recommended for everyday use after frequent hand washing and after hygienic disinfection.
- Moisturizes, relaxes and reduces the feeling of roughness.
- Particulary recommended for doctors, medical personnel and people exposed to drying and maceration of the skin as a result of frequent washing and wearing gloves.
- Dermatologically tested.

#### Directions for use:

Apply a small amount of cream on clean, dry hands. Gently rub into skin of your hands and nails. Repeat the process after each hand washing.

#### Application:

Velodes® Cream Aloe Vera moisturizes, nourishes the skin of hands and protects it from the adverse influence of external factors. Rich formula, containing glycerine, aloe extract, makes hand skin soft and silky. It is recommended for everyday use after frequent hand washing and after

hygienic disinfection. It is particulary recommended for medical personnel and people exposed to drying and maceration of the skin as a result of frequent washing and wearing gloves. Dermatologically tested.





Moisturizes.





#### Ingredients:

Agua, Cetostearyl Alcohol, Glycerine, Glyceryl Stearate SE, Isopropyl Palmitate, Ceteareth-20, Phenoxyethanol, Aloe Barbadensis Leaf Extract, Cyclopentasiloxane, Paraffinum Liquidum, D-Panthenol, Carbomer, Parfum, BHT, Tocopheryl Acetate, Triethanolamine, Ethylhexylglycerin, Benzyl Salicylate Limonene, Butylphenyl Methylpropional.

MS-CHE-ML027-100ML → 100 ml MS-CHE-ML034-500ML → 500 ml







Logist	ic details
Pcs / Box	6

## Elbow dispenser for closed-system

#### **Product features:**

- Airtight closed-system with no air access
- Touch-free liquid application prevents cross-infection
- Velodes 1 L disposable packaging in bag form

- Disposable pumps no contamination risk
- Quick and hygienic cartridge refill
- Exceptionally easy to use and install

#### Technical data

Colour: White

Symbol	Capacity	Width	Height	Depth	
IM-DEZ-ML009	1 L	133 mm	270 mm	115 mm	

#### Available models:

#### Elbow dispenser for closed-system 1 L white - violet



#### Soap dispenser for closedsystem 1 L white



#### Soap dispenser for closedsystem 1 L white - violet



#### Technical data

Dimensions: Width 133 mm, Height 270 mm, Depth 115 mm Colour: White - purple Symbol: IM-DEZ-ML009F

#### Technical data

Dimensions: Width 133 mm, Height 270 mm, Depth 115 mm Colour: White Symbol: IM-DEZ-ML007

#### Technical data

Dimensions: Width 133 mm, Height 270 mm, Depth 115 mm Colour: White - purple Symbol: IM-DEZ-ML007F







Logist	ic details
Pcs / Box	1

## Dispenser in stainless steel

The stainless-steel elbow dispenser is a combination of minimalism, simplicity, and aesthetics, with the robustness of the materials used.

#### Technical data

Made of stainless steel

Symbol	Capacity	Width	Height	Depth
IM-DEZ-ML020D	500 ml	77 mm	198 mm	55 mm
IM-DEZ-ML021D	1000 ml	95 mm	225 mm	65 mm

#### Dispenser accessories:

## Adapter for stainless steel dispenser PROCLEAN ECO



## Technical data Dimensions: Width 108 cm, Height 230 mm Symbol: IM-DEZ-ML030D

#### Stand with H base



## Technical data Dimensions: Width 360 mm, Height 1115,5 mm, Depth 310 mm Symbol: IM-DEZML028D

#### Stand with O base



Technical data Dimensions: Width 1115,5 mm, diam. 350 mm Symbol: IM-DEZ-ML031D







Logistic details					
Pcs / Box	10				

## ABS-plastic wall-mounted dispenser 1 L

#### **Product features:**

- Dispenser in ABS plastic with high alcohol-resistance
- May be sterilised in an autoclave

Has a movable disc allowing you to set the dose of 0.5 ml to 1.5 ml  $\,$ (every 0.5 ml)

#### Technical data

Material: ABS Colour: White

Symbol	Capacity	Width	Height	Depth	
IM-DEZ-ML010	1000 ml	105 mm	325 mm	160 mm	

#### **Available Models:**

#### **ABS-plastic wall-mounted** dispenser 500 ml



#### Technical data

Material: ABS Dimensions: Width 85 mm, Height 280 mm, Depth 135 mm Symbol: IM-DEZ-ML011

#### ABS-plastic wall-mointed dispenser 500 ml with stillage



#### Technical data

Material: ABS

Dimensions: Width 158 mm, Height 278 mm, Depth 180 mm Symbol: IM-DEZ-ML012





Logistic details

Pcs / Box

## Automatic, stand-alone E28 dispenser

#### **Product features:**

- ▶ Touch-free and automatic dispensing of liquid with possible adjustment of the dispensed dose
- Power supply: mains (E28) or mains-battery (E28 PLUS)
- RGB LED status illumination

- Eco-mode reducing electricity consumption
- ▶ The dispenser is designed and manufactured in Poland
- Made of stainless steel

#### Technical data

Power supply: Mains and battery (2 in 1)

Symbol	Capacity	Width	Height	Depth
IM-DEZ-ML028	5000 ml	280 mm	1200 mm	280 mm
IM-DEZ-ML028P	5000 ml	280 mm	1200 mm	280 mm

#### **Available Models:**

#### Automatic, stand-alone E28 PLUS dispenser




Technical data Dimensions: Width 280 mm, Height 1200 mm, Depth 280 mm Colour: White Power supply: Mains and battery (2 in 1) Symbol: IM-DEZ-ML028P




## Hand wash technique


Efficient protection against bacteria, mycobacteria, yeasts and viruses: HIV, HBV, HCV, Ebola, influenza. Extended activity time: up to 3 hours.




Wet hands with warm water. Apply a palmful of the product in a cupped hand, covering all surfaces




Rub hands palm to palm




Rub palm to palm with interlaced spread fingers




Take your right thumb with your left hand and perform rational movements around the thumb and change hands



Rub the dorsal part of the other hand and change hands



Rub both wrists



Rinse hands with water to remove the soap. Dry hands thoroughly

Try not to touch the handles, doors and other equipment with your washed hands. When you go out, you can use a paper towel.


### Remember!





## Hand disinfection technique


Efficient protection against bacteria, mycobacteria, yeasts and viruses: HIV, HBV, HCV, Ebola, influenza. Extended activity time: up to 3 hours.




Take an appropriate amount of the antiseptic product.




Rub one palm against the other palm. Each stage involves five movements in both directions.




Rub the dorsal part of one hand with the palm of the other hand and change hands.




Rub palm to palm with interlaced spread fingers.




Rub the backs of closed fingers of one hand against the bent fingers of the other hand and change hands.




Take your right thumb with your left hand and perform rotational movements around the thumb and change hands.



Rub the fingertips of the right hand on the left palm with circular movements and change hands.



After drying hands are disinfected.



## How to use a doser?

**1.** Open the cap over the dispenser



2. Press the bottle.
The liquid flows through
the tube to the appropriate
level of the dispenser



3. Tilt the bottle as shown in the picture and pour the discharged amount of concentrate into the water





Back to the

## How to prepare a working solution?

In order to obtain selected concentration, measure the appropriate amount of water in a tub or a bucket, then add the amount of disinfectant concentrate given in the table.

Concentration [%]	4%	2%	1%	0,5%	0,25%
Concentrate amount [ml]	40	20	10	5	2,5
Water amount [ml]	960	980	990	995	997,5

## Concentrate efficiency (liters of solution)

Concentration [%]	Efficiency from 1I of concentrate
0,25%	400 liters
0,5%	200 liters
1%	100 liters
2%	50 liters
3%	33 liters
4%	25 liters



## **HYGIENE PLAN**

INTENDED USE	APPLICATION	PRODUCT	DOSAGE	WHEN?	WHO?
Surfaces	Cleaning and disinfection of surfaces and medical devices made of glass, metal and rubber.	Quatrodes® Forte  Quatrodes® Extra	0,5% in 15 min. (5 ml per 995 ml of water) 1% in 15 min. (10 ml per 990 ml of water)	Clean the surfaces after each working day or in case of need.	
	Cleaning and disinfection of surfaces sensitive to alcohol.	Velox® Foam Extra Velox® Wipes NA	Spray/wipe the surface and wait 5 min.	In case of need.	
Medical equipment	Cleaning and disinfection of small surfaces or surfaces difficult to access e.g. work surfaces, armchairs, dental units.	Velox® Spray Velox® Top AF MEDISEPT wipes for hand and surface disinfection	Spray/wipe the surface and wait 30 sec.	Before and after each procedure, in case of contamination or in case of need.	
ециртене	Cleaning and disinfection of suction devices.	Quatrodes® Unit NF	2% in 15 min. (20 ml per 980 ml of water) Rinse with water.	After every patient.	
Tools	Cleaning and disinfection of dental instruments, surgical instruments and surgical devices.	Viruton® Pulver	1% in 30 min. (10 g per 1 L of water)	Directly after use.	
	Cleaning and disinfection of impression trays, dental braces, dental impressions.	Viruton® Extra Viruton® Forte	0,5% in 15 min. (5 ml per 995 ml of water) 1% in 15 min. (10 ml per 990 ml of water)	Before processing.	
	Cleaning and disinfection of rotary tools, such as drills, cutters, grinding wheels.	Viruton® Bohr	Immerse for 15 minutes in ready- for-use product.	Directly after use. Afterwards rinse, dry and sterilise.	
Rotary instruments	Cleaning and disinfection of dental handpieces.	Velox® Spray Velox® Top AF	Spray/wipe the surface and wait 30 sec.	After use.	
Hand disinfection	Hygienic and surgical hand disinfection.	Velodes® Soft Velodes® Gel Velodes® Silk	Hygienic disinfection in 30 sec. (2 x 3 ml liquid) Surgical disinfection in 90 sec. (2 x 3 ml liquid)	Before and after each procedure, in case of contamination or in case of need.	
	Hygienic hand wash.	Velodes® Scrub Velodes® Soap Velodes® Soap Foam	Apply on wet hands so that a gentle foam is made. Rinse with water.  Apply small ammount of a foam on wet hands, wash and rinse.	In case of need.	
Hand washing	Hand care.	Velodes® Cream Velodes® Cream Aloe Vera	Gently massage it into the skin of hands and the nails.	Each time you wash hands or in case of need.	

Partner:



# FOR MORE INFORMATION PLEASE CONTACT OUR EXPORT DEPARTMENT

**Export Department** 

tel.: +48 81 535 22 66 fax: +48 81 535 22 37

e-mail: export@medisept.pl

www.medisept.biz



More about our products at www.medisept.biz



