

Manufacturer: BAS STEEL PROFILE SRL F/C:1019603000893 c.TVA:1019603000893 or: Taraciua, str. Voccalnaia 28 rep. Moldova		A01 MILL'S TEST CERTIFICATE (ACC. TO EN10204 / 3.1) No. 3589 Date: 16.07.2025		A02 Transport:		A10 	
Customer: Metalica - Zuev SRL SEC.CIOCANIA Industrialia nr.48		A03 B03-B06 Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO		B12 Total weight, Kg 21 779		B08 Total Length: 5 418 Pieces: 903 Bundles: 18	
Contract No.: A07 Specification №: Order No.: Destination:		EN 10219-1/2 S235JRH					

Nr.crt	Nr. Bundles	Heat	Product	Dimension(mm)	Product description			Bundles	Pieces	B08	B12	B13	Meters
					Length(mm)	Deviation	Deviation						
1	70831	151646	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm	6 000	+50/-0		1	42	1 207	-	252	
2	70967	151646-9	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm	6 000	+50/-0		1	42	1 207	-	252	
3	70965	151646-9	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm	6 000	+50/-0		1	42	1 208	-	252	
4	70964	151646-9	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm	6 000	+50/-0		1	42	1 220	-	252	
5	70828	151646	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm	6 000	+50/-0		1	42	1 234	-	252	
6	69005	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm	6 000	+50/-0		1	63	1 182	-	378	
7	69033	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm	6 000	+50/-0		1	63	1 174	-	378	
8	69030	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm	6 000	+50/-0		1	63	1 168	-	378	
9	69002	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm	6 000	+50/-0		1	63	1 185	-	378	
10	71303	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 226	-	294	
11	71301	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 222	-	294	
12	71313	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 217	-	294	
13	71311	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 223	-	294	
14	71314	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 222	-	294	
15	70879	S925125	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 230	-	294	
16	71296	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 230	-	294	
17	70883	S914920	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 215	-	294	
18	70881	S914920	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm	6 000	+50/-0		1	49	1 217	-	294	



Chemical Composition (химический состав)

C71-C92

Nr.cnt	B07		B01-B02		B09										
	Nr. Bundles	Heat	Product	Dimension(mm)	C	Si	Mn	S	P	Cr	NI	Cu	As	N	Al
1	70831	151646	EN 10219-2/S235JRH	60 x 60 x 3 x 6000m	x100	1,8	36	x1000	26	5	2	3		9	
2	70967	151646-9	EN 10219-2/S235JRH	60 x 60 x 3 x 6000m	13	1,8	36	33	26	5	2	3		9	
3	70965	151646-9	EN 10219-2/S235JRH	60 x 60 x 3 x 6000m	13	1,8	36	33	26	5	2	3		9	
4	70964	151646-9	EN 10219-2/S235JRH	60 x 60 x 3 x 6000m	13	1,8	36	33	26	5	2	3		9	
5	70828	151646	EN 10219-2/S235JRH	60 x 60 x 3 x 6000m	13	1,8	36	33	26	5	2	3		9	
6	69005	625341-9	EN 10219-2/S235JRH	50 x 30 x 3 x 6000m	12	1,4	36	28	19	5	2	2		9	
7	69033	625341-9	EN 10219-2/S235JRH	50 x 30 x 3 x 6000m	12	1,4	36	28	19	5	2	2		9	
8	69030	625341-9	EN 10219-2/S235JRH	50 x 30 x 3 x 6000m	12	1,4	36	28	19	5	2	2		9	
9	69002	625341-9	EN 10219-2/S235JRH	50 x 30 x 3 x 6000m	12	1,4	36	28	19	5	2	2		9	
10	71303	S925065	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13	1	45	16	18	4		5		2	49
11	71301	S925065	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13	1	45	16	18	4		5		2	49
12	71313	S925065	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13	1	45	16	18	4		5		2	49
13	71311	S925065	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13	1	45	16	18	4		5		2	49
14	71314	S925065	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13	1	45	16	18	4		5		2	49
15	70879	S925125	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	16	1	43	14	15	5		5		3	45
16	71296	S925065	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13	1	45	16	18	4		5		2	49
17	70883	S914920	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13		43	19	24	4		6		3	44
18	70881	S914920	EN 10219-2/S235JRH	60 x 40 x 3 x 6000m	13		43	19	24	4		6		3	44

«BAS STEEL PROFILE» S.R.L.
OTK

Mechanical Test

Nr.crt.	Nr. Bundles	Heat	Product	Dimension(mm)	Mechanical Test			Ra, μm	Hydraulic Pressure, bar, mln.			
					B01-B02	B09	C02			C03	C11	C12
1	70831	151646	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm			ambient	279	441	33		
2	70967	151646-9	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm			ambient	279	441	33		
3	70965	151646-9	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm			ambient	279	441	33		
4	70964	151646-9	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm			ambient	279	441	33		
5	70828	151646	EN 10219-2 / S235JRH	60 x 60 x 3 x 6000mm			ambient	279	441	33		
6	69005	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm			ambient	284	407	37		
7	69033	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm			ambient	284	407	37		
8	69030	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm			ambient	284	407	37		
9	69002	625341-9	EN 10219-2 / S235JRH	50 x 30 x 3 x 6000mm			ambient	284	407	37		
10	71303	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	339	443	26,6		
11	71301	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	339	443	26,6		
12	71313	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	339	443	26,6		
13	71311	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	339	443	26,6		
14	71314	S925065	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	339	443	26,6		
15	70879	S925125	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	343	447	26,6		
16	71296	S914920	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	343	443	26,6		
17	70883	S914920	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	343	435	27,4		
18	70881	S914920	EN 10219-2 / S235JRH	60 x 40 x 3 x 6000mm			ambient	343	435	27,4		

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.
 Visual inspection: checked without any objection
 Tolerances on dimensions and shape: pass

Draweted up,
 Eng. Filipov Nicolai

Signature of the QCD representative,
 Eng. Nekit Yuri

