ThinkCentre M70q 11DT0040RU

Product

ThinkCentre M70q

Region

RUSSIA

Country/Region

Russia

Machine Type

11DT

TopSeller

TopSeller

Processor

Intel Core i5-10400T (6C / 12T, 2.0 / 3.6GHz, 12MB)

Chipset

Intel H470 Chipset

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 8GB DDR4-2666

Storage

1x 512GB SSD M.2 2280 PCIe 3.0x4 NVMe Opal

Optane Memory

None

Optical

None

Speaker

1.5Wx1

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.1

Optional Rear Ports

1x Serial + 1x VGA

Chassis Intrusion Switch

Chassis Intrusion Switch

Kensington Cable Lock

None

Adapter Cage

Toolless Chassis Screw

Toolless Chassis Screw

Dust Filter

None

VESA Mount

VESA Mount

Color

Black

Stand

None

Kevboard

USB Traditional Keyboard, Black, Russian

Mouse

USB Calliope Mouse

Power Supply

65W 89% Adapter

Additional Certificates

EPEAT Silver

Monitor Cable

None

System Management

None

Operating System

Windows 10 Pro 64, Russian

Bundled Software

None

Base Warranty

3-year, Onsite

Bundled Service

None

EAN/UPC/JAN

0194778895903

End of Support

2026-11-30

Announce Date

2020-05-12

Recommended Services

Best

3Y Keep Your Drive Add On (5PS0D81209)

4Y Premier Support Upgrade from 3Y Onsite (5WS0T36207)

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26647)



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2020. All rights reserved.





ThinkCentre M70q Platform Specifications

Processor	Intel® Celeron®, Intel Pentium®, or 10th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						Bluetooth		Some: Bluetooth 5.0/5.1 wireless, integrated in Wi-Fi + BT combo adapter			
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Ethernet (Opt.)	Gigabit ethernet, Intel Ethernet Connection I219-V(Jacksonville), Wake on LAN® None				
	Celeron G5900T	2/2	3.2G	2 MB	DDR4-2666	UHD 610	Manageability	None				
	Pentium Gold G6400T		3.4G	4 MB	DDR4-2666	UHD 610	Security chip	Discrete TPM 2.0, TCG Certified S • Security slot (in rear for optional Kensington® MicroSaver® cable) • Chassis intrusion switch • Power-on password • Administrator password • Hard disk password • Boot sequence control • Boot without keyboard and mouse • Individual USB port disablement • Smart USB protection, allows keyboard mouse only, blocks all storage devices				
	Pentium Gold G6500T		3.5G	4 MB	DDR4-2666	UHD 630	Security teatures					
	Core i3-10100T	4/8	3.0G / 3.8G	6 MB	DDR4-2666	UHD 630						
	Core i3-10300T	4/8	3.0G / 3.9G	8 MB	DDR4-2666	UHD 630						
	Core i5-10400T	6/12	2.0G / 3.6G	12 MB	DDR4-2666	UHD 630						
	Core i5-10500T	6/12	2.3G / 3.8G	12 MB	DDR4-2666	UHD 630						
	Core i5-10600T	6/12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630	Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Traditional Keyboard (USB connector), black Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black				
	Core i7-10700T	8/16	2.0G / 4.5G	16 MB	DDR4-2933	UHD 630						
	Core i9-10900T			UHD 630	Mouse	Some: Lenovo Calliope Mouse (USB connector), black						
	* Max freguency may refer to Intel Turbo Boost Technology 2.0 / Intel Turbo Boost Max Technology 3.0 / Intel Thermal Velocity Boost, and adopt the max one of them							Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black				
Memory	64GB max, DDR4-2666 / DDR4-2933*, two 260-pin SO-DIMM sockets, dual-channel capable * Memory module is DDR4-3200, but clocks down for the limitation of processors						Mechanical	Tiny (1L), black color; metal case one 2.5" bay for HDD, two M.2 slots (one for WLAN, one for M.2 SSD)				
Storage	Support up to 1x 2.5" HDD + 1x M.2 SSD Some: Hard Drive / SATA 6.0Gb/s, 2.5", 7200 rpm Some: M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4 Some: Intel Optane™ Memory M10, M.2 2280, PCIe 3.0 x2 Some: DVD-ROM, slim (9.0mm), via USB external ODD box Some: DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box One onboard SATA 6.0Gb/s connector						1		Dimens	sions (WxDxH)	Weight (Approx.)	
Ü								Tiny only	7.0" X 7.2" X 1.4 179mm X 183n	H" (1.5" with rubber feet) mm X 34.5mm (37mm rubber feet)	2.76 lb (1.25 kg), vary by config	
Optical Onboard SATA								With VESA mount & ODD box	7.36" X	(7.24" X 2.62" 83.8mm X 66.5mm	3.84 lb (1.74 kg), vary by config	
Graphics	Intel HD Graphics 610/630 in processor, uses main memory, DirectX [®] 12, one DisplayPort™, one HDMI, more video ports available via optional ports, up to 3 independent displays; Max resolution: 4096x2304@60Hz (DP*); 4096x2304@60Hz (Type-C); 4096x2160@24Hz (HDMI); 2048x1536@50Hz (VGA)						VESA mount Floor Stand Dust filter EOU design	Optional VESA mount bracket kit, supports VESA 75mm and 100mm Optional system floor stand for vertical orientation Optional dust filter Toolless chassis open (need optional toolless chassis screw), toolless HDD, SSD and memory assembly / removal				
Monitor cable	* Optioanl dual DP support up to 3840x2160 (extend display) vià MST mode Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle, or DP to HDMI 1.4 dongle						Power supply	Some: 65 watts AC/DC adapter, autosensing, 89% PSU Some: 90 watts AC/DC adapter, autosensing, 89% PSU (special bid only) Some: 135 watts AC/DC adapter, autosensing, 89% PSU				
Chipset	Intel H470 Chipset						Limited warranty	Some: 1-year, depot service / service upgrades available				
Front ports (Std.)*	* one USB 3.2 Gen 2 (Always On and fast charge), one USB 3.2 Type-C Gen 1,							Some: 1-year or 3-year, limited onsite service / service		site service / service upo	grades available	
Rear ports (Std.)*	one headphone / mid 1x USB 3.2 Gen 2, 3 Two optional ports:	crophone c x USB 3.2	combo jack (3.5m Gen 1, 1x ether	nm) net (RJ-	-45), 1x DP, 1x H	DMI	Preload	Preloaded operating system Some: Windows® 10 Pro 64-bit Some: Windows 10 Home 64-bit				
	Position	Port 1		Port 2	2 Port	1&2	Environment			Silver rating (on some m		
			d HDMI / USB ith DP function) al	Seria	Dual USB ports / D		MIL ODES	TCO 8.0, TUV low noise / ultra low noise verified (on some models), RoHS-compliant				
	* Depending on many factors, actual data transfer speed may be lower than theoretical speed						MIL-SPEC test	MIL-STD-810H military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)				
Audio support	Realtek ALC233VB / optional internal speaker (1.5 watt)											
WLAN	Some: 11ac wireless, M.2 Card, Realtek RTL8822CE (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 Some: 11ac wireless, M.2 Card, Intel Wireless-AC 9462 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 1x1 (special bid only) Some: 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 Some: 11ax wireless, M.2 Card, Intel Wi-Fi 6 AX201 (dual band), Wi-Fi + Bluetooth 5.1 combo adapter, 2x2						Accessories			o to http://smartfind.len	ovo.com	

ThinkCentre M70q















inside*

