

Approved by FDA&CE

QBit 7

Experience the Ultra-Mobility

CHISON
Value Beyond Imaging

20
1996 - 2016
Years Anniversary

WWW.CHISON.COM

Ergonomics

19" LED up & down
90° foldable



The LED screen can be rotated left and right $-90^{\circ} \sim 90^{\circ}$ allow different viewing angles of patients and operators

Stereo audio system

Floating keyboard with left/right rotation $-45^{\circ} \sim 45^{\circ}$, up/down height adjustment 0cm~15cm



Backlit keys



USB ports



Removable dust filter.




Print paper face to the front, for easy access.

Built-in battery 80 min (option)

Four wheels with locks

35.6 cm
Small foot print


General Imaging



Brachial Plexus,B Mode



Kinney ,PD Mode



Femoral Artery ,PW Mode


Women's Healthcare



Fetal Heart,B Mode




Early Pregnancy,B Mode



Umbilical Cord,PW Mode



Fetal Body,4D Mode




Fetal Face,Virtual HD




Fetal Hand,Depth View

Advanced Technologies



Q-beam

- Compared to the traditional dual-beam, QBit uses quad-beam to receive signal, thus doubles the volume of signal received as well as the frame rate.
- Higher frame rate ensures better diagnostic confidence and efficiency.



FHI

- An innovative harmonic technology that using different transmission and receiving methods for different body sized patients, to maximize the resolution without losing the penetration.
- Better than traditional THI and phased harmonic which compromise the penetration.
- This greatly helps to improve diagnostic confidence on big patients.




OFF



ON

X-contrast

- Contrast resolution can be set at 3 different levels according to the tissue difference.
- Activated by one key: Enhance, Normal, Suppress.



Q-flow

- This adaptive color detection technology can automatically adjust the assessment of color signal and noise according to different tissues.
- As a result, color sensitivity of low-velocity flow is greatly enhanced.



Cardiology


Performance



MV Short Axis View,B Mode




Papillary Muscle Short Axis,B Mode



MV Regurtation,B/BC Mode




Aorta Valve,PW Mode



Cardiac Two Chambers,CW Mode



Aorta Short Axis View,C Mode



Papillary Muscles, TDI M Mode



MV Short Axis View, Free M Mode



Apical Four Chambers, Color M Mode

Specifications

Imaging Modes

- B, 2B, 4B, B/M
- CFM, B/BC
- PW/CW
- PD, Directional PD
- Duplex, Instant Triplex, Quadplex
- Trapezoidal Imaging
- Curved Panoramic Imaging(option)
- 2D Steer(option)
- Chroma B/M/PW/CW
- 4D (option)
- Virtual HD/Depth View (option)
- Steer M, Color M, TDI (option)
- ECG (option)

Professional Clinical Applications

- ABD
- OB / GYN
- Vascular
- MSK
- Small Parts
- Urology
- Pediatric
- Cardiac

Image Processing Technologies

- Speckle Reduction Algorithm (SRA)
- Multiple Compound Imaging (MCI)
- Q-image
- Q-flow
- X-contrast
- Q-beam
- FHI
- Super Needle



2.0MHz-6.8MHz Convex
D3C60L



4.0MHz-15.0MHz Linear
D7L40L



7.0MHz-18.0MHz(With FHI) Linear
D12L40L



4.0MHz-15.0MHz Linear
D7L60L-60mm



4.0MHz-12.0MHz Transvaginal
D6C12L



4.0MHz-15.0MHz Transvaginal
D7C10L



4.0MHz-15.0MHz Trans Rectal
D7L40L-REC



2.0MHz-6.8MHz Micro-Convex
D3C20L



4.0MHz-10.7MHz Micro-Convex
D5C20L



4.0MHz-12.0MHz Micro-Convex
D6C15L



2.0MHz-6.8MHz Volume
V4C40L



1.5MHz-5.3MHz Phased array
D3P64L



2.0MHz-8.0MHz Phased array
D6P64L

CHISON MEDICAL IMAGING CO., LTD.

Sales & Service Contact Address:

No. 9 Xin Hui Huan Road, New District, Wuxi, Jiang Su Province, China214028

TEL: 0086-510-85310593 / 85310937 FAX: 0086-510-85310726 EMAIL: export@chison.com.cn

We reserve the right to make changes to this catalogue without prior notice
Please contact our local dealer for the latest information.

EQBit 7-160530