



EU DECLARATION OF CONFORMITY

Cisco Systems Inc. & all its affiliates

Headquarter at:

170 West Tasman Drive

San Jose, CA 95134

USA

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of this declaration:

Brand : CISCO

Description : Switch

Model :

C9200L-24P-4X-E:

C9200L-24P-4X-E, C9200L-24P-4X-E=

C9200L-24T-4G-E:

C9200L-24T-4G-E, C9200L-24T-4G-E=

C9200L-24T-4X-A:

C9200L-24T-4X-A

C9200L-48T-4G-E:

C9200L-48T-4G-E, C9200L-48T-4G-E=

C9200L-24P-4X-A:

C9200L-24P-4X-A

C9200L-48P-4G-A:

C9200L-48P-4G-A

C9200-24T-A:

C9200-24T-A

C9200-48T-A:

C9200-48T-A

C9200L-24P-4G-A:

C9200L-24P-4G-A

C9200L-24P-4G-E:

C9200L-24P-4G-E=, C9200L-24P-4G-E

C9200L-48P-4X-A:

C9200L-48P-4X-A

C9200-24PXG-A=, C9200-24PXG-E, C9200-24T-EDU, C9200-48PXG-EDU, C9200L-24P-4X-A=, C9200L-24T-4X-A=, C9200L-48P-4X-EDU, C9200L-48PL-4G-A=, C9200L-48PXG-2Y-E, C9200L-48PXG-4X-1A, C9200L-48PXG-4X-1E, C9200L-48T-4G-1E, C9200L-48T-4X-M, C9200L-STACK-KIT=, C9200-24P, C9200-STACK, PWR-C6-1KWAC=, C9200-48PXG-E=, C9200L-24PXG-2Y-1E, C9200L-24PXG-4X-E, C9200L-24PXG4X-EDU, C9200L-24T-4G-M, C9200L-24T-4X-EDU, C9200L-48P-4G-M, C9200L-48PL-4G-E, C9200L-48PL-4G-M, C9200L-

48PL-4X-A, C9200L-48PL-4X-A=, C9200L-48PXG-2Y-1E, C9200L-48PXG-4X-M, C9200L-48PXG4X-EDU, C9200L-48T-4G, C9200L-48T-4G-1A, C9200L-48T-4X, C9200L-48T-4X-EDU, STACK-T4-50CM, PWR-C6-1KWAC, C9200-24P-EDU, C9200-48PB-A, C9200L-48P-4G-EDU, C9200L-48P-4X, C9200L-48P-4X-1E, C9200L-48PL-4G-E=, C9200L-48PL-4X-E, C9200L-48PL-4X-M, C9200L-48T-4G-A=, C9200L-48T-4X-1E, PWR-C5-1KWAC, C9200-24T-E=, C9200-48P-A=, C9200-48P-E=, C9200-48PB-A=, C9200-48PL-A=, C9200L-24P-4G, C9200L-24P-4G-1E, C9200L-24P-4X-1A, C9200L-24P-4X-1E, C9200L-24PXG-2Y-A, C9200L-24PXG-4X-M, C9200L-24PXG4X-10A, C9200L-48P-4G, C9200L-48P-4G-10E, C9200L-48T-4G-EDU, C9200L-48T-4G-M, C9200-NM-2Y=, C9200-FAN=, C9200-STACK-KIT=, C9200-24PXG-E=, C9200-48PXG-A=, C9200-48T-A=, C9200L-24P-4G-1A, C9200L-24P-4G-EDU, C9200L-24P-4X-EDU, C9200L-24PXG-2Y-M, C9200L-24T-4G-1A, C9200L-24T-4G-A=, C9200L-24T-4X-1E, C9200L-24T-4X-M, C9200L-48P-4G-1A, C9200L-48P-4X-10E, C9200L-48P-4X-1A, C9200L-48P-4X-A=, C9200L-48PL-4G-A, C9200L-48PXG2Y-EDU, C9200-NM-2Y, PWR-C5-600WAC=, C9200-24PB-A=, C9200-24PXG-A, C9200-24PXG-EDU, C9200-48PL-E, C9200L-24P-4X, C9200L-24P-4X-M, C9200L-24PXG-2Y-E, C9200L-24PXG2Y-EDU, C9200L-24T-4X-1A, C9200L-48P-4X-10A, C9200L-48P-4X-M, C9200L-48PL-4X-E=, C9200L-48PXG-4X-A, C9200L-48PXG-4X-E, C9200L-48T-4X-1A, C9200L-48T-4X-A=, C9200L-STACK-KIT, STACK-T4-1M, STACK-T4-3M, C9200-24P-A=, C9200-48PL-E=, C9200-48PXG-A, C9200L-24P-4G-A=, C9200L-24PXG-4X-1E, C9200L-24PXG-4X-A, C9200L-24T-4G, C9200L-24T-4X, C9200L-48P-4G-1E, C9200L-48P-4G-A=, C9200L-48P-4G-E=, C9200L-48P-4X-E=, C9200-NM-4G, C9200-NM-2Q, PWR-C5-600WAC, PWR-C6-1KWAC/2, C9200-24P-E=, C9200-24PB-A, C9200-24T-A=, C9200-48PL-A, C9200-48PXG-E, C9200L-24P-4G-M, C9200L-24PXG-2Y-1A, C9200L-24PXG-4X-1A, C9200L-24T-4G-1E, C9200L-48PXG-2Y-1A, C9200L-48PXG-2Y-A, C9200L-48PXG-2Y-M, C9200L-48PXG4X-10A, C9200-NM-2Q=, C9200-NM-4X, PWR-C5-125WAC

C9200-24P-E:

C9200-24P-E

C9200-24T-E:

C9200-24T-E

C9200-48P-A:

C9200-48P-A

C9200-48P-E:

C9200-48P-E

C9200L-24T-4X-E:

C9200L-24T-4X-E=, C9200L-24T-4X-E

C9200L-48T-4G-A:

C9200L-48T-4G-A

C9200L-24T-4G-A:

C9200L-24T-4G-A

C9200L-48P-4G-E:

C9200L-48P-4G-E

C9200L-48P-4X-E:

C9200L-48P-4X-E

C9200L-48T-4X-E:

C9200L-48T-4X-E=, C9200L-48T-4X-E

C9200-24P-A:

C9200-24P-A
C9200-48T-E:
C9200-48T-E
C9200L-48T-4X-A:
C9200L-48T-4X-A

Fulfills the essential requirements of the following Directives: 2014/30/EU and 2014/35/EU; and is in conformity with Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

The following standards were applied:

EMC	EN 300 386:2021:V2.1.23 EN 55032:2015/A11:2020 EN 55035:2017/A11:2020 EN 61000-3-3:2013+A1:2019 EN 61000-3-3:2013+A2:2021	EN 61000-6-2: 2005 EN IEC 61000-3-2:2019+A1:2020 EN IEC 61000-6-1:2019 CISPR32:2015/A1:2019 CISPR35:2016
Safety	EN 62368-1:2014 EN 62368-1:2014+A11:2017	EN IEC 62368-1:2020+A11:2020
RoHS	EN IEC 63000:2018	

EN are relevant harmonized standards.

Additional Information :

Technical Construction File Reference EDCS-1017314

Battery Statement : The product contains a battery that complies with REGULATION (EU) 2023/1542 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 12 July 2023 concerning batteries and waste batteries, amending Directive 2008/98/EC and Regulation (EU) 2019/1020

Date & Place of issue : 24-NOV-2025, San Jose

Signature:



Jovica Savic

Director

Compliance Certifications



EU DECLARATION OF CONFORMITY

Cisco Systems Inc. & all its affiliates

Headquarter at:

170 West Tasman Drive

San Jose, CA 95134

USA

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of this declaration:

Brand : CISCO

Description : Switch

Model :

C9200L-24P-4X-E:

C9200L-24P-4X-E, C9200L-24P-4X-E=

C9200L-24T-4G-E:

C9200L-24T-4G-E, C9200L-24T-4G-E=

C9200L-24T-4X-A:

C9200L-24T-4X-A

C9200L-48T-4G-E:

C9200L-48T-4G-E, C9200L-48T-4G-E=

C9200L-24P-4X-A:

C9200L-24P-4X-A

C9200L-48P-4G-A:

C9200L-48P-4G-A

C9200-24T-A:

C9200-24T-A

C9200-48T-A:

C9200-48T-A

C9200L-24P-4G-A:

C9200L-24P-4G-A

C9200L-24P-4G-E:

C9200L-24P-4G-E=, C9200L-24P-4G-E

C9200L-48P-4X-A:

C9200L-48P-4X-A

C9200-24PXG-A=, C9200-24PXG-E, C9200-24T-EDU, C9200-48PXG-EDU, C9200L-24P-4X-A=, C9200L-24T-4X-A=, C9200L-48P-4X-EDU, C9200L-48PL-4G-A=, C9200L-48PXG-2Y-E, C9200L-48PXG-4X-1A, C9200L-48PXG-4X-1E, C9200L-48T-4G-1E, C9200L-48T-4X-M, C9200L-STACK-KIT=, C9200-24P, C9200-STACK, PWR-C6-1KWAC=, C9200-48PXG-E=, C9200L-24PXG-2Y-1E, C9200L-24PXG-4X-E, C9200L-24PXG4X-EDU, C9200L-24T-4G-M, C9200L-24T-4X-EDU, C9200L-48P-4G-M, C9200L-48PL-4G-E, C9200L-48PL-4G-M, C9200L-

48PL-4X-A, C9200L-48PL-4X-A=, C9200L-48PXG-2Y-1E, C9200L-48PXG-4X-M, C9200L-48PXG4X-EDU, C9200L-48T-4G, C9200L-48T-4G-1A, C9200L-48T-4X, C9200L-48T-4X-EDU, STACK-T4-50CM, PWR-C6-1KWAC, C9200-24P-EDU, C9200-48PB-A, C9200L-48P-4G-EDU, C9200L-48P-4X, C9200L-48P-4X-1E, C9200L-48PL-4G-E=, C9200L-48PL-4X-E, C9200L-48PL-4X-M, C9200L-48T-4G-A=, C9200L-48T-4X-1E, PWR-C5-1KWAC, C9200-24T-E=, C9200-48P-A=, C9200-48P-E=, C9200-48PB-A=, C9200-48PL-A=, C9200L-24P-4G, C9200L-24P-4G-1E, C9200L-24P-4X-1A, C9200L-24P-4X-1E, C9200L-24PXG-2Y-A, C9200L-24PXG-4X-M, C9200L-24PXG4X-10A, C9200L-48P-4G, C9200L-48P-4G-10E, C9200L-48T-4G-EDU, C9200L-48T-4G-M, C9200-NM-2Y=, C9200-FAN=, C9200-STACK-KIT=, C9200-24PXG-E=, C9200-48PXG-A=, C9200-48T-A=, C9200L-24P-4G-1A, C9200L-24P-4G-EDU, C9200L-24P-4X-EDU, C9200L-24PXG-2Y-M, C9200L-24T-4G-1A, C9200L-24T-4G-A=, C9200L-24T-4X-1E, C9200L-24T-4X-M, C9200L-48P-4G-1A, C9200L-48P-4X-10E, C9200L-48P-4X-1A, C9200L-48P-4X-A=, C9200L-48PL-4G-A, C9200L-48PXG2Y-EDU, C9200-NM-2Y, PWR-C5-600WAC=, C9200-24PB-A=, C9200-24PXG-A, C9200-24PXG-EDU, C9200-48PL-E, C9200L-24P-4X, C9200L-24P-4X-M, C9200L-24PXG-2Y-E, C9200L-24PXG2Y-EDU, C9200L-24T-4X-1A, C9200L-48P-4X-10A, C9200L-48P-4X-M, C9200L-48PL-4X-E=, C9200L-48PXG-4X-A, C9200L-48PXG-4X-E, C9200L-48T-4X-1A, C9200L-48T-4X-A=, C9200L-STACK-KIT, STACK-T4-1M, STACK-T4-3M, C9200-24P-A=, C9200-48PL-E=, C9200-48PXG-A, C9200L-24P-4G-A=, C9200L-24PXG-4X-1E, C9200L-24PXG-4X-A, C9200L-24T-4G, C9200L-24T-4X, C9200L-48P-4G-1E, C9200L-48P-4G-A=, C9200L-48P-4G-E=, C9200L-48P-4X-E=, C9200-NM-4G, C9200-NM-2Q, PWR-C5-600WAC, PWR-C6-1KWAC/2, C9200-24P-E=, C9200-24PB-A, C9200-24T-A=, C9200-48PL-A, C9200-48PXG-E, C9200L-24P-4G-M, C9200L-24PXG-2Y-1A, C9200L-24PXG-4X-1A, C9200L-24T-4G-1E, C9200L-48PXG-2Y-1A, C9200L-48PXG-2Y-A, C9200L-48PXG-2Y-M, C9200L-48PXG4X-10A, C9200-NM-2Q=, C9200-NM-4X, PWR-C5-125WAC

C9200-24P-E:

C9200-24P-E

C9200-24T-E:

C9200-24T-E

C9200-48P-A:

C9200-48P-A

C9200-48P-E:

C9200-48P-E

C9200L-24T-4X-E:

C9200L-24T-4X-E=, C9200L-24T-4X-E

C9200L-48T-4G-A:

C9200L-48T-4G-A

C9200L-24T-4G-A:

C9200L-24T-4G-A

C9200L-48P-4G-E:

C9200L-48P-4G-E

C9200L-48P-4X-E:

C9200L-48P-4X-E

C9200L-48T-4X-E:

C9200L-48T-4X-E=, C9200L-48T-4X-E

C9200-24P-A:

C9200-24P-A
C9200-48T-E:
C9200-48T-E
C9200L-48T-4X-A:
C9200L-48T-4X-A

Fulfills the essential requirements of the following Directives: 2014/30/EU and 2014/35/EU; and is in conformity with Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

The following standards were applied:

EMC	EN 300 386:2021:V2.1.23 EN 55032:2015/A11:2020 EN 55035:2017/A11:2020 EN 61000-3-3:2013+A1:2019 EN 61000-3-3:2013+A2:2021	EN 61000-6-2: 2005 EN IEC 61000-3-2:2019+A1:2020 EN IEC 61000-6-1:2019 CISPR32:2015/A1:2019 CISPR35:2016
Safety	EN 62368-1:2014 EN 62368-1:2014+A11:2017	EN IEC 62368-1:2020+A11:2020
RoHS	EN IEC 63000:2018	

EN are relevant harmonized standards.

Additional Information :

Technical Construction File Reference EDCS-1017314

Battery Statement : The product contains a battery that complies with REGULATION (EU) 2023/1542 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 12 July 2023 concerning batteries and waste batteries, amending Directive 2008/98/EC and Regulation (EU) 2019/1020

Date & Place of issue : 24-NOV-2025, San Jose

Signature:



Jovica Savic

Director

Compliance Certifications



EU DECLARATION OF CONFORMITY

Cisco Systems Inc. & all its affiliates

Headquarter at:

170 West Tasman Drive

San Jose, CA 95134

USA

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of this declaration:

Brand : CISCO

Description : Switch

Model :

C9300X-24HX-1E, C9300X-24HX-A, C9300X-24HX-EDU, C9300X-48HX, C9300X-48HX-E=, C9300X-48TX-A=, C9300X-NM-2C=, C9300X-12Y-E, C9300X-12Y-E=, C9300X-24Y-10A, C9300X-24HX-E, C9300X-48HX-EDU, C9300X-48TX, C9300X-24HX-10A, C9300X-48HX-10A, C9300X-48TX-1E, C9300X-NM-2C, C9300X-12Y-A=, C9300X-24Y-A=, C9300X-NM-4C, C9300X-48TX-1A, C9300X-48TX-A, C9300X-48TX-EDU, C9300X-12Y-P, C9300X-24Y-1A, C9300X-24Y-E, C9300X-NM-8M, C9300X-24HX-A=, C9300X-48HX-1E, C9300X-48TX-10E, C9300X-12Y-10A, C9300X-12Y-1E, C9300X-24Y-10E, C9300X-NM-8Y=, C9300X-24HX-1A, C9300X-24HX-E=, C9300X-48HX-1A, C9300X-12Y-10E, C9300X-12Y-EDU, C9300X-24Y-1E, C9300X-24Y-P, C9300X-NM-4C=, C9300X-24HX-10E, C9300X-48HX-10E, C9300X-48HX-A, C9300X-48HX-E, C9300X-48TX-10A, C9300X-48TX-E=, C9300X-24Y-A, C9300X-24Y-EDU, C9300X-NM-8Y, C9300X-48HX-A=, C9300X-48TX-E, C9300X-12Y-1A, C9300X-12Y-A, C9300X-24Y-E=, C9300X-NM-8M=

Fulfills the essential requirements of the following Directives: 2014/30/EU and 2014/35/EU; and is in conformity with Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

The following standards were applied:

EMC	EN 300 386 V1.6.1:2012 EN 55032:2015/A11:2020 EN 55035:2017/A11:2020 EN 61000-3-11:2000 EN 61000-3-2:2014	EN 61000-3-3:2013 EN 61000-6-1:2007 EN 61000-6-2: 2005 CISPR 32:2015 CISPR35:2016
Safety	EN 62368-1:2014 EN 62368-1:2014+A11:2017	EN IEC 62368-1:2020+A11:2020
RoHS	EN IEC 63000:2018	

EN are relevant harmonized standards.

Additional Information :

Technical Construction File Reference EDCS-1017314.

The product contains a battery that complies with REGULATION (EU) 2023/1542 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 12 July 2023 concerning batteries and waste batteries, amending Directive 2008/98/EC and Regulation (EU) 2019/1020.

Date & Place of issue : 16-AUG-2024, San Jose

Signature:



Jovica Savic

Director

Compliance Certifications